

---

**kadi-apy**  
*Release 0.37.0*

**Karlsruhe Institute of Technology**

**Feb 22, 2024**



## SETUP

<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Development</b>	<b>5</b>
<b>3</b>	<b>Upgrading</b>	<b>7</b>
<b>4</b>	<b>Configuration</b>	<b>9</b>
<b>5</b>	<b>Library</b>	<b>11</b>
<b>6</b>	<b>CLI</b>	<b>43</b>
<b>7</b>	<b>CLI Library</b>	<b>113</b>
<b>8</b>	<b>Release history</b>	<b>149</b>
	<b>Python Module Index</b>	<b>161</b>
	<b>Index</b>	<b>163</b>



**Kadi-APY** is a library for use in tandem with [Kadi4Mat](#). The REST-like API of Kadi4Mat makes it possible to programmatically interact with most of the resources that can be used through the web interface by sending suitable HTTP requests to the different endpoints the API provides.

---

**Tip:** Detailed information about the HTTP API of Kadi4Mat itself, including all endpoints and their parameters, can be found in the developer [documentation](#) of Kadi4Mat.

---

The goal of this library is to make the use of this API as easy as possible. It offers both an object oriented approach to work with the API in Python as well as a command line interface. The library is written in Python 3 and works under Linux, Windows and macOS. The source code of the project can be found [here](#).

---



## INSTALLATION

The library can be installed using `pip3` (or simply `pip`, if there is no dedicated version of `pip` for Python 3 installed), which generally comes bundled with regular Python installations. Note that a Python version  $\geq 3.8$  is required to install the latest version of this library:

```
pip3 install kadi-apy
```

If you want to use the CLI, make sure the `kadi-apy` command is runnable from anywhere. Depending on the type of installation and if a virtual environment is used or not, the `PATH` system variable **may** need to be adapted accordingly to include the path the executable resides in. For example, the following command can be used on Linux, assuming the executable resides in `~/local/bin`:

```
export PATH=${HOME}/local/bin:${PATH}
```

This line can also be added to `.bashrc` so it will be executed each time a new terminal is opened:

```
echo 'export PATH=${HOME}/local/bin:${PATH}' >> ${HOME}/.bashrc
```

On Windows, the `PATH` variable can be modified permanently by editing the respective environment variable in the advanced system settings of the control panel. The Python installer usually can do this automatically, but the corresponding option has to be selected explicitly.

Tab completion is also available for some shells in some capacity, namely `bash`, `zsh` and `fish`, and can be activated using:

```
kadi-apy config activate-autocompletion
```





## DEVELOPMENT

When installing the library from source for development instead, it is recommended to install it in editable mode, which simply creates a link to the sources so all changes are reflected in the installed package immediately. The following command will also install some additional development dependencies as defined in `pyproject.toml`:

```
pip3 install -e .[dev]
```

Especially for development, running the installation inside a virtual environment is recommended, see [Virtualenv](#) for more information.

At this point, it is also recommended to already install the [pre-commit](#) hooks by running:

```
pre-commit install
```

Besides `pre-commit`, [Pylint](#) is used as a static code analysis tool. It can be used to check the whole project by running:

```
pylint kadi_apy
```

For contributions, it is recommended to first create a fork of this project and clone it. The main repository can be added as an additional remote to the cloned project, often called `upstream`. Also checkout the `development` branch, which is currently used as the main development branch.

Before creating a merge request on the main repository, make sure the GitLab CI runs through successfully in your fork. If applicable, make sure to add an entry about any new functionality to `HISTORY.md`. You may also add yourself as a contributor to `AUTHORS.md`.



## UPGRADING

To upgrade the library, the `-U` flag can be used:

```
pip3 install kadi-apy -U
```

When installing from source for development, fetch the latest code first and install it in editable mode again:

```
pip3 install -e .[dev]
```



## CONFIGURATION

To connect an instance of Kadi4Mat to this library, the host of the Kadi4Mat instance as well as a personal access token (PAT) are required. The host is the fully qualified domain name of a Kadi4Mat instance, e.g. `https://kadi4mat.example.edu`. PATs on the other hand have to be created via the web interface of the same Kadi4Mat instance in the menu found in *Settings > Access tokens*. Please also refer to the corresponding [documentation](#) of Kadi4Mat itself.

You can either directly pass the token and host to the *KadiManager* class (see also the *library* section) or use a config file to store this information, **which is usually recommended**. Note that when using both ways in parallel, the former takes precedence.

The kadi-apy CLI provides various convenience commands to create and update the config file:

```
kadi-apy config create    # Create a basic config file.
kadi-apy config set-host # Change a host in the config file.
kadi-apy config set-pat  # Change a PAT in the config file.
```

The first command will create a sample config file similar to the following (without the comments), residing in a suitable location in your home directory, depending on the operating system:

```
; Global settings.
[global]
; The name of the default Kadi4Mat instance to use.
default = my_instance
; Timeout in seconds for all requests.
timeout = 60
; Whether to verify the SSL/TLS certificate of the host.
verify = True
; Optional custom CA bundle to use for SSL/TLS verification.
ca_bundle = /path/to/certfile
; A comma-separated whitelist of hosts that kadi-apy is allowed to redirect to. Note
; that the "Authorization" header used to authenticate with Kadi4Mat's API will
; always be stripped on redirect.
whitelist = https://example.com,https://example2.com

; Specific settings for the current default instance.
[my_instance]
; Host of the instance.
host = https://kadi.example.edu
; PAT corresponding to the instance.
pat = <PAT>

; Specific settings for another instance.
[my_second_instance]
```

(continues on next page)

(continued from previous page)

```
host = https://kadi.example2.edu  
pat = <PAT>
```

This chapter describes how to install, upgrade and configure kadi-apy.

---

**Tip:** Detailed information about the HTTP API of Kadi4Mat itself, including all endpoints and their parameters, can be found in the developer [documentation](#) of Kadi4Mat.

---

## LIBRARY

The Python library is the most important and most flexible way to use the functionality that kadi-apy provides. The central entry point for most functionality is the *KadiManager* class. The following shows a basic example on how to use it:

```
from kadi_apy import KadiManager

manager = KadiManager()

# Retrieve an existing record by its ID.
record = manager.record(id=1)

# Upload a file to the record.
response = record.upload_file("/path/to/file.txt")
```

---

**Note:** Most methods used to interact with resources return a response object as defined in the *requests* Python library, which can be used to detect whether a request has been successful.

---

Next to records (*Record*), it is also possible to interact with other types of resources, namely collections (*Collection*), templates (*Template*), groups (*Group*) and users (*User*), for example:

```
# Retrieve an existing collection by its identifier.
collection = manager.collection(identifier="my_collection")

# Create a new template with the given metadata. If the template already exists, it
# will be retrieved by its identifier.
template = manager.template(
    identifier="my_template",
    title="My template",
    create=True,
)
```

Common methods, namely for searching (*Search*) as well as miscellaneous functionality (*Miscellaneous*), are offered directly by corresponding helper classes:

```
# Perform a search for records.
response = manager.search.search_resources("record")

# Get all deleted resources.
response = manager.misc.get_deleted_resources()
```

**Tip:** It is also possible to send individual requests directly using `KadiManager.make_request()`, while still ensuring a common handling of things like authorization and errors. This method is especially useful for endpoints for which no dedicated functionality exists yet, depending on the versions of kadi-apy and Kadi4Mat itself that are used.

---

Common conversion functionality is offered via the `conversion` module. The following shows an example on how to use it:

```
from kadi_apy import conversion

with open("/path/to/file.json", mode="rb") as f:
    json_data = json.load(f)

# Convert plain JSON to a Kadi4Mat-compatible extra metadata structure.
extras = conversion.json_to_kadi(json_data)
```

## 5.1 KadiManager

`class kadi_apy.lib.core.KadiManager`(*instance=None, host=None, token=None, verify=True, timeout=60, whitelist=None, verbose=None*)

Bases: `object`

Base manager class for the API.

Manages the host and the personal access token (PAT) to use for all API requests. The KadiManager can instantiate new resources (e.g. records) via factory methods.

### Parameters

- **instance** (*str, optional*) – The name of the instance to use in combination with a config file.
- **host** (*str, optional*) – Name of the host.
- **token** (*str, optional*) – Personal access token.
- **verify** (*bool, optional*) – Whether to verify the SSL/TLS certificate of the host.
- **timeout** (*float, optional*) – Timeout in seconds for the requests.
- **verbose** (*optional*) – Global verbose level to define the amount of prints.

### property pat\_user

Get the user related to the PAT.

### Returns

The user.

### Return type

*User*

### property misc

Central entry point for miscellaneous functionality.

### property search

Central entry point for search functionality.



**make\_request**(*endpoint*, *method*='get', *\*\*kwargs*)

Low level functionality to perform a request.

This function can be used to use endpoints for which no own functions exist yet.

**Parameters**

- **endpoint** (*str*) – Endpoint to use for the request.
- **method** (*str*, *optional*) – Method to use for the request. One of "get", "post", "patch", "put" or "delete".
- **\*\*kwargs** – Additional parameters.

**Raises**

- **KadiAPYInputError** – If the specified method is invalid.
- **KadiAPYRequestError** – If the server answered with an invalid redirection.

**record**(*\*\*kwargs*)

Init a record.

**Parameters**

- **\*\*kwargs** – Parameter for the initialization.

**Returns**

The record.

**Return type**

*Record*

**Raises**

- **KadiAPYRequestError** – If initializing the record was not successful.

**collection**(*\*\*kwargs*)

Init a collection.

**Parameters**

- **\*\*kwargs** – Parameter for the initialization.

**Returns**

The collection.

**Return type**

*Collection*

**Raises**

- **KadiAPYRequestError** – If initializing the collection was not successful.

**template**(*\*\*kwargs*)

Init a template.

**Parameters**

- **\*\*kwargs** – Parameter for the initialization.

**Returns**

The template.

**Return type**

*Template*

**Raises**

- **KadiAPYRequestError** – If initializing the template was not successful.

**group**(\*\*kwargs)

Init a group.

**Parameters**

**\*\*kwargs** – Parameter for the initialization.

**Returns**

The group.

**Return type**

*Group*

**Raises**

*KadiAPYRequestError* – If initializing the group was not successful.

**user**(\*\*kwargs)

Init a user.

**Parameters**

**\*\*kwargs** – Parameter for the initialization.

**Returns**

The user.

**Return type**

*User*

**Raises**

*KadiAPYRequestError* – If initializing the user was not successful.

**is\_verbose**(verbose\_level=*Verbose.INFO*)

Check the verbose level.

**Parameters**

**verbose\_level** – Local verbose level of the function.

**Returns**

True if verbose level is reached, False otherwise.

**Return type**

bool

**error**(text, \*\*kwargs)

Print text for error level.

**Parameters**

- **text** – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**Return type**

*echo()*

**warning**(text, \*\*kwargs)

Print text for warning level.

**Parameters**

- **text** – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**Return type**`echo()`**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**Return type**`echo()`**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**Return type**`echo()`**echo**(*text*, *verbose\_level*, *\*\*kwargs*)Print text via `click.echo()` if global verbose level is reached.**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **verbose\_level** – Verbose level.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.2 Record

```
class kadi_apy.lib.resources.records.Record(manager, id=None, identifier=None, skip_request=False,
                                           create=False, **kwargs)
```

Bases: Resource, ExportMixin, PermissionMixin, TagMixin

Model to represent records.

**Parameters**

- **manager** (*KadiManager*) – Manager to use for all API requests.
- **id** (*int*, *optional*) – The ID of an existing resource.
- **identifier** (*str*, *optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata. The identifier is adjusted if it contains spaces, invalid characters or exceeds the length of 50 valid characters.
- **skip\_request** (*bool*, *optional*) – Flag to skip the initial request.

- **create** (*bool*, *optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **\*\*kwargs** (*dict*) – Additional metadata of the new resource to create.

**add\_collection\_link**(*collection\_id*)

Add a record to a collection.

**Parameters**

**collection\_id** (*int*) – The ID of the collection to which the record should be added.

**Returns**

The response object.

**remove\_collection\_link**(*collection\_id*)

Remove a record from a collection.

**Parameters**

**collection\_id** (*int*) – The ID of the collection from which the record should be removed.

**Returns**

The response object.

**check\_metadatum**(*metadatum*)

Check if a record has a certain metadatum.

Does currently not support metadata in nested types.

**Parameters**

**metadatum** (*str*) – The metadatum to check.

**Returns**

True if the metadatum exists, otherwise False.

**Return type**

bool

**add\_metadatum**(*metadatum*, *force=False*)

Add metadatum to a record.

Validation supports currently no nested metadata.

**Parameters**

- **metadatum** (*dict*) – The metadatum to add.
- **force** (*bool*) – Whether to overwrite the metadatum with the new value in case the metadatum already exists.

**Returns**

The response object.

**add\_metadata**(*metadata\_new*, *force=False*, *callback=None*)

Add metadata to a record.

Validation supports currently no nested metadata.

**Parameters**

- **metadata\_new** (*dict*, *list*) – One or more metadata entries to add, either as dictionary or a list of dictionaries.
- **force** (*bool*) – Whether to overwrite the metadatum with the new value in case the metadatum already exists.

- **callback** (*optional*) – Callback function.

**Returns**

The response object.

**remove\_metadatum**(*metadatum*)

Remove a metadatum from a record.

Only first level metadata are supported (no nested types).

**Parameters**

**metadatum** (*str*) – The metadatum to remove.

**Returns**

The response object.

**remove\_all\_metadata**()

Remove all metadata from a record.

**Returns**

The response object.

**upload\_file**(*file\_path*, *file\_name=None*, *file\_description=None*, *force=False*)

Upload a file to a record.

**Parameters**

- **file\_path** (*str*) – The path to the file (incl. name of the file).
- **file\_name** (*str*, *optional*) – The name under which the file should be stored. If no name is given, the name is taken from the file path.
- **file\_description** (*str*, *optional*) – The description of the file.
- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.

**Returns**

The final response object of the upload process.

**upload\_string\_to\_file**(*string*, *file\_name*, *file\_description=None*, *force=False*)

Upload a string to save as a file in a record.

**Parameters**

- **string** (*str*) – The string to save as a file.
- **file\_name** (*str*) – The name under which the file should be stored.
- **file\_description** (*str*, *optional*) – The description of the file.
- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.

**Returns**

The final response object of the upload process.

**download\_file**(*file\_id*, *file\_path*)

Download a file of a record.

**Parameters**

- **file\_id** (*str*) – The file ID of the file to download.
- **file\_path** (*str*) – The full path to store the file.

**Returns**

The response object.

**download\_all\_files**(*file\_path*)

Download all files of a record as ZIP archive.

**Parameters**

**file\_path** (*str*) – The full path to store the archive.

**Returns**

The response object.

**get\_file\_revisions**(\*\**params*)

Get the file revisions of a file in this record.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_file\_revision**(*revision\_id*, \*\**params*)

Get a specific file revision of a file in this record.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the file.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_record\_revisions**(\*\**params*)

Get the revisions of this record.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_record\_revision**(*revision\_id*, \*\**params*)

Get a specific revision of this record.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the record.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_users**(\*\**params*)

Get users from a record. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_groups**(\*\**params*)

Get group roles from a record. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_filelist**(*\*\*params*)

Get the filelist. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_number\_files**()

Get number of all files of a record.

**Returns**

The number of files.

**Return type**

`int`

**Raises**

*KadiAPYRequestError* – If request was not successful.

**get\_file\_name**(*file\_id*)

Get file name from a given file ID.

**Parameters**

**file\_id** – The ID of the file.

**Returns**

The name of the file.

**Return type**

`str`

**Raises**

*KadiAPYInputError* – If no file with the given file ID exists.

**get\_metadatum**(*name*)

Return a specific metadatum.

**Parameters**

**name** (*str* or *list*) – Either a single key as a string or a list of strings for nested metadata. Note that for list values, the keys are replaced by corresponding indices, also as string, starting at 1.

**Returns**

The metadatum or `None` if it could not be found.

**link\_record**(*record\_to*, *name*, *term\_iri=None*)

Link record.

**Parameters**

- **record\_to** (*int*) – The ID of the record to link.
- **name** (*str*) – The name of the link.
- **term\_iri** (*str*) – An IRI specifying an existing term that the link should represent.

**Returns**

The response object.

**delete\_record\_link**(*record\_link\_id*)

Delete a record link.

**Parameters**

**record\_link\_id** (*int*) – The ID of the record link to delete. Attention: The record link ID is not the record ID.

**Returns**

The response object.

**update\_record\_link**(*record\_link\_id*, **\*\*kwargs**)

Update the name of record link.

**Parameters**

- **record\_link\_id** (*int*) – The ID of the record link to update. Attention: The record link ID is not the record ID.
- **\*\*kwargs** – The metadata to update the record link with.

**Returns**

The response object.

**get\_record\_links**(**\*\*params**)

Get record links. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_collection\_links**(**\*\*params**)

Get collection links. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_file\_id**(*file\_name*)

Get the file ID based on the file name.

**Parameters**

**file\_name** (*str*) – Additional parameters.

**Returns**

The file ID (UUID).

**Return type**

*str*

**Raises**

***KadiAPYInputError*** – If no file with the given name exists.

**get\_file\_info**(*file\_id*)

Get information of a file based on the *file\_id*.



**Parameters**

**file\_id** (*str*) – The ID of the file.

**Returns**

The response object.

**has\_file**(*file\_name*)

Check if file with the given name already exists.

**Parameters**

**file\_name** (*str*) – The name of the file.

**Returns**

True if file already exists, otherwise False.

**edit\_file**(*file\_id*, *\*\*kwargs*)

Edit the metadata of a file of the record.

**Parameters**

- **file\_id** (*str*) – The ID (UUID) of the file to edit.
- **\*\*kwargs** – The metadata to update the file with.

**Returns**

The response object.

**delete\_file**(*file\_id*)

Delete a file of the record.

**Parameters**

**file\_id** (*str*) – The ID (UUID) of the file to delete.

**Returns**

The response object.

**flatten\_extras**(*separator='.'*)

Create a list of flatted metadata.

**Parameters**

**separator** (*str*, *optional*) – A string for separating the metadata.

**Returns**

A list of flatted metadata.

**Return type**

*list*

**add\_group\_role**(*group\_id*, *role\_name*)

Add a group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group to add.
- **role\_name** (*str*) – Role of the group.

**Returns**

The response object.

**add\_tag**(*tag*)

Add a tag.

**Parameters**

**tag** (*str*) – The tag to add.

**Returns**

The response object.

**add\_user**(*user\_id*, *role\_name*)

Add a user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user to add.
- **role\_name** (*str*) – Role of the User.

**Returns**

The Response object.

**change\_group\_role**(*group\_id*, *role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**check\_tag**(*tag*)

Check if a certain tag is already present.

**Parameters**

**tag** (*str*) – The tag to check.

**Returns**

True if tag already exists, otherwise False.

**Return type**

bool

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete()**

Delete the resource.

**Returns**

The response object.

**edit(\*\*kwargs)**

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error(text, \*\*kwargs)**

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export(path, export\_type='json', pipe=False, \*\*params)**

Export a resource using a specific export type.

**Parameters**

- **path** (*str*) – The path (including name of the file) to store the exported data.
- **export\_type** (*str*) – The export format.
- **pipe** (*bool*) – If True, nothing is written here.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_tags()**

Get tags.

**Returns**

A list of all tags.

**Type**

`list`

**info(text, \*\*kwargs)**

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose(\*\*kwargs)**

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

***KadiAPYRequestError*** – If requesting the metadata was not successful.

**remove\_group\_role**(*group\_id*)

Remove a group role.

**Parameters**

**group\_id** (*int*) – The ID of the group to remove.

**Returns**

The response object.

**remove\_tag**(*tag*)

Remove a tag.

**Parameters**

**tag** (*str*) – The tag to remove.

**Returns**

The response object.

**remove\_user**(*user\_id*)

Remove a user role.

**Parameters**

**user\_id** (*int*) – The ID of the user to remove.

**Returns**

The response object.

**set\_attribute**(*attribute, value*)

Set attribute.

**Parameters**

- **attribute** (*str*) – The attribute to set.
- **value** – The value of the attribute.

**Returns**

The response object.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.3 Collection

```
class kadi_apy.lib.resources.collections.Collection(manager, id=None, identifier=None,
                                                skip_request=False, create=False, **kwargs)
```

Bases: Resource, ExportMixin, PermissionMixin, TagMixin

Model to represent collections.

### Parameters

- **manager** (*KadiManager*) – Manager to use for all API requests.
- **id** (*int, optional*) – The ID of an existing resource.
- **identifier** (*str, optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata. The identifier is adjusted if it contains spaces, invalid characters or exceeds the length of 50 valid characters.
- **skip\_request** (*bool, optional*) – Flag to skip the initial request.
- **create** (*bool, optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **\*\*kwargs** (*dict*) – Additional metadata of the new resource to create.

```
get_users(**params)
```

Get user of a collection. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Returns

The response object.

```
get_groups(**params)
```

Get group roles from a collection. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Returns

The response object.

```
add_record_link(record_id)
```

Add a record to a collection.

### Parameters

**record\_id** (*int*) – The ID of the record to add.

### Returns

The response object.

```
remove_record_link(record_id)
```

Remove a record from a collection.

### Parameters

**record\_id** (*int*) – The ID of the record to remove.

**Returns**

The response object.

**get\_records**(*\*\*params*)

Get records from a collection. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_collections**(*\*\*params*)

Get collections linked with a collection id.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**add\_collection\_link**(*collection\_id*)

Add a child collection to a parent collection.

**Parameters**

**collection\_id** (*int*) – The ID of a child collection to which the parent collection should be added.

**Returns**

The response object.

**remove\_collection\_link**(*collection\_id*)

Remove a child collection from a parent collection.

**Parameters**

**collection\_id** (*int*) – The ID of the child collection to be removed from the parent collection.

**Returns**

The response object.

**get\_collection\_revisions**(*\*\*params*)

Get the revisions of this collection.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_collection\_revision**(*revision\_id*, *\*\*params*)

Get a specific revision of this collection.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the collection.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**add\_group\_role**(*group\_id*, *role\_name*)

Add a group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group to add.
- **role\_name** (*str*) – Role of the group.

**Returns**

The response object.

**add\_tag**(*tag*)

Add a tag.

**Parameters**

**tag** (*str*) – The tag to add.

**Returns**

The response object.

**add\_user**(*user\_id*, *role\_name*)

Add a user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user to add.
- **role\_name** (*str*) – Role of the User.

**Returns**

The Response object.

**change\_group\_role**(*group\_id*, *role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**check\_tag**(*tag*)

Check if a certain tag is already present.

**Parameters**

**tag** (*str*) – The tag to check.

**Returns**

True if tag already exists, otherwise False.

**Return type**

bool

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**()

Delete the resource.

**Returns**

The response object.

**edit**(*\*\*kwargs*)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export**(*path*, *export\_type='json'*, *pipe=False*, *\*\*params*)

Export a resource using a specific export type.

**Parameters**

- **path** (*str*) – The path (including name of the file) to store the exported data.
- **export\_type** (*str*) – The export format.
- **pipe** (*bool*) – If True, nothing is written here.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_tags**()

Get tags.

**Returns**

A list of all tags.

**Type**

list

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**



- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

**`KadiAPYRequestError`** – If requesting the metadata was not successful.

**remove\_group\_role**(*group\_id*)

Remove a group role.

**Parameters**

**group\_id** (*int*) – The ID of the group to remove.

**Returns**

The response object.

**remove\_tag**(*tag*)

Remove a tag.

**Parameters**

**tag** (*str*) – The tag to remove.

**Returns**

The response object.

**remove\_user**(*user\_id*)

Remove a user role.

**Parameters**

**user\_id** (*int*) – The ID of the user to remove.

**Returns**

The response object.

**set\_attribute**(*attribute, value*)

Set attribute.

**Parameters**

- **attribute** (*str*) – The attribute to set.
- **value** – The value of the attribute.

**Returns**

The response object.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.4 Template

**class** `kadi_apy.lib.resources.templates.Template`(*manager*, *id=None*, *identifier=None*,  
*skip\_request=False*, *create=False*, *\*\*kwargs*)

Bases: `Resource`, `ExportMixin`, `PermissionMixin`

Model to represent templates.

**Parameters**

- **manager** (`KadiManager`) – Manager to use for all API requests.
- **type** (*str*) – Type of the template. Can either be `record` or `extras`.
- **data** – Dict in case of a record template or a list in case of a extras template containing the content for the template.
- **id** (*int*, *optional*) – The ID of an existing resource.
- **identifier** (*str*, *optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata. The identifier is adjusted if it contains spaces, invalid characters or exceeds the length of 50 valid characters.
- **skip\_request** (*bool*, *optional*) – Flag to skip the initial request.
- **create** (*bool*, *optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **\*\*kwargs** (*dict*) – Additional metadata of the new resource to create.

**get\_users**(*\*\*params*)

Get users from a template. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_template\_revisions**(*\*\*params*)

Get the revisions of this template.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_template\_revision**(*revision\_id*, *\*\*params*)

Get a specific revision of this template.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the template.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_groups**(*\*\*params*)

Get group roles from a template. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**add\_group\_role**(*group\_id*, *role\_name*)

Add a group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group to add.
- **role\_name** (*str*) – Role of the group.

**Returns**

The response object.

**add\_user**(*user\_id*, *role\_name*)

Add a user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user to add.
- **role\_name** (*str*) – Role of the User.

**Returns**

The Response object.

**change\_group\_role**(*group\_id*, *role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**()

Delete the resource.

**Returns**

The response object.

**edit**(*\*\*kwargs*)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export**(*path*, *export\_type='json'*, *pipe=False*, *\*\*params*)

Export a resource using a specific export type.

**Parameters**

- **path** (*str*) – The path (including name of the file) to store the exported data.
- **export\_type** (*str*) – The export format.
- **pipe** (*bool*) – If True, nothing is written here.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

**`KadiAPYRequestError`** – If requesting the metadata was not successful.

**remove\_group\_role**(*group\_id*)

Remove a group role.

**Parameters**

**group\_id** (*int*) – The ID of the group to remove.

**Returns**

The response object.

**remove\_user**(*user\_id*)

Remove a user role.

**Parameters**

**user\_id** (*int*) – The ID of the user to remove.

**Returns**

The response object.

**set\_attribute**(*attribute, value*)

Set attribute.

**Parameters**

- **attribute** (*str*) – The attribute to set.
- **value** – The value of the attribute.

**Returns**

The response object.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.5 Group

```
class kadi_apy.lib.resources.groups.Group(manager, id=None, identifier=None, skip_request=False,
                                          create=False, **kwargs)
```

Bases: Resource

Model to represent groups.

### Parameters

- **manager** (*KadiManager*) – Manager to use for all API requests.
- **id** (*int, optional*) – The ID of an existing resource.
- **identifier** (*str, optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata. The identifier is adjusted if it contains spaces, invalid characters or exceeds the length of 50 valid characters.
- **skip\_request** (*bool, optional*) – Flag to skip the initial request.
- **create** (*bool, optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **\*\*kwargs** (*dict*) – Additional metadata of the new resource to create.

```
get_records(**params)
```

Get records shared with a group. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Returns

The response object.

```
get_collections(**params)
```

Get collections shared with a group. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Returns

The response object.

```
get_templates(**params)
```

Get templates shared with a group. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Returns

The response object.

```
get_users(**params)
```

Get users of a group. Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

**Returns**

The response object.

**add\_user**(*user\_id*, *role\_name*)

Add a user.

**Parameters**

- **user\_id** (*int*) – The ID of the user to add.
- **role\_name** (*str*) – Role of the user.

**Returns**

The response object.

**remove\_user**(*user\_id*)

Remove a user.

**Parameters**

**user\_id** (*int*) – The ID of the user to remove.

**Returns**

The response object.

**get\_group\_revisions**(*\*\*params*)

Get the revisions of this group.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_group\_revision**(*revision\_id*, *\*\*params*)

Get a specific revision from this group.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the group.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change role of a user.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete()**

Delete the resource.

**Returns**

The response object.

**edit(\*\*kwargs)**

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error(text, \*\*kwargs)**

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info(text, \*\*kwargs)**

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose(\*\*kwargs)**

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

***KadiAPYRequestError*** – If requesting the metadata was not successful.

**set\_attribute(attribute, value)**

Set attribute.

**Parameters**

- **attribute** (*str*) – The attribute to set.
- **value** – The value of the attribute.

**Returns**

The response object.



**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.6 User

**class** `kadi_apy.lib.resources.users.User`(*manager*, *id=None*, *username=None*, *identity\_type=None*, *use\_pat=False*)

Bases: `ResourceMeta`

Model to represent users.

A user can either be clearly identified via its id or the combination of username and identity type.

**Parameters**

- **manager** (`KadiManager`) – Manager to use for all API requests.
- **id** (*int*, *optional*) – The ID of an existing user.
- **username** (*str*, *optional*) – The username.
- **identity\_type** (*str*, *optional*) – The identity type of the user.
- **use\_pat** (*bool*, *optional*) – Flag to indicate that the pat stored in the `KadiManager` should be used for instantiating the user.

**Raises**

`KadiAPYRequestError` – If retrieving the user was not successful.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See *KadiManager.is\_verbose()*.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

*KadiAPYRequestError* – If requesting the metadata was not successful.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.7 Miscellaneous

**class** `kadi_apy.lib.misc.Miscellaneous`(*manager*)

Bases: `RequestMixin`, `VerboseMixin`

Model to handle miscellaneous functionality.

**Parameters**

**manager** (*KadiManager*) – Manager to use for all API requests.

**get\_deleted\_resources**(*\*\*params*)

Get a list of deleted resources in the trash. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**restore**(*item, item\_id*)

Restore an item from the trash.

**Parameters**

- **item** – The resource type defined either as string or class.
- **item\_id** (*int*) – The ID of the item to restore.

**Returns**

The response object.

**purge**(*item*, *item\_id*)

Purge an item from the trash.

**Parameters**

- **item** – The resource type defined either as string or class.
- **item\_id** (*int*) – The ID of the item to restore.

**Returns**

The response object.

**get\_licenses**(*\*\*params*)

Get a list of available licenses. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_kadi\_info**()

Get information about the Kadi instance.

**Returns**

The response object.

**get\_roles**()

Get all possible roles and corresponding permissions of all resources.

**Returns**

The response object.

**get\_tags**(*\*\*params*)

Get a list of all tags. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**import\_eln**(*file\_path*)

Import an RO-Crate file following the “ELN” file specification.

**Parameters**

**file\_path** (*str*) – The path of the file.

**Raises**

- **KadiAPYInputError** – If the structure of the RO-Crate is not valid.
- **KadiAPYRequestError** – If any request was not successful while importing the data and metadata.

**import\_json\_schema**(*file\_path*, *template\_type='extras'*)

Import JSON Schema file and create a template.

Note that only JSON Schema draft 2020-12 is fully supported, but older schemas might still work.

**Parameters**

- **file\_path** (*str*) – The path of the file.

- **template\_type** (*str*) – Type of the template. Can either be "record" or "extras".

**Raises**

- **KadiAPYInputError** – If the structure of the Schema is not valid.
- **KadiAPYRequestError** – If any request was not successful while importing the metadata.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.8 Search

**class** `kadi_apy.lib.search.Search`(*manager*)

Bases: `RequestMixin`, `VerboseMixin`

Search class for resources and users.

**Parameters**

**manager** (`KadiManager`) – Manager to use for all API requests.

**search\_resources**(*item*, *\*\*params*)

Search for resources.

**Parameters**

- **item** – The resource type defined either as string or class.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**search\_user\_resources**(*item*, *user*, *\*\*params*)

Search for resources of users.

**Parameters**

- **item** – The resource type defined either as string or class.
- **user** – ID of the user whose items are to be searched for.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**search\_users**(*\*\*params*)

Search for users.

**Parameters**

- **\*\*params** – Additional parameters.

**Returns**

The response object.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(\*\**kwargs*)

Check the verbose level.

**Returns**

See *KadiManager.is\_verbose()*.

**warning**(*text*, \*\**kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 5.9 Exceptions

**exception** `kadi_apy.lib.exceptions.KadiAPYException`

Bases: `Exception`

Base exception class.

**exception** `kadi_apy.lib.exceptions.KadiAPYConfigurationError`

Bases: `KadiAPYException`

For errors relating to invalid configurations.

**exception** `kadi_apy.lib.exceptions.KadiAPYRequestError`

Bases: `KadiAPYException`

For errors relating to invalid requests.

**exception** `kadi_apy.lib.exceptions.KadiAPYInputError`

Bases: `KadiAPYException`

For errors relating to invalid inputs.

## 5.10 Conversion

`kadi_apy.lib.conversion.json_to_kadi`(*data*)

Convert plain JSON to a Kadi4Mat-compatible extra metadata structure.

**Parameters**

**data** – The JSON data to convert as dictionary, list or singular, primitive value.

**Returns**

The converted data as a list of extra metadata.

The command line interface (CLI) is an alternative way to use most of the functionality that kadi-apy provides. It is especially useful for scripting and the integration with programming languages other than Python. However, due to the nature of CLI tools, it is less flexible in comparison with the Python library.

The central entry point to the CLI is provided by the main `kadi-apy` command:

```
kadi-apy --help
```

## 6.1 kadi-apy

The kadi-apy command line interface.

```
kadi-apy [OPTIONS] COMMAND [ARGS]...
```

### Options

#### **--version**

Print the version of this group and exit.

#### **--commands**

Print a list of all commands this group contains and exit.

### 6.1.1 collections

Commands to manage collections.

```
kadi-apy collections [OPTIONS] COMMAND [ARGS]...
```

## Options

### **--version**

Print the version of this group and exit.

### **--commands**

Print a list of all commands this group contains and exit.

## **add-collection-link**

Link a child collection to a parent collection.

```
kadi-apy collections add-collection-link [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-C, --collection-identifier <collection\_identifier>**

Identifier of the collection.

### **-c, --collection-id <collection\_id>**

ID of the collection.

### **-L, --collection-identifier-child <collection\_identifier\_child>**

Identifier of the collection to link to the parent collection.

### **-l, --collection-id-child <collection\_id\_child>**

ID of the collection to link to the parent collection.



## add-group-role

Add a group role to a collection.

```
kadi-apy collections add-group-role [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-C, --collection-identifier <collection\_identifier>**

Identifier of the collection to add the group with role permissions.

#### **-c, --collection-id <collection\_id>**

ID of the collection to add the group with role permissions.

#### **-G, --group-identifier <group\_identifier>**

Identifier of the group.

#### **-g, --group-id <group\_id>**

ID of the group.

#### **-p, --permission-new <permission\_new>**

Permission of the group.

##### **Default**

member

##### **Options**

member | collaborator | editor | admin

## add-record-link

Link record to a collection.

```
kadi-apy collections add-record-link [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-C, --collection-identifier <collection\_identifier>**

Identifier of the collection to link to the record.

**-c, --collection-id <collection\_id>**

ID of the collection to link to the record.

**-R, --record-identifier <record\_identifier>**

Identifier of the record to link to the collection.

**-r, --record-id <record\_id>**

ID of the record to link to the collection.

## add-tag

Add a tag or several tags to a collection.

```
kadi-apy collections add-tag [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection to add a tag.
- c, --collection-id** <collection\_id>  
ID of the collection to add a tag.
- t, --tag** <tag>  
**Required** Tag to add.

## add-user

Add a user to a collection.

```
kadi-apy collections add-user [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection to add the user.
- c, --collection-id** <collection\_id>  
ID of the collection to add the user.

- D, --identity-type** <identity\_type>  
Identity type of the user
  - Options**  
ldap | local | shib
- U, --username** <username>  
Username of the user.
- u, --user** <user>  
ID of the user.
- p, --permission-new** <permission\_new>  
Permission of new user.
  - Default**  
member
  - Options**  
member | collaborator | editor | admin

## create

Create a collection.

```
kadi-apy collections create [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- t, --title** <title>  
Title of the collection.
- i, --identifier** <identifier>  
**Required** Identifier of the collection.
- v, --visibility** <visibility>  
Visibility of the collection.

**Default**  
private

**Options**  
private | public

**-p, --pipe**

Use this flag if you want to pipe the returned collection id.

**Default**  
False

**-e, --exit-not-created**

Exit with error if the collection was not newly created.

**Default**  
False

## delete

Delete a collection.

```
kadi-apy collections delete [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**  
info

**Options**  
error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-C, --collection-identifier <collection\_identifier>**

Identifier of the collection to delete.

**-c, --collection-id <collection\_id>**

ID of the collection to delete.

**--i-am-sure**

Enable this option to delete the collection.

**Default**  
False

## edit

Edit the metadata of a collection.

```
kadi-apy collections edit [OPTIONS]
```

## Options

### --version

Print the version of this command and exit.

### --xmlhelp

Print the xmlhelp of this command and exit.

### -V, --verbose <verbose>

Verbose level to define the amount of print output.

#### Default

info

#### Options

error | warning | info | debug

### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

### -C, --collection-identifier <collection\_identifier>

Identifier of the collection to edit.

### -c, --collection-id <collection\_id>

ID of the collection to edit.

### -v, --visibility <visibility>

Visibility of the collection to set.

#### Options

private | public

### -t, --title <title>

Title of the collection to set.

### -d, --description <description>

Description of the collection to set.

## export

Export the collection using a specific export type.

```
kadi-apy collections export [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-C, --collection-identifier <collection\_identifier>**

Identifier of the collection to export.

### **-c, --collection-id <collection\_id>**

ID of the collection to export.

### **-e, --export-type <export\_type>**

Export type.

#### **Default**

json

#### **Options**

json | qr | rdf | ro-crate

### **-p, --path <path>**

Path (folder) to store the file.

#### **Default**

.

### **-n, --name <name>**

Name of the file to store. The identifier is used as default.

### **-f, --force**

Enable if existing file with identical name should be replaced.

#### **Default**

False

### **-P, --pipe**

Use this flag if you want to pipe the returned json.

#### **Default**

False

### **-u, --use-folder**

Create, if not already existing, a folder in the specified file path with the collection's identifier as name and save the exported file in this folder.

**Default**

False

**get-collection-ids**

Search for collections. The ids of all found results are displayed.

```
kadi-apy collections get-collection-ids [OPTIONS]
```

**Options**

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-t, --tag <tag>**

Tag(s) for search.

**-T, --tag-operator <tag\_operator>**

The operator to filter the tags with.

**Default**

or

**Options**

or | and

**-v, --visibility <visibility>**

Show results based on visibility parameter.

**Default**

all

**Options**

private | public | all

**-p, --pipe**

Use this flag if you want to pipe the returned. collection ids as tokenlist.

**Default**

False



**--i-am-sure**

Enable this option in case more than 1000 results are found.

**Default**

False

**get-collections**

Search for collections.

```
kadi-apy collections get-collections [OPTIONS]
```

**Options****--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-t, --tag <tag>**

Tag(s) for search.

**-T, --tag-operator <tag\_operator>**

The operator to filter the tags with. Defaults to 'or'.

**Options**

or | and

**-n, --per-page <per\_page>**

Number of results per page.

**Default**

10

**-p, --page <page>**

Page for search results.

**Default**

1

**-D, --identity-type <identity\_type>**

Identity type of the user to show the user's created collections.

**Options**

ldap | local | shib

- U, --username** <username>  
Username of the user to show the user's created collections.
- u, --user** <user>  
ID of the user to show the user's created collections.
- i, --use-my-user-id**  
Show only own created collections.
  - Default**  
False
- v, --visibility** <visibility>  
Show results based on visibility parameter.
  - Options**  
private | public | all
- q, --query** <query>  
The search query.

### remove-collection-link

Remove a child collection from a parent collection.

```
kadi-apy collections remove-collection-link [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection.
- c, --collection-id** <collection\_id>  
ID of the collection.
- L, --collection-identifier-child** <collection\_identifier\_child>  
Identifier of the collection to remove from the parent collection.
- l, --collection-id-child** <collection\_id\_child>  
ID of the collection to remove from the parent collection.

## remove-group-role

Remove a group role from a collection.

```
kadi-apy collections remove-group-role [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-C, --collection-identifier <collection\_identifier>**

Identifier of the collection to remove the group.

#### **-c, --collection-id <collection\_id>**

ID of the collection to remove the group.

#### **-G, --group-identifier <group\_identifier>**

Identifier of the group.

#### **-g, --group-id <group\_id>**

ID of the group.

## remove-record-link

Remove a record link from a collection.

```
kadi-apy collections remove-record-link [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection to remove the record.
- c, --collection-id** <collection\_id>  
ID of the collection to remove the record.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to remove from the collection.
- r, --record-id** <record\_id>  
ID of the record to remove from the collection.

## remove-tag

Remove a tag from a collection.

```
kadi-apy collections remove-tag [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection to remove a tag.
- c, --collection-id** <collection\_id>  
ID of the collection to remove a tag.
- t, --tag** <tag>  
**Required** Tag to remove.

## remove-user

Remove a user from a collection.

```
kadi-apy collections remove-user [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -V, --verbose <verbose>

Verbose level to define the amount of print output.

##### Default

info

##### Options

error | warning | info | debug

#### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

#### -C, --collection-identifier <collection\_identifier>

Identifier of the collection to remove the user.

#### -c, --collection-id <collection\_id>

ID of the collection to remove the user.

#### -D, --identity-type <identity\_type>

Identity type of the user

##### Options

ldap | local | shib

#### -U, --username <username>

Username of the user.

#### -u, --user <user>

ID of the user.

## show-info

Show info of a collection.

```
kadi-apy collections show-info [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-C, --collection-identifier <collection\_identifier>**

Identifier of the collection.

**-c, --collection-id <collection\_id>**

ID of the collection.

**-d, --description**

Show the description of the collection.

**Default**

False

**-v, --visibility**

Show the visibility of the collection.

**Default**

False

**-r, --records**

Show linked records of the collection.

**Default**

False

**-n, --per-page <per\_page>**

Number of results per page.

**Default**

10

**-p, --page <page>**

Page for search results.

**Default**

1

## 6.1.2 config

Commands to manage configurations.

```
kadi-apy config [OPTIONS] COMMAND [ARGS]...
```

### Options

#### --version

Print the version of this group and exit.

#### --commands

Print a list of all commands this group contains and exit.

### activate-autocompletion

Activate the autocompletion for bash, zsh or fish.

```
kadi-apy config activate-autocompletion [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -s, --shell <shell>

**Required** Your shell type.

#### Options

bash | zsh | fish

### add-instance

Add a new instance to the config file.

```
kadi-apy config add-instance [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -I, --instance <instance>

**Required** Name of the new instance.

## change-default-instance

Change the default instance.

```
kadi-apy config change-default-instance [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-I, --instance <instance>**

**Required** Name of the new default instance.

## create

Create the config file to store the information to connect to a Kadi instance.

```
kadi-apy config create [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

## get-kadi-info

Get information about the Kadi instance.

```
kadi-apy config get-kadi-info [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**  
info



### Options

error | warning | info | debug

**-I, --instance** <instance>

Name of a Kadi instance defined in the config file.

### rename-instance

Rename an instance.

```
kadi-apy config rename-instance [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-I, --instance** <instance>

**Required** Name of the instance to change.

**-N, --instance-new** <instance\_new>

**Required** New name of the instance.

### set-host

Set a host in the config file.

```
kadi-apy config set-host [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-I, --instance** <instance>

Name of the instance defined in the config. If empty, the default instance defined in the config file is used.

## set-pat

Set a personal access token (pat) in the config file.

```
kadi-apy config set-pat [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-I, --instance <instance>**

Name of the instance defined in the config. If empty, the default instance defined in the config file is used.

## show-instances

Show a list of all instances defined in the config.

```
kadi-apy config show-instances [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

## 6.1.3 groups

Commands to manage groups.

```
kadi-apy groups [OPTIONS] COMMAND [ARGS]...
```

### Options

#### **--version**

Print the version of this group and exit.

#### **--commands**

Print a list of all commands this group contains and exit.

## add-user

Add a user to a group.

```
kadi-apy groups add-user [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -V, --verbose <verbose>

Verbose level to define the amount of print output.

##### Default

info

##### Options

error | warning | info | debug

#### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

#### -G, --group-identifier <group\_identifier>

Identifier of the group to add the user.

#### -g, --group-id <group\_id>

ID of the group to add the user.

#### -D, --identity-type <identity\_type>

Identity type of the user to add to the group.

##### Options

ldap | local | shib

#### -U, --username <username>

Username of the user to add to the group.

#### -u, --user <user>

ID of the user to add to the group.

#### -p, --permission-new <permission\_new>

Permission of new user.

##### Default

member

##### Options

member | editor | admin

## create

Create a group.

```
kadi-apy groups create [OPTIONS]
```

## Options

### --version

Print the version of this command and exit.

### --xmlhelp

Print the xmlhelp of this command and exit.

### -V, --verbose <verbose>

Verbose level to define the amount of print output.

#### Default

info

#### Options

error | warning | info | debug

### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

### -t, --title <title>

Title of the group.

### -i, --identifier <identifier>

**Required** Identifier of the group.

### -v, --visibility <visibility>

Visibility of the group.

#### Default

private

#### Options

private | public

### -p, --pipe

Use this flag if you want to pipe the returned group id.

#### Default

False

### -e, --exit-not-created

Exit with error if the group was not newly created.

#### Default

False

## delete

Delete a group.

```
kadi-apy groups delete [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-G, --group-identifier <group\_identifier>**

Identifier of the group to delete.

**-g, --group-id <group\_id>**

ID of the group to delete.

**--i-am-sure**

Enable this option to delete the group.

**Default**

False

## edit

Edit the metadata of a group.

```
kadi-apy groups edit [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- G, --group-identifier** <group\_identifier>  
Identifier of the group to edit.
- g, --group-id** <group\_id>  
ID of the group to edit.
- v, --visibility** <visibility>  
Visibility of the group to set.
- Options**  
private | public
- t, --title** <title>  
Title of the group to set.
- d, --description** <description>  
Description of the group to set.

## get-groups

Search for groups.

```
kadi-apy groups get-groups [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.

- n, --per-page** <per\_page>  
Number of results per page.
- Default**  
10
- p, --page** <page>  
Page for search results.
- Default**  
1
- D, --identity-type** <identity\_type>  
Identity type of the user to show the user's created groups.
- Options**  
ldap | local | shib
- U, --username** <username>  
Username of the user to show the user's created groups.
- u, --user** <user>  
ID of the user to show the user's created groups.
- i, --my\_user\_id**  
Show only own created groups.
- Default**  
False
- v, --visibility** <visibility>  
Show results based on visibility parameter.
- Default**  
all
- Options**  
private | public | all

### remove-user

Remove a user from a group.

```
kadi-apy groups remove-user [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info

### Options

error | warning | info | debug

- I, **--instance** <instance>  
Name of a Kadi instance defined in the config file.
- G, **--group-identifier** <group\_identifier>  
Identifier of the group to remove the user.
- g, **--group-id** <group\_id>  
ID of the group to remove the user.
- D, **--identity-type** <identity\_type>  
Identity type of the user to remove from the group.

### Options

ldap | local | shib

- U, **--username** <username>  
Username of the user to remove from the group.
- u, **--user** <user>  
ID of the user to remove from the group.

## show-info

Show info of a group.

```
kadi-apy groups show-info [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, **--verbose** <verbose>  
Verbose level to define the amount of print output.

### Default

info

### Options

error | warning | info | debug

- I, **--instance** <instance>  
Name of a Kadi instance defined in the config file.
- G, **--group-identifier** <group\_identifier>  
Identifier of the group.
- g, **--group-id** <group\_id>  
ID of the group.



**-d, --description**

Show the description of the group.

**Default**

False

**-v, --visibility**

Show the visibility of the group.

**Default**

False

## 6.1.4 misc

Commands for miscellaneous functionality.

```
kadi-apy misc [OPTIONS] COMMAND [ARGS]...
```

### Options

**--version**

Print the version of this group and exit.

**--commands**

Print a list of all commands this group contains and exit.

### get-deleted-resources

Show a list of deleted resources in the trash.

```
kadi-apy misc get-deleted-resources [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-n, --per-page** <per\_page>  
Number of results per page.

**Default**  
10

**-p, --page** <page>  
Page for search results.

**Default**  
1

**-f, --filter** <filter>  
Filter by title or identifier.

**Default**  
""

## get-licenses

Show a list available licenses.

```
kadi-apy misc get-licenses [OPTIONS]
```

## Options

**--version**  
Print the version of this command and exit.

**--xmlhelp**  
Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>  
Verbose level to define the amount of print output.

**Default**  
info

**Options**  
error | warning | info | debug

**-I, --instance** <instance>  
Name of a Kadi instance defined in the config file.

**-n, --per-page** <per\_page>  
Number of results per page.

**Default**  
10

**-p, --page** <page>  
Page for search results.

**Default**  
1

**-f, --filter** <filter>

Filter.

**Default**

""

## get-roles

Show a list of roles and corresponding permissions of all resources.

```
kadi-apy misc get-roles [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance** <instance>

Name of a Kadi instance defined in the config file.

**-t, --item-type** <item\_type>

Show only roles of this resource.

**Options**

record | collection | template | group

## get-tags

Show a list available tags.

```
kadi-apy misc get-tags [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>  
Verbose level to define the amount of print output.

**Default**  
info

**Options**  
error | warning | info | debug

**-I, --instance** <instance>  
Name of a Kadi instance defined in the config file.

**-n, --per-page** <per\_page>  
Number of results per page.

**Default**  
10

**-p, --page** <page>  
Page for search results.

**Default**  
1

**-f, --filter** <filter>  
Filter.

**Default**  
""

**-t, --type** <type>  
A resource type to limit the tags to.

**Options**  
record | collection

## import-eln

Import an RO-Crate file following the “ELN” file specification.

```
kadi-apy misc import-eln [OPTIONS]
```

## Options

**--version**  
Print the version of this command and exit.

**--xmlhelp**  
Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>  
Verbose level to define the amount of print output.

**Default**  
info

**Options**  
error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- p, --path** <path>  
**Required** Path of the ELN file to import.

### import-json-schema

Import JSON Schema file and create a template.

```
kadi-apy misc import-json-schema [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- p, --path** <path>  
**Required** Path of the JSON Schema file to import.
- y, --type** <template\_type>  
Type of the template to create from JSON Schema.
- Default**  
extras
- Options**  
extras | record

### purge-resource

Purge a resource from the trash.

```
kadi-apy misc purge-resource [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-t, --item-type <item\_type>**

**Required** Type of the resource to purge.

#### **Options**

record | collection | group | template

### **-i, --item-id <item\_id>**

**Required** ID of the resource to purge.

## restore-resource

Restore a resource from the trash.

```
kadi-apy misc restore-resource [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-t, --item-type** <item\_type>

**Required** Type of the resource to restore.

**Options**

record | collection | group | template

**-i, --item-id** <item\_id>

**Required** ID of the resource to restore.

## 6.1.5 records

Commands to manage records.

```
kadi-apy records [OPTIONS] COMMAND [ARGS] ...
```

### Options

**--version**

Print the version of this group and exit.

**--commands**

Print a list of all commands this group contains and exit.

### add-collection-link

Link record to a collection.

```
kadi-apy records add-collection-link [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance** <instance>

Name of a Kadi instance defined in the config file.

**-R, --record-identifier** <record\_identifier>

Identifier of the record to link to the collection.

- r, --record-id** <record\_id>  
ID of the record to link to the collection.
- C, --collection-identifier** <collection\_identifier>  
Identifier of the collection to link to the record.
- c, --collection-id** <collection\_id>  
ID of the collection to link to the record.

## add-files

Add a file or a folder content to a record.

```
kadi-apy records add-files [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- n, --file-name** <file\_name>  
**Required** Name of the file or folder
- d, --file-description** <file\_description>  
The description of a single file
- p, --pattern** <pattern>  
Pattern for selecting certain files when using a folder as input. By default, all files are taken into account. To set a pattern, Unix shell-style wildcards can be used (see Python package fnmatch).
- e, --exclude\_pattern** <exclude\_pattern>  
Pattern for excluding certain files when using a folder as input. To set a pattern, Unix shell-style wildcards can be used (see Python package fnmatch).



**-f, --force**

Enable if existing file(s) with identical name(s) should be replaced.

**Default**

False

**add-group-role**

Add a group role to a record.

```
kadi-apy records add-group-role [OPTIONS]
```

**Options****--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record to add the group with role permissions.

**-r, --record-id <record\_id>**

ID of the record to add the group with role permissions.

**-G, --group-identifier <group\_identifier>**

Identifier of the group.

**-g, --group-id <group\_id>**

ID of the group.

**-p, --permission-new <permission\_new>**

Permission of the group

**Default**

member

**Options**

member | collaborator | editor | admin

## add-metadata

Add metadata with dict or a list of dicts as input.

```
kadi-apy records add-metadata [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record to add metadata as dictionary or as a list of dictionaries.

**-r, --record-id <record\_id>**

ID of the record to add metadata as dictionary or as a list of dictionaries.

**-m, --metadata <metadata>**

Metadata string input

**-p, --file <file>**

Path to file containing metadata

**-f, --force**

Force deleting and overwriting existing metadata.

**Default**

False

## add-metadatum

Add a metadatum to a record.

```
kadi-apy records add-metadatum [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose <verbose>**  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance <instance>**  
Name of a Kadi instance defined in the config file.
- R, --record-identifier <record\_identifier>**  
Identifier of the record to add a metadatum.
- r, --record-id <record\_id>**  
ID of the record to add a metadatum.
- m, --metadatum <metadatum>**  
**Required** Name of metadatum to add
- v, --value <value>**  
**Required** Value of metadatum to add
- t, --type <type>**  
Type of metadatum to add
  - Default**  
string
  - Options**  
string | integer | float | boolean
- u, --unit <unit>**  
Unit of metadatum to add
- f, --force**  
Force overwriting existing metadatum with identical name
  - Default**  
False

## add-record-link

Add a record link to a record.

```
kadi-apy records add-record-link [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record.

**-r, --record-id <record\_id>**

ID of the record.

**-L, --record-identifier-link <record\_identifier\_link>**

Identifier of the record to be linked.

**-T, --record-ids <record\_ids>**

Tokenlist of record IDs to be linked.

**-l, --record-id-link <record\_id\_link>**

ID of the record to be linked.

**-n, --name <name>**

**Required** Name of the linking.

**-t, --term <term>**

An IRI specifying an existing term.

## add-string-as-file

Add a string as a file to a record.

```
kadi-apy records add-string-as-file [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-R, --record-identifier <record\_identifier>**

Identifier of the record.

#### **-r, --record-id <record\_id>**

ID of the record.

#### **-s, --string <string>**

**Required** String to be added as file to the record.

#### **-n, --file-name <file\_name>**

**Required** Name of the file to store the sting.

#### **-f, --force**

Enable if existing file with identical name should be replaced.

##### **Default**

False

## add-tag

Add a tag or several tags to a record.

```
kadi-apy records add-tag [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-R, --record-identifier <record\_identifier>**

Identifier of the record.

### **-r, --record-id <record\_id>**

ID of the record.

### **-t, --tag <tag>**

**Required** Tag to add.

## **add-user**

Add a user to a record.

```
kadi-apy records add-user [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- D, --identity-type** <identity\_type>  
Identity type of the user to add.
- Options**  
ldap | local | shib
- U, --username** <username>  
Username of the user to add.
- u, --user** <user>  
ID of the user to add.
- p, --permission-new** <permission\_new>  
Permission of new user.
- Default**  
member
- Options**  
member | collaborator | editor | admin

## create

Create a record.

```
kadi-apy records create [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- i, --identifier** <identifier>  
**Required** Identifier of the record

- t, --title** <title>  
Title of the record
- v, --visibility** <visibility>  
Visibility of the record
- Default**  
private
- Options**  
private | public
- p, --pipe**  
Use this flag if you want to pipe the returned record id.
- Default**  
False
- e, --exit-not-created**  
Exit with error if the record was not newly created.
- Default**  
False

## delete

Delete a record.

```
kadi-apy records delete [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to delete.
- r, --record-id** <record\_id>  
ID of the record to delete.



**--i-am-sure**

Enable this option to delete the record

**Default**

False

**delete-all-metadata**

Delete all metadatum of a record.

```
kadi-apy records delete-all-metadata [OPTIONS]
```

**Options****--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record to delete all metadata.

**-r, --record-id <record\_id>**

ID of the record to delete all metadata.

**--i-am-sure**

Enable this option to delete all metadata of the record.

**Default**

False

**delete-file**

Delete a file of a record.

```
kadi-apy records delete-file [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-R, --record-identifier <record\_identifier>**

Identifier of the record.

### **-r, --record-id <record\_id>**

ID of the record.

### **-i, --file-id <file\_id>**

ID of the file.

### **-n, --file-name <file\_name>**

Name of the file.

## delete-files

Delete all files of a record.

```
kadi-apy records delete-files [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- i-am-sure**  
Enable this option to delete all files of the record.
- Default**  
False

### delete-metadatum

Delete a metadatum of a record.

```
kadi-apy records delete-metadatum [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to delete a metadatum.
- r, --record-id** <record\_id>  
ID of the record to delete a metadatum.
- m, --metadatum** <metadatum>  
**Required** Name of metadatum to remove.

## delete-record-link

Delete a record link.

```
kadi-apy records delete-record-link [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record.

**-r, --record-id <record\_id>**

ID of the record.

**-l, --record-link-id <record\_link\_id>**

**Required** Record link ID.

## edit

Edit the basic metadata of a record.

```
kadi-apy records edit [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to edit.
- r, --record-id** <record\_id>  
ID of the record to edit.
- v, --visibility** <visibility>  
Visibility of the record

**Options**

private | public

- t, --title** <title>  
Title of the record
- d, --description** <description>  
Description of the record
- y, --type** <type>  
Type of the record
- l, --license** <license>  
License of the record

**edit-file**

Edit the metadata of a file of a record.

kadi-apy records edit-file [OPTIONS]

**Options**

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.

- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- i, --file-id** <file\_id>  
ID of the file.
- n, --file-name** <file\_name>  
Name of the file.
- a, --name** <name>  
The new name of the file.
- m, --mimetype** <mimetype>  
The new MIME type of the file.

## export

Export the record using a specific export type.

```
kadi-apy records export [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to export.
- T, --record-ids** <record\_ids>  
Tokenlist of record IDs to export.
- r, --record-id** <record\_id>  
ID of the record to export.

**-e, --export-type** <export\_type>

Export type.

**Default**

json

**Options**

json | pdf | qr | rdf | ro-crate

**-p, --path** <path>

Path (folder) to store the file.

**Default**

.

**-n, --name** <name>

Name of the file to store. The identifier is used as default.

**-f, --force**

Enable if existing file with identical name should be replaced.

**Default**

False

**-P, --pipe**

Use this flag if you want to pipe the returned json.

**Default**

False

**-u, --use-folder**

Create, if not already existing, a folder in the specified file path with the record's identifier as name and save the exported file in this folder.

**Default**

False

## get-file

Download one file, all files or files with pattern from a record.

```
kadi-apy records get-file [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose** <verbose>

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record to download files from.
- T, --record-ids** <record\_ids>  
Tokenlist of record IDs to download files from.
- r, --record-id** <record\_id>  
ID of the record to download files from.
- i, --file-id** <file\_id>  
ID of the file to download.
- n, --file-name** <file\_name>  
Name of the file to download.
- p, --filepath** <filepath>  
Path (folder) to store the file.

**Default**

.

- P, --pattern** <pattern>  
Pattern for selecting certain files. To set a pattern, Unix shell-style wildcards can be used (see Python package fnmatch).
- e, --exclude-pattern** <exclude\_pattern>  
Pattern for excluding certain files. To set a pattern, Unix shell-style wildcards can be used (see Python package fnmatch).
- f, --force**  
Force overwriting file in the given folder.

**Default**

False

- u, --use-folder**  
Create, if not already existing, a folder in the specified file path with the record's identifier as name and saves all files in this folder.

**Default**

False

- E, --pipe**  
Use this flag if you want to pipe the returned tokenlist of downloaded files.

**Default**

False



## get-metadatum

Print information of a specific metadatum.

```
kadi-apy records get-metadatum [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-R, --record-identifier <record\_identifier>**

Identifier of the record.

#### **-r, --record-id <record\_id>**

ID of the record.

#### **-n, --name <name>**

**Required** Name of the metadatum. Nested values can be separated via ‘.’.

#### **-i, --information <information>**

Specify the information to print.

##### **Default**

value

##### **Options**

value | unit | type

#### **-p, --pipe**

Use this flag if you want to pipe the returned information.

##### **Default**

False

## get-record-ids

Search for records. The ids of all found results are displayed.

```
kadi-apy records get-record-ids [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-t, --tag <tag>**

Tag(s) for search.

**-T, --tag-operator <tag\_operator>**

The operator to filter the tags with.

**Default**

or

**Options**

or | and

**-m, --mimetype <mimetype>**

MIME type(s) for search.

**-c, --collection <collection>**

Collection ID(s) to search in.

**-C, --child\_collections**

Include child collections in the search.

**Default**

False

**-v, --visibility <visibility>**

Show results based on visibility parameter.

**Default**

all

**Options**

private | public | all

**-p, --pipe**

Use this flag if you want to pipe the returned record ids as tokenlist.

**Default**

False

**--i-am-sure**

Enable this option in case more than 1000 results are found.

**Default**

False

**get-records**

Search for records.

```
kadi-apy records get-records [OPTIONS]
```

**Options****--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-t, --tag <tag>**

Tag(s) for search.

**-T, --tag-operator <tag\_operator>**

The operator to filter the tags with. Defaults to 'or'.

**Options**

or | and

**-m, --mimetype <mimetype>**

MIME type(s) for search.

**-c, --collection <collection>**

Collection ID(s) to search in.

**-C, --child\_collections**

Include child collections in the search.

**Default**

False

**-n, --per-page** <per\_page>

Number of results per page.

**Default**

10

**-p, --page** <page>

Page for search results.

**Default**

1

**-D, --identity-type** <identity\_type>

Identity type of the user to show the user's created records.

**Options**

ldap | local | shib

**-U, --username** <username>

Username of the user to show the user's created records.

**-u, --user** <user>

ID of the user to show the user's created records.

**-i, --use-my-user-id**

Show only own created records.

**Default**

False

**-v, --visibility** <visibility>

Show results based on visibility parameter.

**Options**

private | public | all

**-q, --query** <query>

The search query.

### remove-collection-link

Remove a record link from a collection.

```
kadi-apy records remove-collection-link [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose <verbose>**  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance <instance>**  
Name of a Kadi instance defined in the config file.
- R, --record-identifier <record\_identifier>**  
Identifier of the record to remove collection.
- r, --record-id <record\_id>**  
ID of the record to remove collection.
- C, --collection-identifier <collection\_identifier>**  
Identifier of the collection to remove from the record.
- c, --collection-id <collection\_id>**  
ID of the collection to remove from the record.

## remove-group-role

Remove a group role from a record.

```
kadi-apy records remove-group-role [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose <verbose>**  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- G, --group-identifier** <group\_identifier>  
Identifier of the group.
- g, --group-id** <group\_id>  
ID of the group.

### remove-tag

Remove a tag from a record.

```
kadi-apy records remove-tag [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- R, --record-identifier** <record\_identifier>  
Identifier of the record.
- r, --record-id** <record\_id>  
ID of the record.
- t, --tag** <tag>  
**Required** Tag to remove.

## remove-user

Remove a user from a record.

```
kadi-apy records remove-user [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -V, --verbose <verbose>

Verbose level to define the amount of print output.

##### Default

info

##### Options

error | warning | info | debug

#### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

#### -R, --record-identifier <record\_identifier>

Identifier of the record.

#### -r, --record-id <record\_id>

ID of the record.

#### -D, --identity-type <identity\_type>

Identity type of the user to remove.

##### Options

ldap | local | shib

#### -U, --username <username>

Username of the user to remove.

#### -u, --user <user>

ID of the user to remove.

## show-info

Prints information of a record.

```
kadi-apy records show-info [OPTIONS]
```

## Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record.

**-r, --record-id <record\_id>**

ID of the record.

**-d, --description**

Show the description of the record

**Default**

False

**-l, --filelist**

Show the filelist of the record

**Default**

False

**-n, --per-page <per\_page>**

Number of results per page.

**Default**

10

**-p, --page <page>**

Page for filelist.

**Default**

1

**-m, --metadata**

Show the metadata of the record.

**Default**

False

**-v, --visibility**

Show the visibility of the record.

**Default**

False



**-i, --pipe**

Use for piping. Do not show basic info.

**Default**

False

**show-record-links-to**

Print record links to another record.

```
kadi-apy records show-record-links-to [OPTIONS]
```

**Options****--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record.

**-r, --record-id <record\_id>**

ID of the record.

**-n, --per-page <per\_page>**

Number of results per page.

**Default**

10

**-p, --page <page>**

Page for search results.

**Default**

1

**-d, --direction <direction>**

Direction of the record links.

**Default**

out

**Options**

in | out

## update-record-link

Update the name of a record link.

```
kadi-apy records update-record-link [OPTIONS]
```

### Options

**--version**

Print the version of this command and exit.

**--xmlhelp**

Print the xmlhelp of this command and exit.

**-V, --verbose <verbose>**

Verbose level to define the amount of print output.

**Default**

info

**Options**

error | warning | info | debug

**-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

**-R, --record-identifier <record\_identifier>**

Identifier of the record.

**-r, --record-id <record\_id>**

ID of the record.

**-l, --record-link-id <record\_link\_id>**

**Required** Record link ID.

**-n, --name <name>**

**Required** New name of the linking.

## 6.1.6 templates

Commands to manage templates.

```
kadi-apy templates [OPTIONS] COMMAND [ARGS]...
```

### Options

**--version**

Print the version of this group and exit.

**--commands**

Print a list of all commands this group contains and exit.

## add-group-role

Add a group role to a template.

```
kadi-apy templates add-group-role [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-T, --template-identifier <template\_identifier>**

Identifier of the template to add the group with role permissions.

#### **-t, --template-id <template\_id>**

ID of the template to add the group with role permissions.

#### **-G, --group-identifier <group\_identifier>**

Identifier of the group.

#### **-g, --group-id <group\_id>**

ID of the group.

#### **-p, --permission-new <permission\_new>**

Permission of the group

##### **Default**

member

##### **Options**

member | editor | admin

## add-user

Add a user to a template.

```
kadi-apy templates add-user [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-T, --template-identifier <template\_identifier>**

Identifier of the template.

#### **-t, --template-id <template\_id>**

ID of the template.

#### **-D, --identity-type <identity\_type>**

Identity type of the user to add.

##### **Options**

ldap | local | shib

#### **-U, --username <username>**

Username of the user to add.

#### **-u, --user <user>**

ID of the user to add.

#### **-p, --permission-new <permission\_new>**

Permission of new user.

##### **Default**

member

##### **Options**

member | editor | admin

## create

Create a template.

```
kadi-apy templates create [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-i, --identifier <identifier>**

**Required** Identifier of the template.

#### **-t, --title <title>**

Title of the template.

#### **-y, --type <template\_type>**

Type of the template.

##### **Default**

record

##### **Options**

extras | record

#### **-p, --pipe**

Use this flag if you want to pipe the returned template id.

##### **Default**

False

#### **-d, --data <data>**

Data for the template.

#### **-e, --exit-not-created**

Exit with error if the template was not newly created.

##### **Default**

False

## delete

Delete a template.

```
kadi-apy templates delete [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-T, --template-identifier <template\_identifier>**

Identifier of the template to delete.

#### **-t, --template-id <template\_id>**

ID of the template to delete.

#### **--i-am-sure**

Enable this option to delete the template.

##### **Default**

False

## edit

Edit the metadata of a template.

```
kadi-apy templates edit [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- T, --template-identifier** <template\_identifier>  
Identifier of the template to edit.
- t, --template-id** <template\_id>  
ID of the template to edit.
- v, --visibility** <visibility>  
Visibility of the template to set.
- Options**  
private | public
- i, --title** <title>  
Title of the template to set.
- d, --description** <description>  
Description of the template to set.

## export

Export the template using a specific export type.

```
kadi-apy templates export [OPTIONS]
```

## Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
- Default**  
info
- Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.

**-T, --template-identifier** <template\_identifier>

Identifier of the template to export.

**-t, --template-id** <template\_id>

ID of the template to export.

**-e, --export\_type** <export\_type>

Export type.

**Default**

json

**Options**

json | json-schema

**-p, --path** <path>

Path (folder) to store the file.

**Default**

.

**-n, --name** <name>

Name of the file to store. The identifier is used as default.

**-f, --force**

Enable if existing file with identical name should be replaced.

**Default**

False

**-P, --pipe**

Use this flag if you want to pipe the returned json.

**Default**

False

**-u, --use-folder**

Create, if not already existing, a folder in the specified file path with the template's identifier as name and save the exported file in this folder.

**Default**

False

## get-templates

Search for templates.

```
kadi-apy templates get-templates [OPTIONS]
```



## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

### **-n, --per-page <per\_page>**

Number of results per page.

#### **Default**

10

### **-p, --page <page>**

Page for search results.

#### **Default**

1

## remove-group-role

Remove a group role from a template.

```
kadi-apy templates remove-group-role [OPTIONS]
```

## Options

### **--version**

Print the version of this command and exit.

### **--xmlhelp**

Print the xmlhelp of this command and exit.

### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

#### **Default**

info

#### **Options**

error | warning | info | debug

- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- T, --template-identifier** <template\_identifier>  
Identifier of the template.
- t, --template-id** <template\_id>  
ID of the template.
- G, --group-identifier** <group\_identifier>  
Identifier of the group.
- g, --group-id** <group\_id>  
ID of the group.

### remove-user

Remove a user from a template.

```
kadi-apy templates remove-user [OPTIONS]
```

### Options

- version**  
Print the version of this command and exit.
- xmlhelp**  
Print the xmlhelp of this command and exit.
- V, --verbose** <verbose>  
Verbose level to define the amount of print output.
  - Default**  
info
  - Options**  
error | warning | info | debug
- I, --instance** <instance>  
Name of a Kadi instance defined in the config file.
- T, --template-identifier** <template\_identifier>  
Identifier of the template.
- t, --template-id** <template\_id>  
ID of the template.
- D, --identity-type** <identity\_type>  
Identity type of the user to remove.
  - Options**  
ldap | local | shib
- U, --username** <username>  
Username of the user to remove.
- u, --user** <user>  
ID of the user to remove.

## 6.1.7 users

Commands to manage users.

```
kadi-apy users [OPTIONS] COMMAND [ARGS]...
```

### Options

#### --version

Print the version of this group and exit.

#### --commands

Print a list of all commands this group contains and exit.

### get-users

Search for users.

```
kadi-apy users get-users [OPTIONS]
```

### Options

#### --version

Print the version of this command and exit.

#### --xmlhelp

Print the xmlhelp of this command and exit.

#### -V, --verbose <verbose>

Verbose level to define the amount of print output.

##### Default

info

##### Options

error | warning | info | debug

#### -I, --instance <instance>

Name of a Kadi instance defined in the config file.

#### -n, --per-page <per\_page>

Number of results per page.

##### Default

10

#### -p, --page <page>

Page for search results.

##### Default

1

#### -f, --filter <filter>

To filter the users by their display name or username.

## show-info

Show info of a user.

```
kadi-apy users show-info [OPTIONS]
```

### Options

#### **--version**

Print the version of this command and exit.

#### **--xmlhelp**

Print the xmlhelp of this command and exit.

#### **-V, --verbose <verbose>**

Verbose level to define the amount of print output.

##### **Default**

info

##### **Options**

error | warning | info | debug

#### **-I, --instance <instance>**

Name of a Kadi instance defined in the config file.

#### **-D, --identity-type <identity\_type>**

Identity type of the user

##### **Options**

ldap | local | shib

#### **-U, --username <username>**

Username of the user.

#### **-u, --user <user>**

ID of the user.

## CLI LIBRARY

The Python CLI library is mainly useful to implement custom CLI commands. The provided functionality is usually less flexible in comparison with the regular Python library, but it also provides some built-in error handling and console output.

In general, its functionality can be used similarly to the regular Python library:

```
from kadi_apy import CLIKadiManager

manager = CLIKadiManager()

record = manager.record(id=1)
record.upload_file("/path/to/file.txt")
```

### 7.1 CLIKadiManager

**class** `kadi_apy.cli.core.CLIKadiManager`(*verbose=Verbose.INFO, \*\*kwargs*)

Bases: `KadiManager`, `RaiseRequestErrorMixin`

Kadi Manager for the command line interface (CLI).

#### Parameters

- **instance** (*str, optional*) – The name of the instance to use in combination with a config file.
- **host** (*str, optional*) – Name of the host.
- **token** (*str, optional*) – Personal access token.
- **verify** (*bool, optional*) – Whether to verify the SSL/TLS certificate of the host.
- **timeout** (*float, optional*) – Timeout in seconds for the requests.
- **verbose** (*optional*) – Global verbose level to define the amount of prints.

#### property `misc`

Central entry point for miscellaneous functionality.

#### property `search`

Central entry point for search functionality.

**record**(*use\_base\_resource=False, \*\*kwargs*)

Init a record to be used in a CLI.

**Parameters**

**use\_base\_resource** (*bool*) – Flag indicating if the base resource should be used.

**Returns**

The record of class Record or CLIRecord.

**Return type**

*Record, CLIRecord*

**Raises**

**KadiAPYRequestError** – If initializing the record was not successful.

**collection**(*use\_base\_resource=False, \*\*kwargs*)

Init a collection to be used in a CLI.

**Parameters**

**use\_base\_resource** (*bool*) – Flag indicating if the base resource should be used.

**Returns**

The collection of class Collection or CLICollection.

**Return type**

*Collection, CLICollection*

**Raises**

**KadiAPYRequestError** – If initializing the collection was not successful.

**template**(*use\_base\_resource=False, \*\*kwargs*)

Init a template to be used in a CLI.

**Parameters**

**use\_base\_resource** (*bool*) – Flag indicating if the base resource should be used.

**Returns**

The template of class Template or CLITemplate.

**Return type**

*Template, CLITemplate*

**Raises**

**KadiAPYRequestError** – If initializing the template was not successful.

**group**(*use\_base\_resource=False, \*\*kwargs*)

Init a group to be used in a CLI.

**Parameters**

**use\_base\_resource** (*bool*) – Flag indicating if the base resource should be used.

**Returns**

The group of class Group or CLIGroup.

**Return type**

*Group, CLIGroup*

**Raises**

**KadiAPYRequestError** – If initializing the group was not successful.

**user**(*use\_base\_resource=False, \*\*kwargs*)

Init a user to be used in a CLI.

**Parameters**

**use\_base\_resource** (*bool*) – Flag indicating if the base resource should be used.

**Returns**

The user of class `User` or `CLIUser`.

**Return type**

`User`, `CLIUser`

**Raises**

**`KadiAPYRequestError`** – If initializing the user was not successful.

**`debug`**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **`text`** – Text to be printed via `click.echo()`.
- **`**kwargs`** – Additional parameters for `click.echo()`.

**Return type**

`echo()`

**`echo`**(*text*, *verbose\_level*, *\*\*kwargs*)

Print text via `click.echo()` if global verbose level is reached.

**Parameters**

- **`text`** (*str*) – Text to be printed via `click.echo()`.
- **`verbose_level`** – Verbose level.
- **`**kwargs`** – Additional parameters for `click.echo()`.

**`error`**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **`text`** – Text to be printed via `click.echo()`.
- **`**kwargs`** – Additional parameters for `click.echo()`.

**Return type**

`echo()`

**`info`**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **`text`** – Text to be printed via `click.echo()`.
- **`**kwargs`** – Additional parameters for `click.echo()`.

**Return type**

`echo()`

**`is_verbose`**(*verbose\_level=Verbose.INFO*)

Check the verbose level.

**Parameters**

**`verbose_level`** – Local verbose level of the function.

**Returns**

True if verbose level is reached, False otherwise.

**Return type**

`bool`

**make\_request**(*endpoint*, *method*='get', *\*\*kwargs*)

Low level functionality to perform a request.

This function can be used to use endpoints for which no own functions exist yet.

**Parameters**

- **endpoint** (*str*) – Endpoint to use for the request.
- **method** (*str*, *optional*) – Method to use for the request. One of "get", "post", "patch", "put" or "delete".
- **\*\*kwargs** – Additional parameters.

**Raises**

- **KadiAPYInputError** – If the specified method is invalid.
- **KadiAPYRequestError** – If the server answered with an invalid redirection.

**property pat\_user**

Get the user related to the PAT.

**Returns**

The user.

**Return type**

`User`

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

**KadiAPYRequestError** – Error is raised since request was not successful.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**Return type**

`echo()`



## 7.2 CLIRecord

`class kadi_apy.cli.lib.records.CLIRecord`(*pipe=False, title=None, create=False, exit\_not\_created=False, \*\*kwargs*)

Bases: BasicCLIMixin, UserCLIMixin, GroupRoleCLIMixin, TagCLIMixin, DeleteItemCLIMixin, ExportCLIMixin, *Record*, RaiseRequestErrorMixin

Records class to be used in a CLI.

### Parameters

- **manager** (*CLIKadiManager*) – Manager to use for all API requests.
- **id** (*int, optional*) – The ID of an existing resource.
- **identifier** (*str, optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata.
- **skip\_request** (*bool, optional*) – Flag to skip the initial request.
- **create** (*bool, optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **pipe** (*bool, optional*) – Flag to indicate if only the id should be printed which can be used for piping.
- **title** (*str, optional*) – Title of the new resource.
- **exit\_not\_created** (*bool, optional*) – Flag to indicate if the function should exit with `sys.exit(1)` if the resource is not created.

`upload_file`(*file\_name, file\_description=None, pattern=None, exclude\_pattern=None, force=False*)

Upload files into a record using the CLI.

### Parameters

- **file\_name** (*str*) – The path to the file (incl. name of the file) or folder.
- **file\_description** (*str, optional*) – The description of a single file.
- **pattern** (*str, optional*) – Pattern for selecting files matching certain pattern.
- **exclude\_pattern** (*str, optional*) – Pattern for excluding files matching certain pattern.
- **force** (*bool, optional*) – Whether to replace an existing file with identical name.

### Raises

*KadiAPYRequestError* – If request was not successful.

`upload_string_to_file`(*string, file\_name, file\_description=None, force=False*)

Upload a string to save as a file in a record using the CLI.

### Parameters

- **string** (*str*) – The string to save as a file.
- **file\_name** (*str*) – The name under which the file should be stored.
- **file\_description** (*str, optional*) – The description of the file.

- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**add\_metadatum**(*metadatum\_new*, *force=False*)

Add a metadatum to a record using the CLI.

**Parameters**

- **metadatum\_new** (*dict*) – The metadatum to add.
- **force** (*bool*) – Whether to overwrite the metadatum with the new value in case the metadatum already exists.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**add\_metadata**(*metadata=None*, *file=None*, *force=False*)

Add metadata with dict or a list of dicts as input using the CLI.

Either specify the metadata via a *file* to be read from or via *metadata*.

**Parameters**

- **metadata** (*dict*, *list*) – One or more metadata entries to add, either as dictionary or a list of dictionaries.
- **file** (*dict*, *list*) – File path to read the metadata from.
- **force** (*bool*) – Whether to overwrite existing metadata with identical name.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**get\_file**(*filepath*, *force=False*, *file\_id=None*, *pattern=None*, *exclude\_pattern=None*, *use\_folder=False*, *pipe=False*)

Download one file, all files or files matching a pattern from a record using the CLI.

If a file ID is given, the specified file is download. Otherwise all files or all files matching the pattern are downloaded.

**Parameters**

- **filepath** (*str*) – The path to folder to store the file.
- **force** (*bool*, *optional*) – Whether to overwrite a file with identical name.
- **file\_id** (*bool*, *optional*) – The file ID (UUID) of a file to download.
- **pattern** (*str*, *optional*) – Pattern for selecting files matching certain pattern.
- **exclude\_pattern** (*str*, *optional*) – Pattern for selecting files matching certain pattern.
- **use\_folder** (*bool*, *optional*) – Flag indicating if the a folder with the name of the records's identifier should be created within given *filepath*. The downloaded file(s) are stored in this folder.

**Returns**

A list of downloaded files with file path.

**Type**

*list*

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**link\_record**(*record\_to*, *name*, *term\_iri=None*)

Add a record link to a record using the CLI.

**Parameters**

- **record\_to** (*record*) – The record to link.
- **name** (*str*) – The name of the link.
- **term\_iri** (*str*) – An IRI specifying an existing term that the link should represent.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**delete\_record\_link**(*record\_link\_id*)

Delete a record link using the CLI.

**Parameters**

**record\_link\_id** (*int*) – The ID of the record link to delete. Attention: The record link ID is not the record ID.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**get\_record\_links**(*page*, *per\_page*, *direction*)

Print record links to another record using the CLI.

**Parameters**

- **page** (*int*) – Page of the search request.
- **per\_page** (*int*) – Number of results per page.
- **direction** (*str*) – Specify whether to print incoming or outgoing links

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**get\_metadatum**(*name*, *information='value'*, *pipe=False*)

Print information of a specific metadatum using the CLI.

**Parameters**

- **name** (*str* or *list*) – See *Record.get\_metadatum()*.
- **information** (*str*, *optional*) – The information of the metadatum to print.
- **pipe** (*bool*) – Whether to only print the result for piping.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**edit\_file**(*file*, *name*, *mimetype*)

Edit the metadata of a file of a record using the CLI.

**Parameters**

- **file** (*str*) – The ID (UUID) of the file to edit.
- **name** (*str*) – The new name of the file.
- **mimetype** (*str*) – The new mimetype of the file.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**delete\_file**(*file\_id*)

Delete a file of the record using the CLI.

**Parameters**

**file\_id** (*str*) – The ID (UUID) of the file to delete.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**delete\_files**(*i\_am\_sure=False*)

Delete all files of a record using the CLI.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to True to delete all files.

**Raises**

- *KadiAPYInputError* – If *i\_am\_sure* is not True.
- *KadiAPYRequestError* – If request was not successful.

**remove\_metadatum**(*metadatum*)

Delete a metadatum of a record using the CLI.

Only first level metadata are supported (no nested types).

**Parameters**

**metadatum** (*str*) – The metadatum to remove.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**remove\_all\_metadata**(*i\_am\_sure=False*)

Remove all metadata from a record.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to True to remove all metadata.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**add\_collection\_link**(*collection*)

Add a record to a collection using the CLI.

**Parameters**

**collection** (*Collection*) – The collection to which the record should be added.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**remove\_collection\_link**(*collection*)

Remove a record from a collection using the CLI.

**Parameters**

**collection** (*Collection*) – The collection from which the record should be removed.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**update\_record\_link**(*record\_link\_id*, *name*)

Update the name of a record link using the CLI.

**Parameters**

- **record\_link\_id** (*int*) – The ID of the record link to update. Attention: The record link ID is not the record ID.
- **name** (*str*) – The name of the link.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**print\_info**(*pipe=False*, *\*\*kwargs*)

Print infos of a record using the CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Specify additional infos to print.

**Raises**

*KadiAPYRequestError*: If request was not successful

**add\_group\_role**(*group*, *permission\_new*)

Add a group role.

**Parameters**

- **group** (*Group*) – The group to add.
- **permission\_new** (*str*) – Role of the group.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**add\_tag**(*tag*)

Add a tag using a CLI.

**Parameters**

**tag** (*str*) – The tag to add.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**add\_user**(*user*, *permission\_new*)

Add a user.

**Parameters**

- **user** (*User*) – The user to add.
- **permission\_new** (*str*) – Role of the user.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**change\_group\_role**(*group\_id*, *role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**check\_metadatum**(*metadatum*)

Check if a record has a certain metadatum.

Does currently not support metadata in nested types.

**Parameters**

**metadatum** (*str*) – The metadatum to check.

**Returns**

True if the metadatum exists, otherwise False.

**Return type**

bool

**check\_tag**(*tag*)

Check if a certain tag is already present.

**Parameters**

**tag** (*str*) – The tag to check.

**Returns**

True if tag already exists, otherwise False.

**Return type**

bool

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**(*i\_am\_sure*)

Delete the resource using a CLI.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to True to delete the resource.

**Raises**

- **KadiAPYInputError** – If `i_am_sure` is not True.
- **KadiAPYRequestError** – If request was not successful.

**download\_all\_files**(*file\_path*)

Download all files of a record as ZIP archive.

**Parameters**

**file\_path** (*str*) – The full path to store the archive.

**Returns**

The response object.

**download\_file**(*file\_id*, *file\_path*)

Download a file of a record.

**Parameters**

- **file\_id** (*str*) – The file ID of the file to download.
- **file\_path** (*str*) – The full path to store the file.

**Returns**

The response object.

**edit**(\*\**kwargs*)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, \*\**kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export**(*export\_type*, *path*='.', *name*=None, *force*=False, *pipe*=False, *use\_folder*=False, \*\**kwargs*)

Export the resource using a specific export type using the CLI.

**Parameters**

- **export\_type** (*str*) – The export format.
- **path** (*str*, *optional*) – The path to store.
- **name** (*str*, *optional*) – The name of the file. The identifier is uses as default.
- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.
- **pipe** (*bool*, *optional*) – Flag to indicate if json should be piped.
- **use\_folder** – Flag indicating if the a folder with the name of the resource's identifier should be created within given *path*. The exported file is stored in this folder.
- **\*\*kwargs** (*dict*) – Additional parameters.

**Raises**

- **KadiAPYInputError** – If export type is invalid or if not json is used as input type together with pipe.
- **KadiAPYRequestError** – If request was not successful.

**flatten\_extras**(*separator='.'*)

Create a list of flatted metadata.

**Parameters**

**separator** (*str*, *optional*) – A string for separating the metadata.

**Returns**

A list of flatted metadata.

**Return type**

list

**get\_collection\_links**(*\*\*params*)

Get collection links. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_file\_id**(*file\_name*)

Get the file ID based on the file name.

**Parameters**

**file\_name** (*str*) – Additional parameters.

**Returns**

The file ID (UUID).

**Return type**

str

**Raises**

***KadiAPYInputError*** – If no file with the given name exists.

**get\_file\_info**(*file\_id*)

Get information of a file based on the file\_id.

**Parameters**

**file\_id** (*str*) – The ID of the file.

**Returns**

The response object.

**get\_file\_name**(*file\_id*)

Get file name from a given file ID.

**Parameters**

**file\_id** – The ID of the file.

**Returns**

The name of the file.

**Return type**

str

**Raises**

***KadiAPYInputError*** – If no file with the given file ID exists.



**get\_file\_revision**(*revision\_id*, *\*\*params*)

Get a specific file revision of a file in this record.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the file.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_file\_revisions**(*\*\*params*)

Get the file revisions of a file in this record.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_filelist**(*\*\*params*)

Get the filelist. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_groups**(*\*\*params*)

Get group roles from a record. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_number\_files**()

Get number of all files of a record.

**Returns**

The number of files.

**Return type**

*int*

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**get\_record\_revision**(*revision\_id*, *\*\*params*)

Get a specific revision of this record.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the record.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_record\_revisions(\*\*params)**

Get the revisions of this record.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_tags()**

Get tags.

**Returns**

A list of all tags.

**Type**

list

**get\_users(\*\*params)**

Get users from a record. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**has\_file(file\_name)**

Check if file with the given name already exists.

**Parameters**

**file\_name** (*str*) – The name of the file.

**Returns**

True if file already exists, otherwise False.

**info(text, \*\*kwargs)**

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose(\*\*kwargs)**

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

**`KadiAPYRequestError`** – If requesting the metadata was not successful.

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

***KadiAPYRequestError*** – Error is raised since request was not successful.

**remove\_group\_role**(*group*)

Remove a group role.

**Parameters**

**group** (**Group**) – The group to remove.

**Raises**

**KadiAPYRequestError**: If request was not successful.

**remove\_tag**(*tag*)

Remove a tag using a CLI.

**Parameters**

**tag** (*str*) – The tag to remove.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**remove\_user**(*user*)

Remove a user.

**Parameters**

**user** (**User**) – The user to remove.

**Raises**

**KadiAPYRequestError**: If request was not successful.

**set\_attribute**(*\*\*kwargs*)

Set attribute using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Dict containing attributes to set.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.3 CLICollection

```
class kadi_apy.cli.lib.collections.CLICollection(pipe=False, title=None, create=False,  
                                               exit_not_created=False, **kwargs)
```

Bases: BasicCLIMixin, UserCLIMixin, GroupRoleCLIMixin, TagCLIMixin, DeleteItemCLIMixin, ExportCLIMixin, *Collection*, RaiseRequestErrorMixin

Collection class to be used in a CLI.

### Parameters

- **manager** (*CLIKadiManager*) – Manager to use for all API requests.
- **id** (*int*, *optional*) – The ID of an existing resource.
- **identifier** (*str*, *optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata.
- **skip\_request** (*bool*, *optional*) – Flag to skip the initial request.
- **create** (*bool*, *optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **pipe** (*bool*, *optional*) – Flag to indicate if only the id should be printed which can be used for piping.
- **title** (*str*, *optional*) – Title of the new resource.
- **exit\_not\_created** (*bool*, *optional*) – Flag to indicate if the function should exit with `sys.exit(1)` if the resource is not created.

```
add_record_link(record_to)
```

Add a record to a collection using a CLI.

### Parameters

**record\_to** (*Record*) – The the record to add.

### Raises

*KadiAPYRequestError* – If request was not successful.

```
remove_record_link(record)
```

Remove a record from a collection using a CLI.

### Parameters

**record** (*Record*) – The record to remove.

### Raises

*KadiAPYRequestError* – If request was not successful.

```
add_collection_link(child_collection)
```

Add a child collection to a parent collection using CLI.

### Parameters

**child\_collection** (*Collection*) – The child collection to which the parent collection should be added.

### Raises

*KadiAPYRequestError* – If request was not successful.

**remove\_collection\_link**(*child\_collection*)

Remove a child collection from a parent collection using CLI.

**Parameters**

**child\_collection** (*Collection*) – The child collection to remove from the parent collection.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**print\_info**(*pipe=False, \*\*kwargs*)

Print infos of a collection using the CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Specify additional infos to print.

**Raises**

*KadiAPYRequestError*: If request was not successful

**add\_group\_role**(*group, permission\_new*)

Add a group role.

**Parameters**

- **group** (*Group*) – The group to add.
- **permission\_new** (*str*) – Role of the group.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**add\_tag**(*tag*)

Add a tag using a CLI.

**Parameters**

**tag** (*str*) – The tag to add.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**add\_user**(*user, permission\_new*)

Add a user.

**Parameters**

- **user** (*User*) – The user to add.
- **permission\_new** (*str*) – Role of the user.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**change\_group\_role**(*group\_id, role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**check\_tag**(*tag*)

Check if a certain tag is already present.

**Parameters**

**tag** (*str*) – The tag to check.

**Returns**

True if tag already exists, otherwise False.

**Return type**

*bool*

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**(*i\_am\_sure*)

Delete the resource using a CLI.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to True to delete the resource.

**Raises**

- **KadiAPYInputError** – If *i\_am\_sure* is not True.
- **KadiAPYRequestError** – If request was not successful.

**edit**(*\*\*kwargs*)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export**(*export\_type*, *path*='.', *name*=None, *force*=False, *pipe*=False, *use\_folder*=False, *\*\*kwargs*)

Export the resource using a specific export type using the CLI.

#### Parameters

- **export\_type** (*str*) – The export format.
- **path** (*str*, *optional*) – The path to store.
- **name** (*str*, *optional*) – The name of the file. The identifier is uses as default.
- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.
- **pipe** (*bool*, *optional*) – Flag to indicate if json should be piped.
- **use\_folder** – Flag indicating if the a folder with the name of the resource’s identifier should be created within given *path*. The exported file is stored in this folder.
- **\*\*kwargs** (*dict*) – Additional parameters.

#### Raises

- **KadiAPYInputError** – If export type is invalid or if not json is used as input type together with pipe.
- **KadiAPYRequestError** – If request was not successful.

**get\_collection\_revision**(*revision\_id*, *\*\*params*)

Get a specific revision of this collection.

#### Parameters

- **revision\_id** (*int*) – The revision ID of the collection.
- **\*\*params** – Additional parameters.

#### Returns

The response object.

**get\_collection\_revisions**(*\*\*params*)

Get the revisions of this collection.

#### Parameters

**\*\*params** – Additional parameters.

#### Returns

The response object.

**get\_collections**(*\*\*params*)

Get collections linked with a collection id.

#### Parameters

**\*\*params** – Additional parameters.

#### Returns

The response object.

**get\_groups**(*\*\*params*)

Get group roles from a collection. Supports pagination.

#### Parameters

**\*\*params** – Additional parameters.

#### Returns

The response object.

**get\_records(\*\*params)**

Get records from a collection. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_tags()**

Get tags.

**Returns**

A list of all tags.

**Type**

list

**get\_users(\*\*params)**

Get user of a collection. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**info(text, \*\*kwargs)**

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose(\*\*kwargs)**

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

`KadiAPYRequestError` – If requesting the metadata was not successful.

**raise\_request\_error(response)**

Raise exception.

**Parameters**

**response** – The response.

**Raises**

`KadiAPYRequestError` – Error is raised since request was not successful.



**remove\_group\_role**(*group*)

Remove a group role.

**Parameters**

**group** (*Group*) – The group to remove.

**Raises**

KadiAPYRequestError: If request was not successful.

**remove\_tag**(*tag*)

Remove a tag using a CLI.

**Parameters**

**tag** (*str*) – The tag to remove.

**Raises**

**KadiAPYRequestError** – If request was not successful.

**remove\_user**(*user*)

Remove a user.

**Parameters**

**user** (*User*) – The user to remove.

**Raises**

KadiAPYRequestError: If request was not successful.

**set\_attribute**(*\*\*kwargs*)

Set attribute using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Dict containing attributes to set.

**Raises**

**KadiAPYRequestError** – If request was not successful.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.4 CLITemplate

```
class kadi_apy.cli.lib.templates.CLITemplate(pipe=False, title=None, create=False,
                                             exit_not_created=False, **kwargs)
```

Bases: BasicCLIMixin, DeleteItemCLIMixin, ExportCLIMixin, UserCLIMixin, GroupRoleCLIMixin, *Template*, RaiseRequestErrorMixin

Template class to be used in a CLI.

**Parameters**

- **manager** (*CLIKadiManager*) – Manager to use for all API requests.
- **type** (*str*) – Type of the template. Can either be record or extras.

- **data** – Dict in case of a record template or a list in case of a extras template containing the content for the template.
- **id** (*int*, *optional*) – The ID of an existing resource.
- **identifier** (*str*, *optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata.
- **skip\_request** (*bool*, *optional*) – Flag to skip the initial request.
- **create** (*bool*, *optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **pipe** (*bool*, *optional*) – Flag to indicate if only the id should be printed which can be used for piping.
- **title** (*str*, *optional*) – Title of the new resource.
- **exit\_not\_created** (*bool*, *optional*) – Flag to indicate if the function should exit with `sys.exit(1)` if the resource is not created.

**add\_group\_role**(*group*, *permission\_new*)

Add a group role.

**Parameters**

- **group** (*Group*) – The group to add.
- **permission\_new** (*str*) – Role of the group.

**Raises**

KadiAPYRequestError: If request was not successful.

**add\_user**(*user*, *permission\_new*)

Add a user.

**Parameters**

- **user** (*User*) – The user to add.
- **permission\_new** (*str*) – Role of the user.

**Raises**

KadiAPYRequestError: If request was not successful.

**change\_group\_role**(*group\_id*, *role\_name*)

Change group role.

**Parameters**

- **group\_id** (*int*) – The ID of the group whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**change\_user\_role**(*user\_id*, *role\_name*)

Change user role.

**Parameters**

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

**Returns**

The response object.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**(*i\_am\_sure*)

Delete the resource using a CLI.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to True to delete the resource.

**Raises**

- **KadiAPYInputError** – If *i\_am\_sure* is not True.
- **KadiAPYRequestError** – If request was not successful.

**edit**(*\*\*kwargs*)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**export**(*export\_type*, *path='.'*, *name=None*, *force=False*, *pipe=False*, *use\_folder=False*, *\*\*kwargs*)

Export the resource using a specific export type using the CLI.

**Parameters**

- **export\_type** (*str*) – The export format.
- **path** (*str*, *optional*) – The path to store.
- **name** (*str*, *optional*) – The name of the file. The identifier is uses as default.
- **force** (*bool*, *optional*) – Whether to replace an existing file with identical name.
- **pipe** (*bool*, *optional*) – Flag to indicate if json should be piped.
- **use\_folder** – Flag indicating if the a folder with the name of the resource's identifier should be created within given *path*. The exported file is stored in this folder.
- **\*\*kwargs** (*dict*) – Additional parameters.

**Raises**

- ***KadiAPYInputError*** – If export type is invalid or if not json is used as input type together with pipe.
- ***KadiAPYRequestError*** – If request was not successful.

**get\_groups**(\*\**params*)

Get group roles from a template. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_template\_revision**(*revision\_id*, \*\**params*)

Get a specific revision of this template.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the template.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_template\_revisions**(\*\**params*)

Get the revisions of this template.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_users**(\*\**params*)

Get users from a template. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**info**(*text*, \*\**kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(\*\**kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

***KadiAPYRequestError*** – If requesting the metadata was not successful.

**print\_info**(*pipe=False, \*\*kwargs*)

Print infos using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Specify additional infos to print.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

***KadiAPYRequestError*** – Error is raised since request was not successful.

**remove\_group\_role**(*group*)

Remove a group role.

**Parameters**

**group** (*Group*) – The group to remove.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**remove\_user**(*user*)

Remove a user.

**Parameters**

**user** (*User*) – The user to remove.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**set\_attribute**(*\*\*kwargs*)

Set attribute using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Dict containing attributes to set.

**Raises**

***KadiAPYRequestError*** – If request was not successful.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.5 CLIGroup

`class kadi_apy.cli.lib.groups.CLIGroup`(*pipe=False, title=None, create=False, exit\_not\_created=False, \*\*kwargs*)

Bases: BasicCLIMixin, UserCLIMixin, DeleteItemCLIMixin, [Group](#), RaiseRequestErrorMixin

Group class to be used in a CLI.

### Parameters

- **manager** ([CLIKadiManager](#)) – Manager to use for all API requests.
- **id** (*int, optional*) – The ID of an existing resource.
- **identifier** (*str, optional*) – The unique identifier of a new or existing resource, which is only relevant if no ID was given. If present, the identifier will be used to check for an existing resource instead. If no existing resource could be found or the resource to check does not use a unique identifier, it will be used to create a new resource instead, together with the additional metadata.
- **skip\_request** (*bool, optional*) – Flag to skip the initial request.
- **create** (*bool, optional*) – Flag to determine if a resource should be created in case a identifier is given and the resource does not exist.
- **pipe** (*bool, optional*) – Flag to indicate if only the id should be printed which can be used for piping.
- **title** (*str, optional*) – Title of the new resource.
- **exit\_not\_created** (*bool, optional*) – Flag to indicate if the function should exit with `sys.exit(1)` if the resource is not created.

`add_user`(*user, permission\_new*)

Add a user.

### Parameters

- **user** ([User](#)) – The user to add.
- **permission\_new** (*str*) – Role of the user.

### Raises

[KadiAPYRequestError](#): If request was not successful.

`change_user_role`(*user\_id, role\_name*)

Change role of a user.

### Parameters

- **user\_id** (*int*) – The ID of the user whose role should be changed.
- **role\_name** (*str*) – Name of the new role.

### Returns

The response object.

`debug`(*text, \*\*kwargs*)

Print text for debug level.

### Parameters

- **text** (*str*) – Text to be printed via `click.echo()`.

- **\*\*kwargs** – Additional parameters for `click.echo()`.

**delete**(*i\_am\_sure*)

Delete the resource using a CLI.

**Parameters**

**i\_am\_sure** (*bool*) – Flag which has to set to `True` to delete the resource.

**Raises**

- **KadiAPYInputError** – If `i_am_sure` is not `True`.
- **KadiAPYRequestError** – If request was not successful.

**edit**(**\*\*kwargs**)

Edit the metadata of the resource.

**Parameters**

**\*\*kwargs** – The updated metadata of the resource.

**Returns**

The response object.

**error**(*text*, **\*\*kwargs**)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**get\_collections**(**\*\*params**)

Get collections shared with a group. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_group\_revision**(*revision\_id*, **\*\*params**)

Get a specific revision from this group.

**Parameters**

- **revision\_id** (*int*) – The revision ID of the group.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_group\_revisions**(**\*\*params**)

Get the revisions of this group.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_records(\*\*params)**

Get records shared with a group. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_templates(\*\*params)**

Get templates shared with a group. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**get\_users(\*\*params)**

Get users of a group. Supports pagination.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**info(text, \*\*kwargs)**

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose(\*\*kwargs)**

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

***KadiAPYRequestError*** – If requesting the metadata was not successful.

**print\_info(pipe=False, \*\*kwargs)**

Print infos using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Specify additional infos to print.

**Raises**

***KadiAPYRequestError*** – If request was not successful.



**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

*KadiAPYRequestError* – Error is raised since request was not successful.

**remove\_user**(*user*)

Remove a user.

**Parameters**

**user** (*User*) – The user to remove.

**Raises**

*KadiAPYRequestError*: If request was not successful.

**set\_attribute**(*\*\*kwargs*)

Set attribute using a CLI.

**Parameters**

**\*\*kwargs** (*dict*) – Dict containing attributes to set.

**Raises**

*KadiAPYRequestError* – If request was not successful.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.6 CLIUser

**class** `kadi_apy.cli.lib.users.CLIUser`(*manager, id=None, username=None, identity\_type=None, use\_pat=False*)

Bases: *User*, *RaiseRequestErrorMixin*

User class to be used in a CLI.

A user can either be clearly identified via its id or the combination of username and identity type.

**Parameters**

- **manager** (*CLIManager*) – Manager to use for all API requests.
- **id** (*int, optional*) – The ID of an existing user.
- **username** (*str, optional*) – The username.
- **identity\_type** (*str, optional*) – The identity type of the user.
- **use\_pat** (*bool, optional*) – Flag to indicate that the pat stored in the `CLIKadiManager` should be used for instantiating the user.

**Raises**

*KadiAPYRequestError* – If retrieving the user was not successful.

**print\_info()**

Print user infos using a CLI.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**property meta**

Get all metadata of the resource.

In case the previous metadata was invalidated, either manually, after a timeout or due to another request, a request will be sent to retrieve the possibly updated metadata again.

**Returns**

The metadata of the resource.

**Raises**

***KadiAPYRequestError*** – If requesting the metadata was not successful.

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

***KadiAPYRequestError*** – Error is raised since request was not successful.

**warning**(*text*, *\*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.7 CLIMiscellaneous

`class kadi_apy.cli.lib.misc.CLIMiscellaneous(manager)`

Bases: *Miscellaneous*, *RaiseRequestErrorMixin*

Model to handle miscellaneous functionality.

### Parameters

**manager** (*CLIKadiManager*) – Manager to use for all API requests.

`get_deleted_resources(**params)`

Get a list of deleted resources in the trash using the CLI.

Supports pagination.

### Parameters

**\*\*params** – Additional parameters.

### Raises

*KadiAPYRequestError* – If request was not successful.

`restore(item, item_id)`

Restore an item from the trash using the CLI.

### Parameters

- **item** – The resource type defined as class.
- **item\_id** (*int*) – The ID of the item to restore.

### Raises

*KadiAPYRequestError* – If request was not successful.

`purge(item, item_id)`

Purge an item from the trash using the CLI.

### Parameters

- **item** – The resource type defined as class or string.
- **item\_id** (*int*) – The ID of the item to restore.

### Raises

*KadiAPYRequestError* – If request was not successful.

`get_licenses(**params)`

Get a list of available licenses using the CLI.

### Parameters

**\*\*params** – Additional parameters.

### Raises

*KadiAPYRequestError* – If request was not successful.

`get_kadi_info(manager)`

Print information about the Kadi instance and the config file.

### Parameters

**manager** (*KadiManager*, *CLIKadiManager*) – Used Manager.

### Raises

*KadiAPYRequestError* – If request was not successful.

**get\_roles**(*item\_type=None*)

Get a list of all possible roles.

Print all possible roles and corresponding permissions of all resources or of one resource.

**Parameters**

**item\_type** (*str*, *optional*) – Type of resource for printing roles and permissions.

**Raises**

**KadiAPYRequestError** – If request was not successful.

**get\_tags**(*\*\*params*)

Get a list of all available tags using the CLI.

**Parameters**

**\*\*params** – Additional parameters.

**Raises**

**KadiAPYRequestError** – If request was not successful.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**import\_eln**(*file\_path*)

Import an RO-Crate file following the “ELN” file specification.

**Parameters**

**file\_path** (*str*) – The path of the file.

**Raises**

- **KadiAPYInputError** – If the structure of the RO-Crate is not valid.
- **KadiAPYRequestError** – If any request was not successful while importing the data and metadata.

**import\_json\_schema**(*file\_path*, *template\_type='extras'*)

Import JSON Schema file and create a template.

Note that only JSON Schema draft 2020-12 is fully supported, but older schemas might still work.

**Parameters**

- **file\_path** (*str*) – The path of the file.
- **template\_type** (*str*) – Type of the template. Can either be "record" or "extras".

**Raises**

- **KadiAPYInputError** – If the structure of the Schema is not valid.

- ***KadiAPYRequestError*** – If any request was not successful while importing the metadata.

**info**(*text*, **\*\*kwargs**)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(**\*\*kwargs**)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

***KadiAPYRequestError*** – Error is raised since request was not successful.

**warning**(*text*, **\*\*kwargs**)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.8 CLISearch

**class** `kadi_apy.cli.search.CLISearch`(*manager*)

Bases: `Search`, `RaiseRequestErrorMixin`

Search class to be used in a CLI.

**Parameters**

**manager** (`CLIKadiManager`) – Manager to use for all API requests.

**search\_resources**(*item*, *user=None*, *use\_my\_user\_id=False*, **\*\*params**)

Search for resources.

**Parameters**

- **item** – The resource type defined either as string or class.
- **user** (*int*) – ID of the user whose items are to be searched for.
- **use\_my\_user\_id** (*bool*) – Flag indicating if only the records corresponding to the used PAT are to be searched for.
- **\*\*params** – Additional parameters for the search.

**Raises**

***KadiAPYInputError*** – If both a user ID is given and the flag `use_my_user_id` is True.

**search\_resource\_ids**(*item*, *pipe=False*, *i\_am\_sure=False*, *\*\*params*)

Search for resource ids.

**Parameters**

- **item** – The resource type defined either as string or class.
- **pipe** (*bool*) – If the results should be printed in form of a tokenlist for piping.
- **i\_am\_sure** (*bool*) – If the search results in more than 1000 results, this flag has to be activated to search for all results.
- **\*\*params** – Additional parameters for the search.

**Returns**

A list of ids found.

**Return type**

list

**Raises**

***KadiAPYConfigurationError*** – If more than 1000 results are found and the flag 'i\_am\_sure' is not set to true.

**search\_users**(*\*\*params*)

Search for users.

**Parameters**

**\*\*params** – Additional parameters.

**Returns**

The response object.

**debug**(*text*, *\*\*kwargs*)

Print text for debug level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**error**(*text*, *\*\*kwargs*)

Print text for error level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**info**(*text*, *\*\*kwargs*)

Print text for info level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

**is\_verbose**(*\*\*kwargs*)

Check the verbose level.

**Returns**

See `KadiManager.is_verbose()`.

**raise\_request\_error**(*response*)

Raise exception.

**Parameters**

**response** – The response.

**Raises**

*KadiAPYRequestError* – Error is raised since request was not successful.

**search\_user\_resources**(*item, user, \*\*params*)

Search for resources of users.

**Parameters**

- **item** – The resource type defined either as string or class.
- **user** – ID of the user whose items are to be searched for.
- **\*\*params** – Additional parameters.

**Returns**

The response object.

**warning**(*text, \*\*kwargs*)

Print text for warning level.

**Parameters**

- **text** (*str*) – Text to be printed via `click.echo()`.
- **\*\*kwargs** – Additional parameters for `click.echo()`.

## 7.9 Decorators

`kadi_apy.cli.decorators.apy_command`(*use\_kadi\_manager=False*)

Decorator to handle the default arguments and exceptions of an APY command.

This function inits the *KadiManager* or *CLIKadiManager* and includes it as manager to **\*\*kwargs**. It adds the options instance and verbose to the CLI tool.

**Parameters**

**use\_kadi\_manager** (*bool, optional*) – Flag to use the *KadiManager* instead of the *CLIKadiManager*.

`kadi_apy.cli.decorators.id_identifier_options`(*class\_type, keep\_manager=False, helptext=None, name=None, required=True, char=None, allow\_tokenlist=False, tokenlist\_name=None, tokenlist\_char='T')*)

Decorator to handle the common ID and identifier options of commands.

This function inits a resource and includes it to **\*\*kwargs**. It adds the options to read the ID or the identifier of the resource to the CLI tool.

**Parameters**

- **class\_type** – The resource type defined either as string or class.
- **keep\_manager** (*bool, optional*) – Whether to keep the manager for further use.
- **helptext** (*str, optional*) – Text to describe the input.

- **name** (*str*, *optional*) – Name to better describe the input.
- **required** (*bool*, *optional*) – Whether the parameter is required.
- **char** (*str*, *optional*) – Char for the options.
- **allow\_tokenlist** (*bool*, *optional*) – Flag indicating if a tokenlist should be an option for input. If True the manager is passed to the function even if `keep_manager` is False.
- **tokenlist\_name** (*str*, *optional*) – Name of the tokenlist.
- **tokenlist\_char** (*str*, *optional*) – Char for the tokenlist.

`kadi_apy.cli.decorators.user_id_options`(*helptext=None, required=True, keep\_manager=False*)

Decorator to handle options to identify a user.

This function inits a `CLIUser` and includes it to `**kwargs`. It adds the options to read the user ID, username and identity-type to the CLI tool.

**Parameters**

- **helptext** (*str*, *optional*) – Text to describe the input.
- **keep\_manager** (*bool*, *optional*) – Whether to keep the manager for further use.
- **required** (*bool*, *optional*) – Whether to init the user is required.

`kadi_apy.cli.decorators.file_id_options`(*helptext=None, required=True, name=None, char=None*)

Decorator to handle options to identify a file of a record.

**Parameters**

- **helptext** (*str*, *optional*) – Text to describe the input.
- **required** (*bool*, *optional*) – Whether to init the file is required.
- **name** (*str*, *optional*) – Name to better describe the input.
- **char** (*str*, *optional*) – Char for the options.

`kadi_apy.cli.decorators.search_pagination_options`(*description\_page=None*)

Decorator to add two parameters for the search.

**Parameters**

**description\_page** (*str*, *optional*) – Description of the page option.

The library can be used by via Python or via a command line interface (CLI). Additionally, various functionality exists to implement custom CLI commands (CLI Library). Please also see the different [example files](#) in the code repository.



## RELEASE HISTORY

### 8.1 0.38.0 (Unreleased)

#### Additions

- Added a new configuration option `whitelist` to specify hosts that `kadi-apy` is allowed to redirect to.

### 8.2 0.37.0 (2024-02-12)

#### Additions

- Added a warning for POSIX-compliant systems when the permissions of the config file allow reading/writing by users other than the file owner.
- Added a `json_to_kadi` conversion function to convert plain JSON to a Kadi4Mat-compatible extra metadata structure.

#### Changes

- The permissions of config files created on POSIX-compliant systems via the CLI will now be more restrictive by default.

### 8.3 0.36.0 (2024-01-24)

#### Additions

- Added an `import_json_schema` method to the `miscellaneous` library functionality and `misc import-json-schema` command in CLI for importing JSON-Schema files.

#### Changes

- Renamed `misc import-file` to `misc import-eln` to have a separate CLI command for importing RO-Crate files.
- Updated the file upload functionality to use the new upload API introduced in Kadi4Mat version 0.45.0.

## 8.4 0.35.0 (2024-01-10)

### Additions

- Added a verification for SHA256 checksums when using the `import_eIn` method if the corresponding property exists.

### Changes

- Updated the `import_eIn` method to also support comma-separated keywords.
- File uploads now use a fixed size of 50 MB to decide whether a direct or chunked upload will be performed.

### Fixes

- Fixed descriptions of existing files being overwritten with an empty string when uploading files via the CLI without specifying a description.

## 8.5 0.34.0 (2023-10-25)

### Additions

- Added new CLI commands `add_collection_link` and `remove_collection_link` in collections to link and remove a child collection to/from a parent collection.
- Added new CLI commands `add_collection_link` and `remove_collection_link` in records to link and remove a record to/from a collection.

### Changes

- Changed the RO-Crate import to not require a publisher entity anymore.

### Fixes

- Fixed the direct upload functionality to honor the `force` parameter instead of always replacing files.

## 8.6 0.33.0 (2023-10-04)

### Additions

- Added new CLI commands `add_user`, `remove_user`, `add_group_role` and `remove_group_role` for templates.
- Added additional handling when importing RO-Crate files exported via Kadi4Mat.
- Removed the `__version__` attribute in favor of using `importlib.metadata.version("kadi-apy")`.
- Added support for Python 3.12.

## 8.7 0.32.0 (2023-08-29)

- Adjusted use of the `displayname` attribute of user identities according to API changes in Kadi4Mat version 0.40.0.
- Added a `term_iri` parameter to specify IRI of an existing term for record link functions in both library and CLI.
- Exposed additional constants as well as all exceptions as part of the main package.

## 8.8 0.31.0 (2023-07-18)

- Changed the `add_tag` library method to always return a response object.
- Redirects won't be followed automatically anymore, since the Authorization header containing the access token would be stripped away anyways. If a redirect is detected now, a corresponding exception will be thrown to alert about the necessary code/configuration change.
- Removed support for Python 3.7.

## 8.9 0.30.0 (2023-06-14)

- Added support for Python 3.11.

## 8.10 0.29.0 (2023-05-30)

- Added an `import_eln` method to the miscellaneous library functionality for importing RO-Crate files following the “ELN” file specification.
- Removed the `pat_user_id` property of the manager class, since it can already be retrieved using `pat_user`.
- Renamed the `miscellaneous` command group to just `misc`.
- Refactored the search functionality of the library. All methods are now provided as part of a single class usable via the `KadiManager.search` property. Additionally, the methods `search_items` and `search_items_user` have been renamed to `search_resources` and `search_user_resources`, respectively.
- Added a general `misc import-file` command to import files.

## 8.11 0.28.1 (2023-05-16)

- Fixed response data not being streamed when potentially exporting large amounts of data, such as RO-Crates.

## 8.12 0.28.0 (2023-04-19)

- Fixed the creation of templates not working via the corresponding CLI command.
- Added the `rdf` export type to the corresponding CLI commands of records and collections.

## 8.13 0.27.0 (2023-03-14)

- Made the methods and commands to add metadata more robust in regards to the expected metadata structure.
- The full error response payload is now printed in CLI commands when using the `debug` verbose level.
- Added a `get_collections` function to retrieve collections linked with a collection id.
- Added a `add_collection_link` function to link a child collection to a parent collection.
- Added a `remove_collection_link` function to remove a child connection linked to a parent collection.
- Added a `download_all_files` method to download all the files in a record as a ZIP archive
- Added methods to query revisions of all the resources.

## 8.14 0.26.0 (2023-01-09)

- Added a `file_description` parameter for file upload functions in both library and CLI.
- Improved the `upload_file` method for uploading smaller files without the need for chunking.
- Added the `ro-crate` export type to the corresponding CLI commands of records and collections.

## 8.15 0.25.0 (2022-10-14)

- Improved the `get_metadatum` methods for records to retrieve nested metadata, which also now works in the corresponding CLI command.
- The record library version of `get_metadatum` does not use the `information` parameter anymore and returns `None` in case the requested metadatum was not found.
- Added functionality to retrieve templates shared with a group via the library.
- Added functionality to manage user and group roles of templates via the library.
- Added functionality to retrieve group roles of all resources via the library.

## 8.16 0.24.0 (2022-08-22)

- Fixed retrieval of deleted resources via the CLI.
- Fixed usage of some CLI related classes outside of builtin commands.
- Fixed purging of some resource types via the CLI.
- Deleted templates can now be purged and restored via the CLI.
- Added functionality to export templates.

- All export functions and commands now default to the JSON export type.

### 8.17 0.23.0 (2022-04-27)

- Added a `license` option to the `records edit` CLI subcommand.
- Removed support for Python 3.6.

### 8.18 0.22.0 (2022-03-07)

- The unit does not have to be specified in the dict using the `add_metadatum` function within the CLI/lib.

### 8.19 0.21.0 (2022-01-17)

- Removed the `click_completion` dependency. Autocompletion is now only supported for bash, fish and zsh.
- Fixed the export function via using the correct parameter.
- Added handling of the `ConnectionError`.
- Allow the `search_pagination_options` decorator to set an user-specific description for the option page.
- Refactoring of the record linkage, as the check for identical links is already carried out in Kadi.
- Refactoring of the export function. The file is now already stored using the export function defined in the lib part.
- Add an example if metadata have not the right input format when using the `add_metadata` (CLI) function.

### 8.20 0.20.0 (2021-11-26)

- Added support for new collaborator role.
- Added exclude options and a query parameter in the `get-records` and `get-collections` CLI commands.
- Added utility function to create identifier from arbitrary string input.

### 8.21 0.19.0 (2021-11-24)

- Increased the upload speed of small files.
- Add option to pipe a list of downloaded files as tokenlist.
- Relaxed required Python version again.
- Add functions to use the `GET /api/tags` endpoint.

## 8.22 0.18.0 (2021-11-05)

- Include functions to export a collection.
- Changed default separator in `search_resource_ids` to `,.`
- Add option so search records in child collections.
- Include option to work with tokenlists.

## 8.23 0.17.1 (2021-11-04)

- Added feature to export a record to a folder based on the identifier.

## 8.24 0.17.0 (2021-11-04)

- Include methods using the export endpoint.
- Improve usability of config `add-instance`.
- Use of more mixin classes in the CLI lib.
- Add `AUTHORS.md`.
- Add the `GET /api/roles` endpoint.
- Add CLI function to edit basic metadata of a template.
- Replaced `hide-public` with `visibility` parameter.
- Refactoring the use of `raise_request_error()`.
- Renamed all `replace` keywords to `force`.
- Added a `get_metadatum` method to the lib record.
- Added functions to update a record link (name).
- Added options to use a tokenlist in the search.
- Take into account corner case if only a scope to create a resource is given.
- Make `get_metadatum` work with nested types.

## 8.25 0.16.0 (2021-07-14)

- Include search function which returns a list of ids.
- Include CLI tools to search for record and collection ids.

## 8.26 0.15.0 (2021-06-24)

- Add factory methods for base functions into CLIKadiManager.
- Do not validate metadatum if value is None.

## 8.27 0.14.0 (2021-06-17)

- Improve documentation.

## 8.28 0.13.0 (2021-06-08)

- Add option to store record files in a folder based on the record's identifier.
- Add basic validation for host input.
- Add more CLI config tools.

## 8.29 0.12.0 (2021-06-01)

- Doc improvements.
- Add option to use the KadiManager via the '@apy\_command' decorator.

## 8.30 0.11.1 (2021-05-18)

- Smaller refactoring in docs.
- Fix bash example script.
- Show also username in user search.
- Set identity type to required in case of specifying user via username.

## 8.31 0.11.0 (2021-05-11)

- Include docs.
- Refactor verbose.
- Introduce a CLIKadiManager.

## 8.32 0.10.0 (2021-04-29)

- Update README.md.
- Changed two required arguments of `upload_file` method of `CLIRecord` class to optional.
- Include verbose level to manage the amount of print outputs.

## 8.33 0.9.1 (2021-04-23)

- Add pypi deploy runner.

## 8.34 0.9.0 (2021-04-22)

- Add CLI tools to configure the config file.
- Move `get-kadi-info` from CLI group `miscellaneous` to `config`.

## 8.35 0.8.0 (2021-04-12)

- Add default value in records `get-metadatum`.
- Add `get_file_info` function for records.
- Return list of downloaded file(s) in `get_file`
- Add experimental CLI tool to download and execute a workflow.
- Add CLI tool `kadi-apy miscellaneous get-kadi-info`.
- Exit with error code 1 during uploading a file in case the file already exists and should not be replaced.

## 8.36 0.7.0 (2021-03-24)

- Add `exit-not-created` flag to CLI create tools.
- Fix order in which `_meta` is invalidated.
- Add option to download only those files from record matching pattern.
- Add char options for decorator to define options of files and resources.
- Add CLI tool `add-string-as-file`.



### 8.37 0.6.0 (2021-02-26)

- Add option to use certificates from ca\_bundle.
- Add option skip the initial request.

### 8.38 0.5.0 (2021-02-24)

- Include a config file to store the information about host and PAT.
- Added timeout config option.
- Add autocompletion.

### 8.39 0.4.1 (2021-02-02)

- Include the `-version` output.
- Add handling for missing schema exception.
- Unify the behavior of decorators if information is not required.
- Add `-xmlhelp` runner

### 8.40 0.4.0 (2021-01-22)

- Add option to hide public resources in the CLI search.
- Functions to handle miscellaneous (license search, remove item from trash).
- Add function to remove all metadata from a record.

### 8.41 0.3.3 (2021-01-14)

- Smaller cleanups.

### 8.42 0.3.2 (2021-01-14)

- Include missing `__init__.py`.

### 8.43 0.3.1 (2021-01-14)

- Include xmlhelpy import from pypi.

### 8.44 0.3.0 (2021-01-14)

- Include definition of public api.
- Integration of `-xmlhelp` option to all CLI tools.
- Definition of CLI classes which can be used in additions tools.
- Print more infos when using the CLI.
- Various refactoring.

### 8.45 0.2.3 (2020-10-23)

- Fix for specifying PAT and host directly in certain cli commands.

### 8.46 0.2.2 (2020-10-23)

- Raise exception instead of `sys.exit(1)` for cli functions.

### 8.47 0.2.1 (2020-10-05)

- Update examples.

### 8.48 0.2.0 (2020-10-02)

- Work with identifiers for items.

### 8.49 0.1.2 (2020-09-25)

- Include group roles for records and collections.
- Add option to skip ssl/tls cert verification.

## 8.50 0.1.1 (2020-09-21)

- Improved printing for updated metadata.
- Smaller improvements.

## 8.51 0.1.0 (2020-09-09)

- Most API endpoints for managing records, collections and groups, as well as some others, are usable directly through the library.
- Most of that functionality is also exposed via CLI by using the kadi-apy command.



## PYTHON MODULE INDEX

### k

`kadi_apy.cli.decorators`, 147

`kadi_apy.lib.conversion`, 42

`kadi_apy.lib.exceptions`, 42



## Symbols

-C

kadi-apy-collections-add-collection-link  
command line option, 44

kadi-apy-collections-add-group-role  
command line option, 45

kadi-apy-collections-add-record-link  
command line option, 46

kadi-apy-collections-add-tag command  
line option, 47

kadi-apy-collections-add-user command  
line option, 47

kadi-apy-collections-delete command  
line option, 49

kadi-apy-collections-edit command line  
option, 50

kadi-apy-collections-export command  
line option, 51

kadi-apy-collections-remove-collection-link  
command line option, 54

kadi-apy-collections-remove-group-role  
command line option, 55

kadi-apy-collections-remove-record-link  
command line option, 56

kadi-apy-collections-remove-tag command  
line option, 56

kadi-apy-collections-remove-user  
command line option, 57

kadi-apy-collections-show-info command  
line option, 58

kadi-apy-records-add-collection-link  
command line option, 76

kadi-apy-records-get-record-ids command  
line option, 94

kadi-apy-records-get-records command  
line option, 95

kadi-apy-records-remove-collection-link  
command line option, 97

-D

kadi-apy-collections-add-user command  
line option, 47

kadi-apy-collections-get-collections

command line option, 53

kadi-apy-collections-remove-user  
command line option, 57

kadi-apy-groups-add-user command line  
option, 63

kadi-apy-groups-get-groups command line  
option, 67

kadi-apy-groups-remove-user command  
line option, 68

kadi-apy-records-add-user command line  
option, 83

kadi-apy-records-get-records command  
line option, 96

kadi-apy-records-remove-user command  
line option, 99

kadi-apy-templates-add-user command  
line option, 104

kadi-apy-templates-remove-user command  
line option, 110

kadi-apy-users-show-info command line  
option, 112

-E

kadi-apy-records-get-file command line  
option, 92

-G

kadi-apy-collections-add-group-role  
command line option, 45

kadi-apy-collections-remove-group-role  
command line option, 55

kadi-apy-groups-add-user command line  
option, 63

kadi-apy-groups-delete command line  
option, 65

kadi-apy-groups-edit command line  
option, 66

kadi-apy-groups-remove-user command  
line option, 68

kadi-apy-groups-show-info command line  
option, 68

kadi-apy-records-add-group-role command  
line option, 77

kadi-apy-records-remove-group-role

- command line option, 98
- kadi-apy-templates-add-group-role
  - command line option, 103
- kadi-apy-templates-remove-group-role
  - command line option, 110
- I
  - kadi-apy-collections-add-collection-link
    - command line option, 44
  - kadi-apy-collections-add-group-role
    - command line option, 45
  - kadi-apy-collections-add-record-link
    - command line option, 46
  - kadi-apy-collections-add-tag
    - command line option, 47
  - kadi-apy-collections-add-user
    - command line option, 47
  - kadi-apy-collections-create
    - command line option, 48
  - kadi-apy-collections-delete
    - command line option, 49
  - kadi-apy-collections-edit
    - command line option, 50
  - kadi-apy-collections-export
    - command line option, 51
  - kadi-apy-collections-get-collection-ids
    - command line option, 52
  - kadi-apy-collections-get-collections
    - command line option, 53
  - kadi-apy-collections-remove-collection-link
    - command line option, 54
  - kadi-apy-collections-remove-group-role
    - command line option, 55
  - kadi-apy-collections-remove-record-link
    - command line option, 56
  - kadi-apy-collections-remove-tag
    - command line option, 56
  - kadi-apy-collections-remove-user
    - command line option, 57
  - kadi-apy-collections-show-info
    - command line option, 58
  - kadi-apy-config-add-instance
    - command line option, 59
  - kadi-apy-config-change-default-instance
    - command line option, 60
  - kadi-apy-config-get-kadi-info
    - command line option, 61
  - kadi-apy-config-rename-instance
    - command line option, 61
  - kadi-apy-config-set-host
    - command line option, 61
  - kadi-apy-config-set-pat
    - command line option, 62
  - kadi-apy-groups-add-user
    - command line option, 63
  - kadi-apy-groups-create
    - command line option, 64
  - kadi-apy-groups-delete
    - command line option, 65
  - kadi-apy-groups-edit
    - command line option, 66
  - kadi-apy-groups-get-groups
    - command line option, 66
  - kadi-apy-groups-remove-user
    - command line option, 68
  - kadi-apy-groups-show-info
    - command line option, 68
  - kadi-apy-misc-get-deleted-resources
    - command line option, 69
  - kadi-apy-misc-get-licenses
    - command line option, 70
  - kadi-apy-misc-get-roles
    - command line option, 71
  - kadi-apy-misc-get-tags
    - command line option, 72
  - kadi-apy-misc-import-elx
    - command line option, 72
  - kadi-apy-misc-import-json-schema
    - command line option, 73
  - kadi-apy-misc-purge-resource
    - command line option, 74
  - kadi-apy-misc-restore-resource
    - command line option, 74
  - kadi-apy-records-add-collection-link
    - command line option, 75
  - kadi-apy-records-add-files
    - command line option, 76
  - kadi-apy-records-add-group-role
    - command line option, 77
  - kadi-apy-records-add-metadata
    - command line option, 78
  - kadi-apy-records-add-metadatum
    - command line option, 79
  - kadi-apy-records-add-record-link
    - command line option, 80
  - kadi-apy-records-add-string-as-file
    - command line option, 81
  - kadi-apy-records-add-tag
    - command line option, 82
  - kadi-apy-records-add-user
    - command line option, 82
  - kadi-apy-records-create
    - command line option, 83
  - kadi-apy-records-delete
    - command line option, 84
  - kadi-apy-records-delete-all-metadata
    - command line option, 85
  - kadi-apy-records-delete-file
    - command line option, 86



kadi-apy-records-delete-files command line option, 86  
 kadi-apy-records-delete-metadatum command line option, 87  
 kadi-apy-records-delete-record-link command line option, 88  
 kadi-apy-records-edit command line option, 89  
 kadi-apy-records-edit-file command line option, 89  
 kadi-apy-records-export command line option, 90  
 kadi-apy-records-get-file command line option, 92  
 kadi-apy-records-get-metadatum command line option, 93  
 kadi-apy-records-get-record-ids command line option, 94  
 kadi-apy-records-get-records command line option, 95  
 kadi-apy-records-remove-collection-link command line option, 97  
 kadi-apy-records-remove-group-role command line option, 97  
 kadi-apy-records-remove-tag command line option, 98  
 kadi-apy-records-remove-user command line option, 99  
 kadi-apy-records-show-info command line option, 100  
 kadi-apy-records-show-record-links-to command line option, 101  
 kadi-apy-records-update-record-link command line option, 102  
 kadi-apy-templates-add-group-role command line option, 103  
 kadi-apy-templates-add-user command line option, 104  
 kadi-apy-templates-create command line option, 105  
 kadi-apy-templates-delete command line option, 106  
 kadi-apy-templates-edit command line option, 107  
 kadi-apy-templates-export command line option, 107  
 kadi-apy-templates-get-templates command line option, 109  
 kadi-apy-templates-remove-group-role command line option, 109  
 kadi-apy-templates-remove-user command line option, 110  
 kadi-apy-users-get-users command line option, 111  
 kadi-apy-users-show-info command line option, 112  
 -L  
 kadi-apy-collections-add-collection-link command line option, 44  
 kadi-apy-collections-remove-collection-link command line option, 54  
 kadi-apy-records-add-record-link command line option, 80  
 -N  
 kadi-apy-config-rename-instance command line option, 61  
 -P  
 kadi-apy-collections-export command line option, 51  
 kadi-apy-records-export command line option, 91  
 kadi-apy-records-get-file command line option, 92  
 kadi-apy-templates-export command line option, 108  
 -R  
 kadi-apy-collections-add-record-link command line option, 46  
 kadi-apy-collections-remove-record-link command line option, 56  
 kadi-apy-records-add-collection-link command line option, 75  
 kadi-apy-records-add-files command line option, 76  
 kadi-apy-records-add-group-role command line option, 77  
 kadi-apy-records-add-metadata command line option, 78  
 kadi-apy-records-add-metadatum command line option, 79  
 kadi-apy-records-add-record-link command line option, 80  
 kadi-apy-records-add-string-as-file command line option, 81  
 kadi-apy-records-add-tag command line option, 82  
 kadi-apy-records-add-user command line option, 82  
 kadi-apy-records-delete command line option, 84  
 kadi-apy-records-delete-all-metadata command line option, 85  
 kadi-apy-records-delete-file command line option, 86  
 kadi-apy-records-delete-files command line option, 87  
 kadi-apy-records-delete-metadatum command line option, 87

- kadi-apy-records-delete-record-link
    - command line option, 88
  - kadi-apy-records-edit command line
    - option, 89
  - kadi-apy-records-edit-file command line
    - option, 89
  - kadi-apy-records-export command line
    - option, 90
  - kadi-apy-records-get-file command line
    - option, 92
  - kadi-apy-records-get-metadatum command
    - line option, 93
  - kadi-apy-records-remove-collection-link
    - command line option, 97
  - kadi-apy-records-remove-group-role
    - command line option, 98
  - kadi-apy-records-remove-tag command
    - line option, 98
  - kadi-apy-records-remove-user command
    - line option, 99
  - kadi-apy-records-show-info command line
    - option, 100
  - kadi-apy-records-show-record-links-to
    - command line option, 101
  - kadi-apy-records-update-record-link
    - command line option, 102
- T
- kadi-apy-collections-get-collection-ids
    - command line option, 52
  - kadi-apy-collections-get-collections
    - command line option, 53
  - kadi-apy-records-add-record-link
    - command line option, 80
  - kadi-apy-records-export command line
    - option, 90
  - kadi-apy-records-get-file command line
    - option, 92
  - kadi-apy-records-get-record-ids command
    - line option, 94
  - kadi-apy-records-get-records command
    - line option, 95
  - kadi-apy-templates-add-group-role
    - command line option, 103
  - kadi-apy-templates-add-user command
    - line option, 104
  - kadi-apy-templates-delete command line
    - option, 106
  - kadi-apy-templates-edit command line
    - option, 107
  - kadi-apy-templates-export command line
    - option, 107
  - kadi-apy-templates-remove-group-role
    - command line option, 110
  - kadi-apy-templates-remove-user command
    - line option, 110
- U
- kadi-apy-collections-add-user command
    - line option, 48
  - kadi-apy-collections-get-collections
    - command line option, 54
  - kadi-apy-collections-remove-user
    - command line option, 57
  - kadi-apy-groups-add-user command line
    - option, 63
  - kadi-apy-groups-get-groups command line
    - option, 67
  - kadi-apy-groups-remove-user command
    - line option, 68
  - kadi-apy-records-add-user command line
    - option, 83
  - kadi-apy-records-get-records command
    - line option, 96
  - kadi-apy-records-remove-user command
    - line option, 99
  - kadi-apy-templates-add-user command
    - line option, 104
  - kadi-apy-templates-remove-user command
    - line option, 110
  - kadi-apy-users-show-info command line
    - option, 112
- V
- kadi-apy-collections-add-collection-link
    - command line option, 44
  - kadi-apy-collections-add-group-role
    - command line option, 45
  - kadi-apy-collections-add-record-link
    - command line option, 46
  - kadi-apy-collections-add-tag command
    - line option, 46
  - kadi-apy-collections-add-user command
    - line option, 47
  - kadi-apy-collections-create command
    - line option, 48
  - kadi-apy-collections-delete command
    - line option, 49
  - kadi-apy-collections-edit command line
    - option, 50
  - kadi-apy-collections-export command
    - line option, 51
  - kadi-apy-collections-get-collection-ids
    - command line option, 52
  - kadi-apy-collections-get-collections
    - command line option, 53
  - kadi-apy-collections-remove-collection-link
    - command line option, 54
  - kadi-apy-collections-remove-group-role
    - command line option, 55
  - kadi-apy-collections-remove-record-link

command line option, 55

kadi-apy-collections-remove-tag command line option, 56

kadi-apy-collections-remove-user command line option, 57

kadi-apy-collections-show-info command line option, 58

kadi-apy-config-get-kadi-info command line option, 60

kadi-apy-groups-add-user command line option, 63

kadi-apy-groups-create command line option, 64

kadi-apy-groups-delete command line option, 65

kadi-apy-groups-edit command line option, 65

kadi-apy-groups-get-groups command line option, 66

kadi-apy-groups-remove-user command line option, 67

kadi-apy-groups-show-info command line option, 68

kadi-apy-misc-get-deleted-resources command line option, 69

kadi-apy-misc-get-licenses command line option, 70

kadi-apy-misc-get-roles command line option, 71

kadi-apy-misc-get-tags command line option, 71

kadi-apy-misc-import-elx command line option, 72

kadi-apy-misc-import-json-schema command line option, 73

kadi-apy-misc-purge-resource command line option, 74

kadi-apy-misc-restore-resource command line option, 74

kadi-apy-records-add-collection-link command line option, 75

kadi-apy-records-add-files command line option, 76

kadi-apy-records-add-group-role command line option, 77

kadi-apy-records-add-metadata command line option, 78

kadi-apy-records-add-metadatum command line option, 79

kadi-apy-records-add-record-link command line option, 80

kadi-apy-records-add-string-as-file command line option, 81

kadi-apy-records-add-tag command line option, 82

kadi-apy-records-add-user command line option, 82

kadi-apy-records-create command line option, 83

kadi-apy-records-delete command line option, 84

kadi-apy-records-delete-all-metadata command line option, 85

kadi-apy-records-delete-file command line option, 86

kadi-apy-records-delete-files command line option, 86

kadi-apy-records-delete-metadatum command line option, 87

kadi-apy-records-delete-record-link command line option, 88

kadi-apy-records-edit command line option, 88

kadi-apy-records-edit-file command line option, 89

kadi-apy-records-export command line option, 90

kadi-apy-records-get-file command line option, 91

kadi-apy-records-get-metadatum command line option, 93

kadi-apy-records-get-record-ids command line option, 94

kadi-apy-records-get-records command line option, 95

kadi-apy-records-remove-collection-link command line option, 97

kadi-apy-records-remove-group-role command line option, 97

kadi-apy-records-remove-tag command line option, 98

kadi-apy-records-remove-user command line option, 99

kadi-apy-records-show-info command line option, 100

kadi-apy-records-show-record-links-to command line option, 101

kadi-apy-records-update-record-link command line option, 102

kadi-apy-templates-add-group-role command line option, 103

kadi-apy-templates-add-user command line option, 104

kadi-apy-templates-create command line option, 105

kadi-apy-templates-delete command line option, 106

kadi-apy-templates-edit command line

```

    option, 106
kadi-apy-templates-export command line
  option, 107
kadi-apy-templates-get-templates
  command line option, 109
kadi-apy-templates-remove-group-role
  command line option, 109
kadi-apy-templates-remove-user command
  line option, 110
kadi-apy-users-get-users command line
  option, 111
kadi-apy-users-show-info command line
  option, 112
--child_collections
  kadi-apy-records-get-record-ids command
    line option, 94
  kadi-apy-records-get-records command
    line option, 95
--collection
  kadi-apy-records-get-record-ids command
    line option, 94
  kadi-apy-records-get-records command
    line option, 95
--collection-id
  kadi-apy-collections-add-collection-link
    command line option, 44
  kadi-apy-collections-add-group-role
    command line option, 45
  kadi-apy-collections-add-record-link
    command line option, 46
  kadi-apy-collections-add-tag command
    line option, 47
  kadi-apy-collections-add-user command
    line option, 47
  kadi-apy-collections-delete command
    line option, 49
  kadi-apy-collections-edit command line
    option, 50
  kadi-apy-collections-export command
    line option, 51
  kadi-apy-collections-remove-collection-link
    command line option, 54
  kadi-apy-collections-remove-group-role
    command line option, 55
  kadi-apy-collections-remove-record-link
    command line option, 56
  kadi-apy-collections-remove-tag command
    line option, 56
  kadi-apy-collections-remove-user
    command line option, 57
  kadi-apy-collections-show-info command
    line option, 58
  kadi-apy-records-add-collection-link
    command line option, 76
  kadi-apy-records-remove-collection-link
    command line option, 97
--collection-identifier-child
  kadi-apy-collections-add-collection-link
    command line option, 44
  kadi-apy-collections-remove-collection-link
    command line option, 54
--commands
  kadi-apy command line option, 43
  kadi-apy-collections command line
    option, 44
  kadi-apy-config command line option, 59
  kadi-apy-groups command line option, 62
  kadi-apy-misc command line option, 69
  kadi-apy-records command line option, 75
  kadi-apy-templates command line option,

```

102  
 kadi-apy-users command line option, 111

--data  
 kadi-apy-templates-create command line option, 105

--description  
 kadi-apy-collections-edit command line option, 50  
 kadi-apy-collections-show-info command line option, 58  
 kadi-apy-groups-edit command line option, 66  
 kadi-apy-groups-show-info command line option, 68  
 kadi-apy-records-edit command line option, 89  
 kadi-apy-records-show-info command line option, 100  
 kadi-apy-templates-edit command line option, 107

--direction  
 kadi-apy-records-show-record-links-to command line option, 101

--exclude\_pattern  
 kadi-apy-records-add-files command line option, 76  
 kadi-apy-records-get-file command line option, 92

--exit-not-created  
 kadi-apy-collections-create command line option, 49  
 kadi-apy-groups-create command line option, 64  
 kadi-apy-records-create command line option, 84  
 kadi-apy-templates-create command line option, 105

--export\_type  
 kadi-apy-templates-export command line option, 108

--export-type  
 kadi-apy-collections-export command line option, 51  
 kadi-apy-records-export command line option, 90

--file  
 kadi-apy-records-add-metadata command line option, 78

--file-description  
 kadi-apy-records-add-files command line option, 76

--file-id  
 kadi-apy-records-delete-file command line option, 86  
 kadi-apy-records-edit-file command line option, 90  
 kadi-apy-records-get-file command line option, 92

--file-name  
 kadi-apy-records-add-files command line option, 76  
 kadi-apy-records-add-string-as-file command line option, 81  
 kadi-apy-records-delete-file command line option, 86  
 kadi-apy-records-edit-file command line option, 90  
 kadi-apy-records-get-file command line option, 92

--filelist  
 kadi-apy-records-show-info command line option, 100

--filepath  
 kadi-apy-records-get-file command line option, 92

--filter  
 kadi-apy-misc-get-deleted-resources command line option, 70  
 kadi-apy-misc-get-licenses command line option, 70  
 kadi-apy-misc-get-tags command line option, 72  
 kadi-apy-users-get-users command line option, 111

--force  
 kadi-apy-collections-export command line option, 51  
 kadi-apy-records-add-files command line option, 76  
 kadi-apy-records-add-metadata command line option, 78  
 kadi-apy-records-add-metadatum command line option, 79  
 kadi-apy-records-add-string-as-file command line option, 81  
 kadi-apy-records-export command line option, 91  
 kadi-apy-records-get-file command line option, 92  
 kadi-apy-templates-export command line option, 108

--group-id  
 kadi-apy-collections-add-group-role command line option, 45  
 kadi-apy-collections-remove-group-role command line option, 55  
 kadi-apy-groups-add-user command line option, 63

- kadi-apy-groups-delete command line option, 65
- kadi-apy-groups-edit command line option, 66
- kadi-apy-groups-remove-user command line option, 68
- kadi-apy-groups-show-info command line option, 68
- kadi-apy-records-add-group-role command line option, 77
- kadi-apy-records-remove-group-role command line option, 98
- kadi-apy-templates-add-group-role command line option, 103
- kadi-apy-templates-remove-group-role command line option, 110
- group-identifier
  - kadi-apy-collections-add-group-role command line option, 45
  - kadi-apy-collections-remove-group-role command line option, 55
  - kadi-apy-groups-add-user command line option, 63
  - kadi-apy-groups-delete command line option, 65
  - kadi-apy-groups-edit command line option, 66
  - kadi-apy-groups-remove-user command line option, 68
  - kadi-apy-groups-show-info command line option, 68
  - kadi-apy-records-add-group-role command line option, 77
  - kadi-apy-records-remove-group-role command line option, 98
  - kadi-apy-templates-add-group-role command line option, 103
  - kadi-apy-templates-remove-group-role command line option, 110
- i-am-sure
  - kadi-apy-collections-delete command line option, 49
  - kadi-apy-collections-get-collection-ids command line option, 52
  - kadi-apy-groups-delete command line option, 65
  - kadi-apy-records-delete command line option, 84
  - kadi-apy-records-delete-all-metadata command line option, 85
  - kadi-apy-records-delete-files command line option, 87
  - kadi-apy-records-get-record-ids command line option, 95
  - kadi-apy-templates-delete command line option, 106
- identifier
  - kadi-apy-collections-create command line option, 48
  - kadi-apy-groups-create command line option, 64
  - kadi-apy-records-create command line option, 83
  - kadi-apy-templates-create command line option, 105
- identity-type
  - kadi-apy-collections-add-user command line option, 47
  - kadi-apy-collections-get-collections command line option, 53
  - kadi-apy-collections-remove-user command line option, 57
  - kadi-apy-groups-add-user command line option, 63
  - kadi-apy-groups-get-groups command line option, 67
  - kadi-apy-groups-remove-user command line option, 68
  - kadi-apy-records-add-user command line option, 83
  - kadi-apy-records-get-records command line option, 96
  - kadi-apy-records-remove-user command line option, 99
  - kadi-apy-templates-add-user command line option, 104
  - kadi-apy-templates-remove-user command line option, 110
  - kadi-apy-users-show-info command line option, 112
- information
  - kadi-apy-records-get-metadatum command line option, 93
- instance
  - kadi-apy-collections-add-collection-link command line option, 44
  - kadi-apy-collections-add-group-role command line option, 45
  - kadi-apy-collections-add-record-link command line option, 46
  - kadi-apy-collections-add-tag command line option, 47
  - kadi-apy-collections-add-user command line option, 47
  - kadi-apy-collections-create command line option, 48
  - kadi-apy-collections-delete command line option, 49

kadi-apy-collections-edit command line option, 50

kadi-apy-collections-export command line option, 51

kadi-apy-collections-get-collection-ids command line option, 52

kadi-apy-collections-get-collections command line option, 53

kadi-apy-collections-remove-collection-link command line option, 54

kadi-apy-collections-remove-group-role command line option, 55

kadi-apy-collections-remove-record-link command line option, 56

kadi-apy-collections-remove-tag command line option, 56

kadi-apy-collections-remove-user command line option, 57

kadi-apy-collections-show-info command line option, 58

kadi-apy-config-add-instance command line option, 59

kadi-apy-config-change-default-instance command line option, 60

kadi-apy-config-get-kadi-info command line option, 61

kadi-apy-config-rename-instance command line option, 61

kadi-apy-config-set-host command line option, 61

kadi-apy-config-set-pat command line option, 62

kadi-apy-groups-add-user command line option, 63

kadi-apy-groups-create command line option, 64

kadi-apy-groups-delete command line option, 65

kadi-apy-groups-edit command line option, 66

kadi-apy-groups-get-groups command line option, 66

kadi-apy-groups-remove-user command line option, 68

kadi-apy-groups-show-info command line option, 68

kadi-apy-misc-get-deleted-resources command line option, 69

kadi-apy-misc-get-licenses command line option, 70

kadi-apy-misc-get-roles command line option, 71

kadi-apy-misc-get-tags command line option, 72

kadi-apy-misc-import-elx command line option, 72

kadi-apy-misc-import-json-schema command line option, 73

kadi-apy-misc-purge-resource command line option, 74

kadi-apy-misc-restore-resource command line option, 74

kadi-apy-records-add-collection-link command line option, 75

kadi-apy-records-add-files command line option, 76

kadi-apy-records-add-group-role command line option, 77

kadi-apy-records-add-metadata command line option, 78

kadi-apy-records-add-metadatum command line option, 79

kadi-apy-records-add-record-link command line option, 80

kadi-apy-records-add-string-as-file command line option, 81

kadi-apy-records-add-tag command line option, 82

kadi-apy-records-add-user command line option, 82

kadi-apy-records-create command line option, 83

kadi-apy-records-delete command line option, 84

kadi-apy-records-delete-all-metadata command line option, 85

kadi-apy-records-delete-file command line option, 86

kadi-apy-records-delete-files command line option, 86

kadi-apy-records-delete-metadatum command line option, 87

kadi-apy-records-delete-record-link command line option, 88

kadi-apy-records-edit command line option, 89

kadi-apy-records-edit-file command line option, 89

kadi-apy-records-export command line option, 90

kadi-apy-records-get-file command line option, 92

kadi-apy-records-get-metadatum command line option, 93

kadi-apy-records-get-record-ids command line option, 94

kadi-apy-records-get-records command line option, 95

kadi-apy-records-remove-collection-link  
command line option, 97

kadi-apy-records-remove-group-role  
command line option, 97

kadi-apy-records-remove-tag command  
line option, 98

kadi-apy-records-remove-user command  
line option, 99

kadi-apy-records-show-info command line  
option, 100

kadi-apy-records-show-record-links-to  
command line option, 101

kadi-apy-records-update-record-link  
command line option, 102

kadi-apy-templates-add-group-role  
command line option, 103

kadi-apy-templates-add-user command  
line option, 104

kadi-apy-templates-create command line  
option, 105

kadi-apy-templates-delete command line  
option, 106

kadi-apy-templates-edit command line  
option, 107

kadi-apy-templates-export command line  
option, 107

kadi-apy-templates-get-templates  
command line option, 109

kadi-apy-templates-remove-group-role  
command line option, 109

kadi-apy-templates-remove-user command  
line option, 110

kadi-apy-users-get-users command line  
option, 111

kadi-apy-users-show-info command line  
option, 112

--instance-new  
kadi-apy-config-rename-instance command  
line option, 61

--item-id  
kadi-apy-misc-purge-resource command  
line option, 74

kadi-apy-misc-restore-resource command  
line option, 75

--item-type  
kadi-apy-misc-get-roles command line  
option, 71

kadi-apy-misc-purge-resource command  
line option, 74

kadi-apy-misc-restore-resource command  
line option, 74

--license  
kadi-apy-records-edit command line  
option, 89

--metadata  
kadi-apy-records-add-metadata command  
line option, 78

kadi-apy-records-show-info command line  
option, 100

--metadatum  
kadi-apy-records-add-metadatum command  
line option, 79

kadi-apy-records-delete-metadatum  
command line option, 87

--mimetype  
kadi-apy-records-edit-file command line  
option, 90

kadi-apy-records-get-record-ids command  
line option, 94

kadi-apy-records-get-records command  
line option, 95

--my\_user\_id  
kadi-apy-groups-get-groups command line  
option, 67

--name  
kadi-apy-collections-export command  
line option, 51

kadi-apy-records-add-record-link  
command line option, 80

kadi-apy-records-edit-file command line  
option, 90

kadi-apy-records-export command line  
option, 91

kadi-apy-records-get-metadatum command  
line option, 93

kadi-apy-records-update-record-link  
command line option, 102

kadi-apy-templates-export command line  
option, 108

--page  
kadi-apy-collections-get-collections  
command line option, 53

kadi-apy-collections-show-info command  
line option, 58

kadi-apy-groups-get-groups command line  
option, 67

kadi-apy-misc-get-deleted-resources  
command line option, 70

kadi-apy-misc-get-licenses command line  
option, 70

kadi-apy-misc-get-tags command line  
option, 72

kadi-apy-records-get-records command  
line option, 96

kadi-apy-records-show-info command line  
option, 100

kadi-apy-records-show-record-links-to  
command line option, 101



kadi-apy-templates-get-templates  
     command line option, 109  
 kadi-apy-users-get-users command line  
     option, 111  
 --path  
     kadi-apy-collections-export command  
         line option, 51  
     kadi-apy-misc-import-eln command line  
         option, 73  
     kadi-apy-misc-import-json-schema  
         command line option, 73  
     kadi-apy-records-export command line  
         option, 91  
     kadi-apy-templates-export command line  
         option, 108  
 --pattern  
     kadi-apy-records-add-files command line  
         option, 76  
     kadi-apy-records-get-file command line  
         option, 92  
 --per-page  
     kadi-apy-collections-get-collections  
         command line option, 53  
     kadi-apy-collections-show-info command  
         line option, 58  
     kadi-apy-groups-get-groups command line  
         option, 66  
     kadi-apy-misc-get-deleted-resources  
         command line option, 69  
     kadi-apy-misc-get-licenses command line  
         option, 70  
     kadi-apy-misc-get-tags command line  
         option, 72  
     kadi-apy-records-get-records command  
         line option, 96  
     kadi-apy-records-show-info command line  
         option, 100  
     kadi-apy-records-show-record-links-to  
         command line option, 101  
     kadi-apy-templates-get-templates  
         command line option, 109  
     kadi-apy-users-get-users command line  
         option, 111  
 --permission-new  
     kadi-apy-collections-add-group-role  
         command line option, 45  
     kadi-apy-collections-add-user command  
         line option, 48  
     kadi-apy-groups-add-user command line  
         option, 63  
     kadi-apy-records-add-group-role command  
         line option, 77  
     kadi-apy-records-add-user command line  
         option, 83  
     kadi-apy-templates-add-group-role  
         command line option, 103  
     kadi-apy-templates-add-user command  
         line option, 104  
 --pipe  
     kadi-apy-collections-create command  
         line option, 49  
     kadi-apy-collections-export command  
         line option, 51  
     kadi-apy-collections-get-collection-ids  
         command line option, 52  
     kadi-apy-groups-create command line  
         option, 64  
     kadi-apy-records-create command line  
         option, 84  
     kadi-apy-records-export command line  
         option, 91  
     kadi-apy-records-get-file command line  
         option, 92  
     kadi-apy-records-get-metadatum command  
         line option, 93  
     kadi-apy-records-get-record-ids command  
         line option, 94  
     kadi-apy-records-show-info command line  
         option, 100  
     kadi-apy-templates-create command line  
         option, 105  
     kadi-apy-templates-export command line  
         option, 108  
 --query  
     kadi-apy-collections-get-collections  
         command line option, 54  
     kadi-apy-records-get-records command  
         line option, 96  
 --record-id  
     kadi-apy-collections-add-record-link  
         command line option, 46  
     kadi-apy-collections-remove-record-link  
         command line option, 56  
     kadi-apy-records-add-collection-link  
         command line option, 75  
     kadi-apy-records-add-files command line  
         option, 76  
     kadi-apy-records-add-group-role command  
         line option, 77  
     kadi-apy-records-add-metadata command  
         line option, 78  
     kadi-apy-records-add-metadatum command  
         line option, 79  
     kadi-apy-records-add-record-link  
         command line option, 80  
     kadi-apy-records-add-string-as-file  
         command line option, 81  
     kadi-apy-records-add-tag command line

- option, 82
- kadi-apy-records-add-user command line option, 83
- kadi-apy-records-delete command line option, 84
- kadi-apy-records-delete-all-metadata command line option, 85
- kadi-apy-records-delete-file command line option, 86
- kadi-apy-records-delete-files command line option, 87
- kadi-apy-records-delete-metadatum command line option, 87
- kadi-apy-records-delete-record-link command line option, 88
- kadi-apy-records-edit command line option, 89
- kadi-apy-records-edit-file command line option, 90
- kadi-apy-records-export command line option, 90
- kadi-apy-records-get-file command line option, 92
- kadi-apy-records-get-metadatum command line option, 93
- kadi-apy-records-remove-collection-link command line option, 97
- kadi-apy-records-remove-group-role command line option, 98
- kadi-apy-records-remove-tag command line option, 98
- kadi-apy-records-remove-user command line option, 99
- kadi-apy-records-show-info command line option, 100
- kadi-apy-records-show-record-links-to command line option, 101
- kadi-apy-records-update-record-link command line option, 102
- record-id-link
  - kadi-apy-records-add-record-link command line option, 80
- record-identifier
  - kadi-apy-collections-add-record-link command line option, 46
  - kadi-apy-collections-remove-record-link command line option, 56
  - kadi-apy-records-add-collection-link command line option, 75
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-add-group-role command line option, 77
  - kadi-apy-records-add-metadata command line option, 78
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-add-record-link command line option, 80
  - kadi-apy-records-add-string-as-file command line option, 81
  - kadi-apy-records-add-tag command line option, 82
  - kadi-apy-records-add-user command line option, 82
  - kadi-apy-records-delete command line option, 84
  - kadi-apy-records-delete-all-metadata command line option, 85
  - kadi-apy-records-delete-file command line option, 86
  - kadi-apy-records-delete-files command line option, 87
  - kadi-apy-records-delete-metadatum command line option, 87
  - kadi-apy-records-delete-record-link command line option, 88
  - kadi-apy-records-edit command line option, 89
  - kadi-apy-records-edit-file command line option, 89
  - kadi-apy-records-export command line option, 90
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-records-get-metadatum command line option, 93
  - kadi-apy-records-remove-collection-link command line option, 97
  - kadi-apy-records-remove-group-role command line option, 98
  - kadi-apy-records-remove-tag command line option, 98
  - kadi-apy-records-remove-user command line option, 99
  - kadi-apy-records-show-info command line option, 100
  - kadi-apy-records-show-record-links-to command line option, 101
  - kadi-apy-records-update-record-link command line option, 102
- record-identifier-link
  - kadi-apy-records-add-record-link command line option, 80
- record-ids
  - kadi-apy-records-add-record-link command line option, 80
  - kadi-apy-records-export command line

option, 90  
 kadi-apy-records-get-file command line option, 92  
 --record-link-id  
   kadi-apy-records-delete-record-link command line option, 88  
   kadi-apy-records-update-record-link command line option, 102  
 --records  
   kadi-apy-collections-show-info command line option, 58  
 --shell  
   kadi-apy-config-activate-autocompletion command line option, 59  
 --string  
   kadi-apy-records-add-string-as-file command line option, 81  
 --tag  
   kadi-apy-collections-add-tag command line option, 47  
   kadi-apy-collections-get-collection-ids command line option, 52  
   kadi-apy-collections-get-collections command line option, 53  
   kadi-apy-collections-remove-tag command line option, 56  
   kadi-apy-records-add-tag command line option, 82  
   kadi-apy-records-get-record-ids command line option, 94  
   kadi-apy-records-get-records command line option, 95  
   kadi-apy-records-remove-tag command line option, 98  
 --tag-operator  
   kadi-apy-collections-get-collection-ids command line option, 52  
   kadi-apy-collections-get-collections command line option, 53  
   kadi-apy-records-get-record-ids command line option, 94  
   kadi-apy-records-get-records command line option, 95  
 --template-id  
   kadi-apy-templates-add-group-role command line option, 103  
   kadi-apy-templates-add-user command line option, 104  
   kadi-apy-templates-delete command line option, 106  
   kadi-apy-templates-edit command line option, 107  
   kadi-apy-templates-export command line option, 108  
   kadi-apy-templates-remove-group-role command line option, 110  
   kadi-apy-templates-remove-user command line option, 110  
 --template-identifier  
   kadi-apy-templates-add-group-role command line option, 103  
   kadi-apy-templates-add-user command line option, 104  
   kadi-apy-templates-delete command line option, 106  
   kadi-apy-templates-edit command line option, 107  
   kadi-apy-templates-export command line option, 107  
   kadi-apy-templates-remove-group-role command line option, 110  
   kadi-apy-templates-remove-user command line option, 110  
 --term  
   kadi-apy-records-add-record-link command line option, 80  
 --title  
   kadi-apy-collections-create command line option, 48  
   kadi-apy-collections-edit command line option, 50  
   kadi-apy-groups-create command line option, 64  
   kadi-apy-groups-edit command line option, 66  
   kadi-apy-records-create command line option, 83  
   kadi-apy-records-edit command line option, 89  
   kadi-apy-templates-create command line option, 105  
   kadi-apy-templates-edit command line option, 107  
 --type  
   kadi-apy-misc-get-tags command line option, 72  
   kadi-apy-misc-import-json-schema command line option, 73  
   kadi-apy-records-add-metadatum command line option, 79  
   kadi-apy-records-edit command line option, 89  
   kadi-apy-templates-create command line option, 105  
 --unit  
   kadi-apy-records-add-metadatum command line option, 79  
 --use-folder

kadi-apy-collections-export command  
line option, 51

kadi-apy-records-export command line  
option, 91

kadi-apy-records-get-file command line  
option, 92

kadi-apy-templates-export command line  
option, 108

--use-my-user-id  
kadi-apy-collections-get-collections  
command line option, 54

kadi-apy-records-get-records command  
line option, 96

--user  
kadi-apy-collections-add-user command  
line option, 48

kadi-apy-collections-get-collections  
command line option, 54

kadi-apy-collections-remove-user  
command line option, 57

kadi-apy-groups-add-user command line  
option, 63

kadi-apy-groups-get-groups command line  
option, 67

kadi-apy-groups-remove-user command  
line option, 68

kadi-apy-records-add-user command line  
option, 83

kadi-apy-records-get-records command  
line option, 96

kadi-apy-records-remove-user command  
line option, 99

kadi-apy-templates-add-user command  
line option, 104

kadi-apy-templates-remove-user command  
line option, 110

kadi-apy-users-show-info command line  
option, 112

--username  
kadi-apy-collections-add-user command  
line option, 48

kadi-apy-collections-get-collections  
command line option, 54

kadi-apy-collections-remove-user  
command line option, 57

kadi-apy-groups-add-user command line  
option, 63

kadi-apy-groups-get-groups command line  
option, 67

kadi-apy-groups-remove-user command  
line option, 68

kadi-apy-records-add-user command line  
option, 83

kadi-apy-records-get-records command  
line option, 96

kadi-apy-records-remove-user command  
line option, 99

kadi-apy-templates-add-user command  
line option, 104

kadi-apy-templates-remove-user command  
line option, 110

kadi-apy-users-show-info command line  
option, 112

--value  
kadi-apy-records-add-metadatum command  
line option, 79

--verbose  
kadi-apy-collections-add-collection-link  
command line option, 44

kadi-apy-collections-add-group-role  
command line option, 45

kadi-apy-collections-add-record-link  
command line option, 46

kadi-apy-collections-add-tag command  
line option, 46

kadi-apy-collections-add-user command  
line option, 47

kadi-apy-collections-create command  
line option, 48

kadi-apy-collections-delete command  
line option, 49

kadi-apy-collections-edit command line  
option, 50

kadi-apy-collections-export command  
line option, 51

kadi-apy-collections-get-collection-ids  
command line option, 52

kadi-apy-collections-get-collections  
command line option, 53

kadi-apy-collections-remove-collection-link  
command line option, 54

kadi-apy-collections-remove-group-role  
command line option, 55

kadi-apy-collections-remove-record-link  
command line option, 55

kadi-apy-collections-remove-tag command  
line option, 56

kadi-apy-collections-remove-user  
command line option, 57

kadi-apy-collections-show-info command  
line option, 58

kadi-apy-config-get-kadi-info command  
line option, 60

kadi-apy-groups-add-user command line  
option, 63

kadi-apy-groups-create command line  
option, 64

kadi-apy-groups-delete command line

option, 65  
 kadi-apy-groups-edit command line  
   option, 65  
 kadi-apy-groups-get-groups command line  
   option, 66  
 kadi-apy-groups-remove-user command  
   line option, 67  
 kadi-apy-groups-show-info command line  
   option, 68  
 kadi-apy-misc-get-deleted-resources  
   command line option, 69  
 kadi-apy-misc-get-licenses command line  
   option, 70  
 kadi-apy-misc-get-roles command line  
   option, 71  
 kadi-apy-misc-get-tags command line  
   option, 71  
 kadi-apy-misc-import-elx command line  
   option, 72  
 kadi-apy-misc-import-json-schema  
   command line option, 73  
 kadi-apy-misc-purge-resource command  
   line option, 74  
 kadi-apy-misc-restore-resource command  
   line option, 74  
 kadi-apy-records-add-collection-link  
   command line option, 75  
 kadi-apy-records-add-files command line  
   option, 76  
 kadi-apy-records-add-group-role command  
   line option, 77  
 kadi-apy-records-add-metadata command  
   line option, 78  
 kadi-apy-records-add-metadatum command  
   line option, 79  
 kadi-apy-records-add-record-link  
   command line option, 80  
 kadi-apy-records-add-string-as-file  
   command line option, 81  
 kadi-apy-records-add-tag command line  
   option, 82  
 kadi-apy-records-add-user command line  
   option, 82  
 kadi-apy-records-create command line  
   option, 83  
 kadi-apy-records-delete command line  
   option, 84  
 kadi-apy-records-delete-all-metadata  
   command line option, 85  
 kadi-apy-records-delete-file command  
   line option, 86  
 kadi-apy-records-delete-files command  
   line option, 86  
 kadi-apy-records-delete-metadatum  
   command line option, 87  
 kadi-apy-records-delete-record-link  
   command line option, 88  
 kadi-apy-records-edit command line  
   option, 88  
 kadi-apy-records-edit-file command line  
   option, 89  
 kadi-apy-records-export command line  
   option, 90  
 kadi-apy-records-get-file command line  
   option, 91  
 kadi-apy-records-get-metadatum command  
   line option, 93  
 kadi-apy-records-get-record-ids command  
   line option, 94  
 kadi-apy-records-get-records command  
   line option, 95  
 kadi-apy-records-remove-collection-link  
   command line option, 97  
 kadi-apy-records-remove-group-role  
   command line option, 97  
 kadi-apy-records-remove-tag command  
   line option, 98  
 kadi-apy-records-remove-user command  
   line option, 99  
 kadi-apy-records-show-info command line  
   option, 100  
 kadi-apy-records-show-record-links-to  
   command line option, 101  
 kadi-apy-records-update-record-link  
   command line option, 102  
 kadi-apy-templates-add-group-role  
   command line option, 103  
 kadi-apy-templates-add-user command  
   line option, 104  
 kadi-apy-templates-create command line  
   option, 105  
 kadi-apy-templates-delete command line  
   option, 106  
 kadi-apy-templates-edit command line  
   option, 106  
 kadi-apy-templates-export command line  
   option, 107  
 kadi-apy-templates-get-templates  
   command line option, 109  
 kadi-apy-templates-remove-group-role  
   command line option, 109  
 kadi-apy-templates-remove-user command  
   line option, 110  
 kadi-apy-users-get-users command line  
   option, 111  
 kadi-apy-users-show-info command line  
   option, 112  
 --version

- kadi-apy command line option, 43
- kadi-apy-collections command line option, 44
- kadi-apy-collections-add-collection-link command line option, 44
- kadi-apy-collections-add-group-role command line option, 45
- kadi-apy-collections-add-record-link command line option, 46
- kadi-apy-collections-add-tag command line option, 46
- kadi-apy-collections-add-user command line option, 47
- kadi-apy-collections-create command line option, 48
- kadi-apy-collections-delete command line option, 49
- kadi-apy-collections-edit command line option, 50
- kadi-apy-collections-export command line option, 51
- kadi-apy-collections-get-collection-ids command line option, 52
- kadi-apy-collections-get-collections command line option, 53
- kadi-apy-collections-remove-collection-link command line option, 54
- kadi-apy-collections-remove-group-role command line option, 55
- kadi-apy-collections-remove-record-link command line option, 55
- kadi-apy-collections-remove-tag command line option, 56
- kadi-apy-collections-remove-user command line option, 57
- kadi-apy-collections-show-info command line option, 58
- kadi-apy-config command line option, 59
- kadi-apy-config-activate-autocompletion command line option, 59
- kadi-apy-config-add-instance command line option, 59
- kadi-apy-config-change-default-instance command line option, 60
- kadi-apy-config-create command line option, 60
- kadi-apy-config-get-kadi-info command line option, 60
- kadi-apy-config-rename-instance command line option, 61
- kadi-apy-config-set-host command line option, 61
- kadi-apy-config-set-pat command line option, 62
- kadi-apy-config-show-instances command line option, 62
- kadi-apy-groups command line option, 62
- kadi-apy-groups-add-user command line option, 63
- kadi-apy-groups-create command line option, 64
- kadi-apy-groups-delete command line option, 65
- kadi-apy-groups-edit command line option, 65
- kadi-apy-groups-get-groups command line option, 66
- kadi-apy-groups-remove-user command line option, 67
- kadi-apy-groups-show-info command line option, 68
- kadi-apy-misc command line option, 69
- kadi-apy-misc-get-deleted-resources command line option, 69
- kadi-apy-misc-get-licenses command line option, 70
- kadi-apy-misc-get-roles command line option, 71
- kadi-apy-misc-get-tags command line option, 71
- kadi-apy-misc-import-elx command line option, 72
- kadi-apy-misc-import-json-schema command line option, 73
- kadi-apy-misc-purge-resource command line option, 74
- kadi-apy-misc-restore-resource command line option, 74
- kadi-apy-records command line option, 75
- kadi-apy-records-add-collection-link command line option, 75
- kadi-apy-records-add-files command line option, 76
- kadi-apy-records-add-group-role command line option, 77
- kadi-apy-records-add-metadata command line option, 78
- kadi-apy-records-add-metadatum command line option, 79
- kadi-apy-records-add-record-link command line option, 80
- kadi-apy-records-add-string-as-file command line option, 81
- kadi-apy-records-add-tag command line option, 82
- kadi-apy-records-add-user command line option, 82
- kadi-apy-records-create command line

option, 83  
 kadi-apy-records-delete command line option, 84  
 kadi-apy-records-delete-all-metadata command line option, 85  
 kadi-apy-records-delete-file command line option, 86  
 kadi-apy-records-delete-files command line option, 86  
 kadi-apy-records-delete-metadatum command line option, 87  
 kadi-apy-records-delete-record-link command line option, 88  
 kadi-apy-records-edit command line option, 88  
 kadi-apy-records-edit-file command line option, 89  
 kadi-apy-records-export command line option, 90  
 kadi-apy-records-get-file command line option, 91  
 kadi-apy-records-get-metadatum command line option, 93  
 kadi-apy-records-get-record-ids command line option, 94  
 kadi-apy-records-get-records command line option, 95  
 kadi-apy-records-remove-collection-link command line option, 97  
 kadi-apy-records-remove-group-role command line option, 97  
 kadi-apy-records-remove-tag command line option, 98  
 kadi-apy-records-remove-user command line option, 99  
 kadi-apy-records-show-info command line option, 100  
 kadi-apy-records-show-record-links-to command line option, 101  
 kadi-apy-records-update-record-link command line option, 102  
 kadi-apy-templates command line option, 102  
 kadi-apy-templates-add-group-role command line option, 103  
 kadi-apy-templates-add-user command line option, 104  
 kadi-apy-templates-create command line option, 105  
 kadi-apy-templates-delete command line option, 106  
 kadi-apy-templates-edit command line option, 106  
 kadi-apy-templates-export command line option, 107  
 kadi-apy-templates-get-templates command line option, 109  
 kadi-apy-templates-remove-group-role command line option, 109  
 kadi-apy-templates-remove-user command line option, 110  
 kadi-apy-users command line option, 111  
 kadi-apy-users-get-users command line option, 111  
 kadi-apy-users-show-info command line option, 112  
 --visibility  
 kadi-apy-collections-create command line option, 48  
 kadi-apy-collections-edit command line option, 50  
 kadi-apy-collections-get-collection-ids command line option, 52  
 kadi-apy-collections-get-collections command line option, 54  
 kadi-apy-collections-show-info command line option, 58  
 kadi-apy-groups-create command line option, 64  
 kadi-apy-groups-edit command line option, 66  
 kadi-apy-groups-get-groups command line option, 67  
 kadi-apy-groups-show-info command line option, 69  
 kadi-apy-records-create command line option, 84  
 kadi-apy-records-edit command line option, 89  
 kadi-apy-records-get-record-ids command line option, 94  
 kadi-apy-records-get-records command line option, 96  
 kadi-apy-records-show-info command line option, 100  
 kadi-apy-templates-edit command line option, 107  
 --xmlhelp  
 kadi-apy-collections-add-collection-link command line option, 44  
 kadi-apy-collections-add-group-role command line option, 45  
 kadi-apy-collections-add-record-link command line option, 46  
 kadi-apy-collections-add-tag command line option, 46  
 kadi-apy-collections-add-user command line option, 47

kadi-apy-collections-create command line option, 48

kadi-apy-collections-delete command line option, 49

kadi-apy-collections-edit command line option, 50

kadi-apy-collections-export command line option, 51

kadi-apy-collections-get-collection-ids command line option, 52

kadi-apy-collections-get-collections command line option, 53

kadi-apy-collections-remove-collection-link command line option, 54

kadi-apy-collections-remove-group-role command line option, 55

kadi-apy-collections-remove-record-link command line option, 55

kadi-apy-collections-remove-tag command line option, 56

kadi-apy-collections-remove-user command line option, 57

kadi-apy-collections-show-info command line option, 58

kadi-apy-config-activate-autocompletion command line option, 59

kadi-apy-config-add-instance command line option, 59

kadi-apy-config-change-default-instance command line option, 60

kadi-apy-config-create command line option, 60

kadi-apy-config-get-kadi-info command line option, 60

kadi-apy-config-rename-instance command line option, 61

kadi-apy-config-set-host command line option, 61

kadi-apy-config-set-pat command line option, 62

kadi-apy-config-show-instances command line option, 62

kadi-apy-groups-add-user command line option, 63

kadi-apy-groups-create command line option, 64

kadi-apy-groups-delete command line option, 65

kadi-apy-groups-edit command line option, 65

kadi-apy-groups-get-groups command line option, 66

kadi-apy-groups-remove-user command line option, 67

kadi-apy-groups-show-info command line option, 68

kadi-apy-misc-get-deleted-resources command line option, 69

kadi-apy-misc-get-licenses command line option, 70

kadi-apy-misc-get-roles command line option, 71

kadi-apy-misc-get-tags command line option, 71

kadi-apy-misc-import-elx command line option, 72

kadi-apy-misc-import-json-schema command line option, 73

kadi-apy-misc-purge-resource command line option, 74

kadi-apy-misc-restore-resource command line option, 74

kadi-apy-records-add-collection-link command line option, 75

kadi-apy-records-add-files command line option, 76

kadi-apy-records-add-group-role command line option, 77

kadi-apy-records-add-metadata command line option, 78

kadi-apy-records-add-metadatum command line option, 79

kadi-apy-records-add-record-link command line option, 80

kadi-apy-records-add-string-as-file command line option, 81

kadi-apy-records-add-tag command line option, 82

kadi-apy-records-add-user command line option, 82

kadi-apy-records-create command line option, 83

kadi-apy-records-delete command line option, 84

kadi-apy-records-delete-all-metadata command line option, 85

kadi-apy-records-delete-file command line option, 86

kadi-apy-records-delete-files command line option, 86

kadi-apy-records-delete-metadatum command line option, 87

kadi-apy-records-delete-record-link command line option, 88

kadi-apy-records-edit command line option, 88

kadi-apy-records-edit-file command line option, 89



- kadi-apy-records-export command line option, 90
- kadi-apy-records-get-file command line option, 91
- kadi-apy-records-get-metadatum command line option, 93
- kadi-apy-records-get-record-ids command line option, 94
- kadi-apy-records-get-records command line option, 95
- kadi-apy-records-remove-collection-link command line option, 97
- kadi-apy-records-remove-group-role command line option, 97
- kadi-apy-records-remove-tag command line option, 98
- kadi-apy-records-remove-user command line option, 99
- kadi-apy-records-show-info command line option, 100
- kadi-apy-records-show-record-links-to command line option, 101
- kadi-apy-records-update-record-link command line option, 102
- kadi-apy-templates-add-group-role command line option, 103
- kadi-apy-templates-add-user command line option, 104
- kadi-apy-templates-create command line option, 105
- kadi-apy-templates-delete command line option, 106
- kadi-apy-templates-edit command line option, 106
- kadi-apy-templates-export command line option, 107
- kadi-apy-templates-get-templates command line option, 109
- kadi-apy-templates-remove-group-role command line option, 109
- kadi-apy-templates-remove-user command line option, 110
- kadi-apy-users-get-users command line option, 111
- kadi-apy-users-show-info command line option, 112
- a
  - kadi-apy-records-edit-file command line option, 90
- c
  - kadi-apy-collections-add-collection-link command line option, 44
  - kadi-apy-collections-add-group-role command line option, 45
  - kadi-apy-collections-add-record-link command line option, 46
  - kadi-apy-collections-add-tag command line option, 47
  - kadi-apy-collections-add-user command line option, 47
  - kadi-apy-collections-delete command line option, 49
  - kadi-apy-collections-edit command line option, 50
  - kadi-apy-collections-export command line option, 51
  - kadi-apy-collections-remove-collection-link command line option, 54
  - kadi-apy-collections-remove-group-role command line option, 55
  - kadi-apy-collections-remove-record-link command line option, 56
  - kadi-apy-collections-remove-tag command line option, 56
  - kadi-apy-collections-remove-user command line option, 57
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-records-add-collection-link command line option, 76
  - kadi-apy-records-get-record-ids command line option, 94
  - kadi-apy-records-get-records command line option, 95
  - kadi-apy-records-remove-collection-link command line option, 97
- d
  - kadi-apy-collections-edit command line option, 50
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-groups-edit command line option, 66
  - kadi-apy-groups-show-info command line option, 68
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-edit command line option, 89
  - kadi-apy-records-show-info command line option, 100
  - kadi-apy-records-show-record-links-to command line option, 101
  - kadi-apy-templates-create command line option, 105
  - kadi-apy-templates-edit command line option, 107
- e

- kadi-apy-collections-create command line option, 49
  - kadi-apy-collections-export command line option, 51
  - kadi-apy-groups-create command line option, 64
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-create command line option, 84
  - kadi-apy-records-export command line option, 90
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-templates-create command line option, 105
  - kadi-apy-templates-export command line option, 108
- f
- kadi-apy-collections-export command line option, 51
  - kadi-apy-misc-get-deleted-resources command line option, 70
  - kadi-apy-misc-get-licenses command line option, 70
  - kadi-apy-misc-get-tags command line option, 72
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-add-metadata command line option, 78
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-add-string-as-file command line option, 81
  - kadi-apy-records-export command line option, 91
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-templates-export command line option, 108
  - kadi-apy-users-get-users command line option, 111
- g
- kadi-apy-collections-add-group-role command line option, 45
  - kadi-apy-collections-remove-group-role command line option, 55
  - kadi-apy-groups-add-user command line option, 63
  - kadi-apy-groups-delete command line option, 65
  - kadi-apy-groups-edit command line option, 66
  - kadi-apy-groups-remove-user command line option, 68
  - kadi-apy-groups-show-info command line option, 68
  - kadi-apy-records-add-group-role command line option, 77
  - kadi-apy-records-remove-group-role command line option, 98
  - kadi-apy-templates-add-group-role command line option, 103
  - kadi-apy-templates-remove-group-role command line option, 110
- i
- kadi-apy-collections-create command line option, 48
  - kadi-apy-collections-get-collections command line option, 54
  - kadi-apy-groups-create command line option, 64
  - kadi-apy-groups-get-groups command line option, 67
  - kadi-apy-misc-purge-resource command line option, 74
  - kadi-apy-misc-restore-resource command line option, 75
  - kadi-apy-records-create command line option, 83
  - kadi-apy-records-delete-file command line option, 86
  - kadi-apy-records-edit-file command line option, 90
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-records-get-metadatum command line option, 93
  - kadi-apy-records-get-records command line option, 96
  - kadi-apy-records-show-info command line option, 100
  - kadi-apy-templates-create command line option, 105
  - kadi-apy-templates-edit command line option, 107
- l
- kadi-apy-collections-add-collection-link command line option, 44
  - kadi-apy-collections-remove-collection-link command line option, 54
  - kadi-apy-records-add-record-link command line option, 80
  - kadi-apy-records-delete-record-link command line option, 88
  - kadi-apy-records-edit command line option, 89

- kadi-apy-records-show-info command line option, 100
- kadi-apy-records-update-record-link command line option, 102
- m
  - kadi-apy-records-add-metadata command line option, 78
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-delete-metadatum command line option, 87
  - kadi-apy-records-edit-file command line option, 90
  - kadi-apy-records-get-record-ids command line option, 94
  - kadi-apy-records-get-records command line option, 95
  - kadi-apy-records-show-info command line option, 100
- n
  - kadi-apy-collections-export command line option, 51
  - kadi-apy-collections-get-collections command line option, 53
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-groups-get-groups command line option, 66
  - kadi-apy-misc-get-deleted-resources command line option, 69
  - kadi-apy-misc-get-licenses command line option, 70
  - kadi-apy-misc-get-tags command line option, 72
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-add-record-link command line option, 80
  - kadi-apy-records-add-string-as-file command line option, 81
  - kadi-apy-records-delete-file command line option, 86
  - kadi-apy-records-edit-file command line option, 90
  - kadi-apy-records-export command line option, 91
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-records-get-metadatum command line option, 93
  - kadi-apy-records-get-records command line option, 96
  - kadi-apy-records-show-info command line option, 100
- kadi-apy-records-show-record-links-to command line option, 101
- kadi-apy-records-update-record-link command line option, 102
- kadi-apy-templates-export command line option, 108
- kadi-apy-templates-get-templates command line option, 109
- kadi-apy-users-get-users command line option, 111
- p
  - kadi-apy-collections-add-group-role command line option, 45
  - kadi-apy-collections-add-user command line option, 48
  - kadi-apy-collections-create command line option, 49
  - kadi-apy-collections-export command line option, 51
  - kadi-apy-collections-get-collection-ids command line option, 52
  - kadi-apy-collections-get-collections command line option, 53
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-groups-add-user command line option, 63
  - kadi-apy-groups-create command line option, 64
  - kadi-apy-groups-get-groups command line option, 67
  - kadi-apy-misc-get-deleted-resources command line option, 70
  - kadi-apy-misc-get-licenses command line option, 70
  - kadi-apy-misc-get-tags command line option, 72
  - kadi-apy-misc-import-elx command line option, 73
  - kadi-apy-misc-import-json-schema command line option, 73
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-add-group-role command line option, 77
  - kadi-apy-records-add-metadata command line option, 78
  - kadi-apy-records-add-user command line option, 83
  - kadi-apy-records-create command line option, 84
  - kadi-apy-records-export command line option, 91
  - kadi-apy-records-get-file command line

- option, 92
- kadi-apy-records-get-metadatum command line option, 93
- kadi-apy-records-get-record-ids command line option, 94
- kadi-apy-records-get-records command line option, 96
- kadi-apy-records-show-info command line option, 100
- kadi-apy-records-show-record-links-to command line option, 101
- kadi-apy-templates-add-group-role command line option, 103
- kadi-apy-templates-add-user command line option, 104
- kadi-apy-templates-create command line option, 105
- kadi-apy-templates-export command line option, 108
- kadi-apy-templates-get-templates command line option, 109
- kadi-apy-users-get-users command line option, 111
- q
  - kadi-apy-collections-get-collections command line option, 54
  - kadi-apy-records-get-records command line option, 96
- r
  - kadi-apy-collections-add-record-link command line option, 46
  - kadi-apy-collections-remove-record-link command line option, 56
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-records-add-collection-link command line option, 75
  - kadi-apy-records-add-files command line option, 76
  - kadi-apy-records-add-group-role command line option, 77
  - kadi-apy-records-add-metadata command line option, 78
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-add-record-link command line option, 80
  - kadi-apy-records-add-string-as-file command line option, 81
  - kadi-apy-records-add-tag command line option, 82
  - kadi-apy-records-add-user command line option, 83
  - kadi-apy-records-delete command line option, 84
  - kadi-apy-records-delete-all-metadata command line option, 85
  - kadi-apy-records-delete-file command line option, 86
  - kadi-apy-records-delete-files command line option, 87
  - kadi-apy-records-delete-metadatum command line option, 87
  - kadi-apy-records-delete-record-link command line option, 88
  - kadi-apy-records-edit command line option, 89
  - kadi-apy-records-edit-file command line option, 90
  - kadi-apy-records-export command line option, 90
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-records-get-metadatum command line option, 93
  - kadi-apy-records-remove-collection-link command line option, 97
  - kadi-apy-records-remove-group-role command line option, 98
  - kadi-apy-records-remove-tag command line option, 98
  - kadi-apy-records-remove-user command line option, 99
  - kadi-apy-records-show-info command line option, 100
  - kadi-apy-records-show-record-links-to command line option, 101
  - kadi-apy-records-update-record-link command line option, 102
- s
  - kadi-apy-config-activate-autocompletion command line option, 59
  - kadi-apy-records-add-string-as-file command line option, 81
- t
  - kadi-apy-collections-add-tag command line option, 47
  - kadi-apy-collections-create command line option, 48
  - kadi-apy-collections-edit command line option, 50
  - kadi-apy-collections-get-collection-ids command line option, 52
  - kadi-apy-collections-get-collections command line option, 53
  - kadi-apy-collections-remove-tag command line option, 56
  - kadi-apy-groups-create command line

- option, 64
- kadi-apy-groups-edit command line option, 66
- kadi-apy-misc-get-roles command line option, 71
- kadi-apy-misc-get-tags command line option, 72
- kadi-apy-misc-purge-resource command line option, 74
- kadi-apy-misc-restore-resource command line option, 74
- kadi-apy-records-add-metadatum command line option, 79
- kadi-apy-records-add-record-link command line option, 80
- kadi-apy-records-add-tag command line option, 82
- kadi-apy-records-create command line option, 83
- kadi-apy-records-edit command line option, 89
- kadi-apy-records-get-record-ids command line option, 94
- kadi-apy-records-get-records command line option, 95
- kadi-apy-records-remove-tag command line option, 98
- kadi-apy-templates-add-group-role command line option, 103
- kadi-apy-templates-add-user command line option, 104
- kadi-apy-templates-create command line option, 105
- kadi-apy-templates-delete command line option, 106
- kadi-apy-templates-edit command line option, 107
- kadi-apy-templates-export command line option, 108
- kadi-apy-templates-remove-group-role command line option, 110
- kadi-apy-templates-remove-user command line option, 110
- u
  - kadi-apy-collections-add-user command line option, 48
  - kadi-apy-collections-export command line option, 51
  - kadi-apy-collections-get-collections command line option, 54
  - kadi-apy-collections-remove-user command line option, 57
  - kadi-apy-groups-add-user command line option, 63
  - kadi-apy-groups-get-groups command line option, 67
  - kadi-apy-groups-remove-user command line option, 68
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-add-user command line option, 83
  - kadi-apy-records-export command line option, 91
  - kadi-apy-records-get-file command line option, 92
  - kadi-apy-records-get-records command line option, 96
  - kadi-apy-records-remove-user command line option, 99
  - kadi-apy-templates-add-user command line option, 104
  - kadi-apy-templates-export command line option, 108
  - kadi-apy-templates-remove-user command line option, 110
  - kadi-apy-users-show-info command line option, 112
- v
  - kadi-apy-collections-create command line option, 48
  - kadi-apy-collections-edit command line option, 50
  - kadi-apy-collections-get-collection-ids command line option, 52
  - kadi-apy-collections-get-collections command line option, 54
  - kadi-apy-collections-show-info command line option, 58
  - kadi-apy-groups-create command line option, 64
  - kadi-apy-groups-edit command line option, 66
  - kadi-apy-groups-get-groups command line option, 67
  - kadi-apy-groups-show-info command line option, 69
  - kadi-apy-records-add-metadatum command line option, 79
  - kadi-apy-records-create command line option, 84
  - kadi-apy-records-edit command line option, 89
  - kadi-apy-records-get-record-ids command line option, 94
  - kadi-apy-records-get-records command line option, 96
  - kadi-apy-records-show-info command line

option, 100  
 kadi-apy-templates-edit command line  
 option, 107  
 -y  
 kadi-apy-misc-import-json-schema  
 command line option, 73  
 kadi-apy-records-edit command line  
 option, 89  
 kadi-apy-templates-create command line  
 option, 105

## A

add\_collection\_link()  
 (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 128  
 add\_collection\_link()  
 (*kadi\_apy.cli.lib.records.CLIRRecord method*),  
 120  
 add\_collection\_link()  
 (*kadi\_apy.lib.resources.collections.Collection  
 method*), 26  
 add\_collection\_link()  
 (*kadi\_apy.lib.resources.records.Record  
 method*), 16  
 add\_group\_role() (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 129  
 add\_group\_role() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 121  
 add\_group\_role() (*kadi\_apy.cli.lib.templates.CLITemplate  
 method*), 134  
 add\_group\_role() (*kadi\_apy.lib.resources.collections.Collection  
 method*), 26  
 add\_group\_role() (*kadi\_apy.lib.resources.records.Record  
 method*), 21  
 add\_group\_role() (*kadi\_apy.lib.resources.templates.Template  
 method*), 31  
 add\_metadata() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 118  
 add\_metadata() (*kadi\_apy.lib.resources.records.Record  
 method*), 16  
 add\_metadatum() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 118  
 add\_metadatum() (*kadi\_apy.lib.resources.records.Record  
 method*), 16  
 add\_record\_link() (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 128  
 add\_record\_link() (*kadi\_apy.lib.resources.collections.Collection  
 method*), 25  
 add\_tag() (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 129  
 add\_tag() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 121  
 add\_tag() (*kadi\_apy.lib.resources.collections.Collection  
 method*), 27

add\_tag() (*kadi\_apy.lib.resources.records.Record  
 method*), 21  
 add\_user() (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 129  
 add\_user() (*kadi\_apy.cli.lib.groups.CLIGroup  
 method*), 138  
 add\_user() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 121  
 add\_user() (*kadi\_apy.cli.lib.templates.CLITemplate  
 method*), 134  
 add\_user() (*kadi\_apy.lib.resources.collections.Collection  
 method*), 27  
 add\_user() (*kadi\_apy.lib.resources.groups.Group  
 method*), 35  
 add\_user() (*kadi\_apy.lib.resources.records.Record  
 method*), 22  
 add\_user() (*kadi\_apy.lib.resources.templates.Template  
 method*), 31  
 apy\_command() (in module *kadi\_apy.cli.decorators*),  
 147

## C

change\_group\_role()  
 (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 129  
 change\_group\_role()  
 (*kadi\_apy.cli.lib.records.CLIRRecord method*),  
 121  
 change\_group\_role()  
 (*kadi\_apy.cli.lib.templates.CLITemplate  
 method*), 134  
 change\_group\_role()  
 (*kadi\_apy.lib.resources.collections.Collection  
 method*), 27  
 change\_group\_role()  
 (*kadi\_apy.lib.resources.records.Record  
 method*), 22  
 change\_group\_role()  
 (*kadi\_apy.lib.resources.templates.Template  
 method*), 31  
 change\_user\_role() (*kadi\_apy.cli.lib.collections.CLICollection  
 method*), 129  
 change\_user\_role() (*kadi\_apy.cli.lib.groups.CLIGroup  
 method*), 138  
 change\_user\_role() (*kadi\_apy.cli.lib.records.CLIRRecord  
 method*), 122  
 change\_user\_role() (*kadi\_apy.cli.lib.templates.CLITemplate  
 method*), 134  
 change\_user\_role() (*kadi\_apy.lib.resources.collections.Collection  
 method*), 27  
 change\_user\_role() (*kadi\_apy.lib.resources.groups.Group  
 method*), 35  
 change\_user\_role() (*kadi\_apy.lib.resources.records.Record  
 method*), 22

- change\_user\_role() (*kadi\_apy.lib.resources.templates.Template* method), 31  
 check\_metadatum() (*kadi\_apy.cli.lib.records.CLIRcord* method), 122  
 check\_metadatum() (*kadi\_apy.lib.resources.records.Record* method), 16  
 check\_tag() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 check\_tag() (*kadi\_apy.cli.lib.records.CLIRcord* method), 122  
 check\_tag() (*kadi\_apy.lib.resources.collections.Collection* method), 27  
 check\_tag() (*kadi\_apy.lib.resources.records.Record* method), 22  
 CLICollection (class in *kadi\_apy.cli.lib.collections*), 128  
 CLIGroup (class in *kadi\_apy.cli.lib.groups*), 138  
 CLIKadiManager (class in *kadi\_apy.cli.core*), 113  
 CLIMiscellaneous (class in *kadi\_apy.cli.lib.misc*), 143  
 CLIRcord (class in *kadi\_apy.cli.lib.records*), 117  
 CLISearch (class in *kadi\_apy.cli.search*), 145  
 CLITemplate (class in *kadi\_apy.cli.lib.templates*), 133  
 CLIUser (class in *kadi\_apy.cli.lib.users*), 141  
 Collection (class in *kadi\_apy.lib.resources.collections*), 25  
 collection() (*kadi\_apy.cli.core.CLIKadiManager* method), 114  
 collection() (*kadi\_apy.lib.core.KadiManager* method), 13
- ## D
- debug() (*kadi\_apy.cli.core.CLIKadiManager* method), 115  
 debug() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 debug() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 138  
 debug() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous* method), 144  
 debug() (*kadi\_apy.cli.lib.records.CLIRcord* method), 122  
 debug() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 135  
 debug() (*kadi\_apy.cli.lib.users.CLIUser* method), 142  
 debug() (*kadi\_apy.cli.search.CLISearch* method), 146  
 debug() (*kadi\_apy.lib.core.KadiManager* method), 15  
 debug() (*kadi\_apy.lib.misc.Miscellaneous* method), 40  
 debug() (*kadi\_apy.lib.resources.collections.Collection* method), 28  
 debug() (*kadi\_apy.lib.resources.groups.Group* method), 35  
 debug() (*kadi\_apy.lib.resources.records.Record* method), 22
- debug() (*kadi\_apy.lib.resources.templates.Template* method), 32  
 debug() (*kadi\_apy.lib.resources.users.User* method), 37  
 debug() (*kadi\_apy.lib.search.Search* method), 41  
 delete() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 delete() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 139  
 delete() (*kadi\_apy.cli.lib.records.CLIRcord* method), 122  
 delete() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 135  
 delete() (*kadi\_apy.lib.resources.collections.Collection* method), 28  
 delete() (*kadi\_apy.lib.resources.groups.Group* method), 35  
 delete() (*kadi\_apy.lib.resources.records.Record* method), 22  
 delete() (*kadi\_apy.lib.resources.templates.Template* method), 32  
 delete\_file() (*kadi\_apy.cli.lib.records.CLIRcord* method), 120  
 delete\_file() (*kadi\_apy.lib.resources.records.Record* method), 21  
 delete\_files() (*kadi\_apy.cli.lib.records.CLIRcord* method), 120  
 delete\_record\_link() (*kadi\_apy.cli.lib.records.CLIRcord* method), 119  
 delete\_record\_link() (*kadi\_apy.lib.resources.records.Record* method), 20  
 download\_all\_files() (*kadi\_apy.cli.lib.records.CLIRcord* method), 122  
 download\_all\_files() (*kadi\_apy.lib.resources.records.Record* method), 17  
 download\_file() (*kadi\_apy.cli.lib.records.CLIRcord* method), 123  
 download\_file() (*kadi\_apy.lib.resources.records.Record* method), 17
- ## E
- echo() (*kadi\_apy.cli.core.CLIKadiManager* method), 115  
 echo() (*kadi\_apy.lib.core.KadiManager* method), 15  
 edit() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 edit() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 139  
 edit() (*kadi\_apy.cli.lib.records.CLIRcord* method), 123  
 edit() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 135

- edit() (*kadi\_apy.lib.resources.collections.Collection* method), 28  
 edit() (*kadi\_apy.lib.resources.groups.Group* method), 36  
 edit() (*kadi\_apy.lib.resources.records.Record* method), 23  
 edit() (*kadi\_apy.lib.resources.templates.Template* method), 32  
 edit\_file() (*kadi\_apy.cli.lib.records.CLIRcord* method), 119  
 edit\_file() (*kadi\_apy.lib.resources.records.Record* method), 21  
 error() (*kadi\_apy.cli.core.CLIKadiManager* method), 115  
 error() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 error() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 139  
 error() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous* method), 144  
 error() (*kadi\_apy.cli.lib.records.CLIRcord* method), 123  
 error() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 135  
 error() (*kadi\_apy.cli.lib.users.CLIUser* method), 142  
 error() (*kadi\_apy.cli.search.CLISearch* method), 146  
 error() (*kadi\_apy.lib.core.KadiManager* method), 14  
 error() (*kadi\_apy.lib.misc.Miscellaneous* method), 40  
 error() (*kadi\_apy.lib.resources.collections.Collection* method), 28  
 error() (*kadi\_apy.lib.resources.groups.Group* method), 36  
 error() (*kadi\_apy.lib.resources.records.Record* method), 23  
 error() (*kadi\_apy.lib.resources.templates.Template* method), 32  
 error() (*kadi\_apy.lib.resources.users.User* method), 37  
 error() (*kadi\_apy.lib.search.Search* method), 41  
 export() (*kadi\_apy.cli.lib.collections.CLICollection* method), 130  
 export() (*kadi\_apy.cli.lib.records.CLIRcord* method), 123  
 export() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 135  
 export() (*kadi\_apy.lib.resources.collections.Collection* method), 28  
 export() (*kadi\_apy.lib.resources.records.Record* method), 23  
 export() (*kadi\_apy.lib.resources.templates.Template* method), 32
- ## F
- file\_id\_options() (in *module kadi\_apy.cli.decorators*), 148
- flatten\_extras() (*kadi\_apy.cli.lib.records.CLIRcord* method), 123  
 flatten\_extras() (*kadi\_apy.lib.resources.records.Record* method), 21
- ## G
- get\_collection\_links() (*kadi\_apy.cli.lib.records.CLIRcord* method), 124  
 get\_collection\_links() (*kadi\_apy.lib.resources.records.Record* method), 20  
 get\_collection\_revision() (*kadi\_apy.cli.lib.collections.CLICollection* method), 131  
 get\_collection\_revision() (*kadi\_apy.lib.resources.collections.Collection* method), 26  
 get\_collection\_revisions() (*kadi\_apy.cli.lib.collections.CLICollection* method), 131  
 get\_collection\_revisions() (*kadi\_apy.lib.resources.collections.Collection* method), 26  
 get\_collections() (*kadi\_apy.cli.lib.collections.CLICollection* method), 131  
 get\_collections() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 139  
 get\_collections() (*kadi\_apy.lib.resources.collections.Collection* method), 26  
 get\_collections() (*kadi\_apy.lib.resources.groups.Group* method), 34  
 get\_deleted\_resources() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous* method), 143  
 get\_deleted\_resources() (*kadi\_apy.lib.misc.Miscellaneous* method), 38  
 get\_file() (*kadi\_apy.cli.lib.records.CLIRcord* method), 118  
 get\_file\_id() (*kadi\_apy.cli.lib.records.CLIRcord* method), 124  
 get\_file\_id() (*kadi\_apy.lib.resources.records.Record* method), 20  
 get\_file\_info() (*kadi\_apy.cli.lib.records.CLIRcord* method), 124  
 get\_file\_info() (*kadi\_apy.lib.resources.records.Record* method), 20  
 get\_file\_name() (*kadi\_apy.cli.lib.records.CLIRcord* method), 124  
 get\_file\_name() (*kadi\_apy.lib.resources.records.Record* method), 19  
 get\_file\_revision() (*kadi\_apy.cli.lib.records.CLIRcord* method),



124  
 get\_file\_revision() (kadi\_apy.lib.resources.records.Record method), 18  
 get\_file\_revisions() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_file\_revisions() (kadi\_apy.lib.resources.records.Record method), 18  
 get\_filelist() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_filelist() (kadi\_apy.lib.resources.records.Record method), 19  
 get\_group\_revision() (kadi\_apy.cli.lib.groups.CLIGroup method), 139  
 get\_group\_revision() (kadi\_apy.lib.resources.groups.Group method), 35  
 get\_group\_revisions() (kadi\_apy.cli.lib.groups.CLIGroup method), 139  
 get\_group\_revisions() (kadi\_apy.lib.resources.groups.Group method), 35  
 get\_groups() (kadi\_apy.cli.lib.collections.CLICollection method), 131  
 get\_groups() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_groups() (kadi\_apy.cli.lib.templates.CLITemplate method), 136  
 get\_groups() (kadi\_apy.lib.resources.collections.Collection method), 25  
 get\_groups() (kadi\_apy.lib.resources.records.Record method), 18  
 get\_groups() (kadi\_apy.lib.resources.templates.Template method), 31  
 get\_kadi\_info() (kadi\_apy.cli.lib.misc.CLIMiscellaneous method), 143  
 get\_kadi\_info() (kadi\_apy.lib.misc.Miscellaneous method), 39  
 get\_licenses() (kadi\_apy.cli.lib.misc.CLIMiscellaneous method), 143  
 get\_licenses() (kadi\_apy.lib.misc.Miscellaneous method), 39  
 get\_metadatum() (kadi\_apy.cli.lib.records.CLIRcord method), 119  
 get\_metadatum() (kadi\_apy.lib.resources.records.Record method), 19  
 get\_number\_files() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_number\_files() (kadi\_apy.lib.resources.records.Record method), 19  
 get\_record\_links() (kadi\_apy.cli.lib.records.CLIRcord method), 119  
 get\_record\_links() (kadi\_apy.lib.resources.records.Record method), 20  
 get\_record\_revision() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_record\_revision() (kadi\_apy.lib.resources.records.Record method), 18  
 get\_record\_revisions() (kadi\_apy.cli.lib.records.CLIRcord method), 125  
 get\_record\_revisions() (kadi\_apy.lib.resources.records.Record method), 18  
 get\_records() (kadi\_apy.cli.lib.collections.CLICollection method), 131  
 get\_records() (kadi\_apy.cli.lib.groups.CLIGroup method), 139  
 get\_records() (kadi\_apy.lib.resources.collections.Collection method), 26  
 get\_records() (kadi\_apy.lib.resources.groups.Group method), 34  
 get\_roles() (kadi\_apy.cli.lib.misc.CLIMiscellaneous method), 143  
 get\_roles() (kadi\_apy.lib.misc.Miscellaneous method), 39  
 get\_tags() (kadi\_apy.cli.lib.collections.CLICollection method), 132  
 get\_tags() (kadi\_apy.cli.lib.misc.CLIMiscellaneous method), 144  
 get\_tags() (kadi\_apy.cli.lib.records.CLIRcord method), 126  
 get\_tags() (kadi\_apy.lib.misc.Miscellaneous method), 39  
 get\_tags() (kadi\_apy.lib.resources.collections.Collection method), 28  
 get\_tags() (kadi\_apy.lib.resources.records.Record method), 23  
 get\_template\_revision() (kadi\_apy.cli.lib.templates.CLITemplate method), 136  
 get\_template\_revision() (kadi\_apy.lib.resources.templates.Template method), 30  
 get\_template\_revisions() (kadi\_apy.cli.lib.templates.CLITemplate method), 136  
 get\_template\_revisions() (kadi\_apy.lib.resources.templates.Template method), 30  
 get\_templates() (kadi\_apy.cli.lib.groups.CLIGroup method), 140

- get\_templates() (*kadi\_apy.lib.resources.groups.Group method*), 34
- get\_users() (*kadi\_apy.cli.lib.collections.CLICollection method*), 132
- get\_users() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 140
- get\_users() (*kadi\_apy.cli.lib.records.CLIRcord method*), 126
- get\_users() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 136
- get\_users() (*kadi\_apy.lib.resources.collections.Collection method*), 25
- get\_users() (*kadi\_apy.lib.resources.groups.Group method*), 34
- get\_users() (*kadi\_apy.lib.resources.records.Record method*), 18
- get\_users() (*kadi\_apy.lib.resources.templates.Template method*), 30
- Group (*class in kadi\_apy.lib.resources.groups*), 34
- group() (*kadi\_apy.cli.core.CLIKadiManager method*), 114
- group() (*kadi\_apy.lib.core.KadiManager method*), 13
- ## H
- has\_file() (*kadi\_apy.cli.lib.records.CLIRcord method*), 126
- has\_file() (*kadi\_apy.lib.resources.records.Record method*), 21
- ## I
- id\_identfier\_options() (*in module kadi\_apy.cli.decorators*), 147
- import\_eIn() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 144
- import\_eIn() (*kadi\_apy.lib.misc.Miscellaneous method*), 39
- import\_json\_schema() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 144
- import\_json\_schema() (*kadi\_apy.lib.misc.Miscellaneous method*), 39
- info() (*kadi\_apy.cli.core.CLIKadiManager method*), 115
- info() (*kadi\_apy.cli.lib.collections.CLICollection method*), 132
- info() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 140
- info() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 145
- info() (*kadi\_apy.cli.lib.records.CLIRcord method*), 126
- info() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 136
- info() (*kadi\_apy.cli.lib.users.CLIUser method*), 142
- info() (*kadi\_apy.cli.search.CLISearch method*), 146
- info() (*kadi\_apy.lib.core.KadiManager method*), 15
- info() (*kadi\_apy.lib.misc.Miscellaneous method*), 40
- info() (*kadi\_apy.lib.resources.collections.Collection method*), 28
- info() (*kadi\_apy.lib.resources.groups.Group method*), 36
- info() (*kadi\_apy.lib.resources.records.Record method*), 23
- info() (*kadi\_apy.lib.resources.templates.Template method*), 32
- info() (*kadi\_apy.lib.resources.users.User method*), 37
- info() (*kadi\_apy.lib.search.Search method*), 41
- is\_verbose() (*kadi\_apy.cli.core.CLIKadiManager method*), 115
- is\_verbose() (*kadi\_apy.cli.lib.collections.CLICollection method*), 132
- is\_verbose() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 140
- is\_verbose() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 145
- is\_verbose() (*kadi\_apy.cli.lib.records.CLIRcord method*), 126
- is\_verbose() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 136
- is\_verbose() (*kadi\_apy.cli.lib.users.CLIUser method*), 142
- is\_verbose() (*kadi\_apy.cli.search.CLISearch method*), 146
- is\_verbose() (*kadi\_apy.lib.core.KadiManager method*), 14
- is\_verbose() (*kadi\_apy.lib.misc.Miscellaneous method*), 40
- is\_verbose() (*kadi\_apy.lib.resources.collections.Collection method*), 29
- is\_verbose() (*kadi\_apy.lib.resources.groups.Group method*), 36
- is\_verbose() (*kadi\_apy.lib.resources.records.Record method*), 23
- is\_verbose() (*kadi\_apy.lib.resources.templates.Template method*), 32
- is\_verbose() (*kadi\_apy.lib.resources.users.User method*), 37
- is\_verbose() (*kadi\_apy.lib.search.Search method*), 41
- ## J
- json\_to\_kadi() (*in module kadi\_apy.lib.conversion*), 42
- ## K
- kadi\_apy.cli.decorators module, 147
- kadi\_apy.lib.conversion module, 42

---

```

kadi_apy.lib.exceptions
  module, 42
kadi-apy command line option
  --commands, 43
  --version, 43
kadi-apy-collections command line option
  --commands, 44
  --version, 44
kadi-apy-collections-add-collection-link
  command line option
  -C, 44
  -I, 44
  -L, 44
  -V, 44
  --collection-id, 44
  --collection-id-child, 44
  --collection-identifier, 44
  --collection-identifier-child, 44
  --instance, 44
  --verbose, 44
  --version, 44
  --xmlhelp, 44
  -c, 44
  -l, 44
kadi-apy-collections-add-group-role command
  line option
  -C, 45
  -G, 45
  -I, 45
  -V, 45
  --collection-id, 45
  --collection-identifier, 45
  --group-id, 45
  --group-identifier, 45
  --instance, 45
  --permission-new, 45
  --verbose, 45
  --version, 45
  --xmlhelp, 45
  -c, 45
  -g, 45
  -p, 45
kadi-apy-collections-add-record-link
  command line option
  -C, 46
  -I, 46
  -R, 46
  -V, 46
  --collection-id, 46
  --collection-identifier, 46
  --instance, 46
  --record-id, 46
  --record-identifier, 46
  --verbose, 46
  --version, 46
  --xmlhelp, 46
  -c, 46
  -r, 46
kadi-apy-collections-add-tag command line
  option
  -C, 47
  -I, 47
  -V, 46
  --collection-id, 47
  --collection-identifier, 47
  --instance, 47
  --tag, 47
  --verbose, 46
  --version, 46
  --xmlhelp, 46
  -c, 47
  -t, 47
kadi-apy-collections-add-user command line
  option
  -C, 47
  -D, 47
  -I, 47
  -U, 48
  -V, 47
  --collection-id, 47
  --collection-identifier, 47
  --identity-type, 47
  --instance, 47
  --permission-new, 48
  --user, 48
  --username, 48
  --verbose, 47
  --version, 47
  --xmlhelp, 47
  -c, 47
  -p, 48
  -u, 48
kadi-apy-collections-create command line
  option
  -I, 48
  -V, 48
  --exit-not-created, 49
  --identifier, 48
  --instance, 48
  --pipe, 49
  --title, 48
  --verbose, 48
  --version, 48
  --visibility, 48
  --xmlhelp, 48
  -e, 49
  -i, 48
  -p, 49

```

-t, 48  
-v, 48  
kadi-apy-collections-delete command line option  
-C, 49  
-I, 49  
-V, 49  
--collection-id, 49  
--collection-identifier, 49  
--i-am-sure, 49  
--instance, 49  
--verbose, 49  
--version, 49  
--xmlhelp, 49  
-c, 49  
kadi-apy-collections-edit command line option  
-C, 50  
-I, 50  
-V, 50  
--collection-id, 50  
--collection-identifier, 50  
--description, 50  
--instance, 50  
--title, 50  
--verbose, 50  
--version, 50  
--visibility, 50  
--xmlhelp, 50  
-c, 50  
-d, 50  
-t, 50  
-v, 50  
kadi-apy-collections-export command line option  
-C, 51  
-I, 51  
-P, 51  
-V, 51  
--collection-id, 51  
--collection-identifier, 51  
--export-type, 51  
--force, 51  
--instance, 51  
--name, 51  
--path, 51  
--pipe, 51  
--use-folder, 51  
--verbose, 51  
--version, 51  
--xmlhelp, 51  
-c, 51  
-e, 51  
-f, 51  
-n, 51  
-p, 51  
-u, 51  
kadi-apy-collections-get-collection-ids command line option  
-I, 52  
-T, 52  
-V, 52  
--i-am-sure, 52  
--instance, 52  
--pipe, 52  
--tag, 52  
--tag-operator, 52  
--verbose, 52  
--version, 52  
--visibility, 52  
--xmlhelp, 52  
-p, 52  
-t, 52  
-v, 52  
kadi-apy-collections-get-collections command line option  
-D, 53  
-I, 53  
-T, 53  
-U, 54  
-V, 53  
--identity-type, 53  
--instance, 53  
--page, 53  
--per-page, 53  
--query, 54  
--tag, 53  
--tag-operator, 53  
--use-my-user-id, 54  
--user, 54  
--username, 54  
--verbose, 53  
--version, 53  
--visibility, 54  
--xmlhelp, 53  
-i, 54  
-n, 53  
-p, 53  
-q, 54  
-t, 53  
-u, 54  
-v, 54  
kadi-apy-collections-remove-collection-link command line option  
-C, 54  
-I, 54  
-L, 54  
-V, 54

```

--collection-id, 54
--collection-id-child, 54
--collection-identifier, 54
--collection-identifier-child, 54
--instance, 54
--verbose, 54
--version, 54
--xmlhelp, 54
-c, 54
-l, 54
kadi-apy-collections-remove-group-role
  command line option
  -C, 55
  -G, 55
  -I, 55
  -V, 55
  --collection-id, 55
  --collection-identifier, 55
  --group-id, 55
  --group-identifier, 55
  --instance, 55
  --verbose, 55
  --version, 55
  --xmlhelp, 55
-c, 55
-g, 55
kadi-apy-collections-remove-record-link
  command line option
  -C, 56
  -I, 56
  -R, 56
  -V, 55
  --collection-id, 56
  --collection-identifier, 56
  --instance, 56
  --record-id, 56
  --record-identifier, 56
  --verbose, 55
  --version, 55
  --xmlhelp, 55
-c, 56
-r, 56
kadi-apy-collections-remove-tag command
  line option
  -C, 56
  -I, 56
  -V, 56
  --collection-id, 56
  --collection-identifier, 56
  --instance, 56
  --tag, 56
  --verbose, 56
  --version, 56
  --xmlhelp, 56
  -c, 56
  -t, 56
kadi-apy-collections-remove-user command
  line option
  -C, 57
  -D, 57
  -I, 57
  -U, 57
  -V, 57
  --collection-id, 57
  --collection-identifier, 57
  --identity-type, 57
  --instance, 57
  --user, 57
  --username, 57
  --verbose, 57
  --version, 57
  --xmlhelp, 57
-c, 57
-u, 57
kadi-apy-collections-show-info command line
  option
  -C, 58
  -I, 58
  -V, 58
  --collection-id, 58
  --collection-identifier, 58
  --description, 58
  --instance, 58
  --page, 58
  --per-page, 58
  --records, 58
  --verbose, 58
  --version, 58
  --visibility, 58
  --xmlhelp, 58
-c, 58
-d, 58
-n, 58
-p, 58
-r, 58
-v, 58
kadi-apy-config command line option
  --commands, 59
  --version, 59
kadi-apy-config-activate-autocompletion
  command line option
  --shell, 59
  --version, 59
  --xmlhelp, 59
-s, 59
kadi-apy-config-add-instance command line
  option
  -I, 59

```

--instance, 59  
--version, 59  
--xmlhelp, 59  
kadi-apy-config-change-default-instance  
    command line option  
    -I, 60  
    --instance, 60  
    --version, 60  
    --xmlhelp, 60  
kadi-apy-config-create command line option  
    --version, 60  
    --xmlhelp, 60  
kadi-apy-config-get-kadi-info command line  
    option  
    -I, 61  
    -V, 60  
    --instance, 61  
    --verbose, 60  
    --version, 60  
    --xmlhelp, 60  
kadi-apy-config-rename-instance command  
    line option  
    -I, 61  
    -N, 61  
    --instance, 61  
    --instance-new, 61  
    --version, 61  
    --xmlhelp, 61  
kadi-apy-config-set-host command line  
    option  
    -I, 61  
    --instance, 61  
    --version, 61  
    --xmlhelp, 61  
kadi-apy-config-set-pat command line option  
    -I, 62  
    --instance, 62  
    --version, 62  
    --xmlhelp, 62  
kadi-apy-config-show-instances command line  
    option  
    --version, 62  
    --xmlhelp, 62  
kadi-apy-groups command line option  
    --commands, 62  
    --version, 62  
kadi-apy-groups-add-user command line  
    option  
    -D, 63  
    -G, 63  
    -I, 63  
    -U, 63  
    -V, 63  
    --group-id, 63  
    --group-identifier, 63  
    --identity-type, 63  
    --instance, 63  
    --permission-new, 63  
    --user, 63  
    --username, 63  
    --verbose, 63  
    --version, 63  
    --xmlhelp, 63  
    -g, 63  
    -p, 63  
    -u, 63  
kadi-apy-groups-create command line option  
    -I, 64  
    -V, 64  
    --exit-not-created, 64  
    --identifier, 64  
    --instance, 64  
    --pipe, 64  
    --title, 64  
    --verbose, 64  
    --version, 64  
    --visibility, 64  
    --xmlhelp, 64  
    -e, 64  
    -i, 64  
    -p, 64  
    -t, 64  
    -v, 64  
kadi-apy-groups-delete command line option  
    -G, 65  
    -I, 65  
    -V, 65  
    --group-id, 65  
    --group-identifier, 65  
    --i-am-sure, 65  
    --instance, 65  
    --verbose, 65  
    --version, 65  
    --xmlhelp, 65  
    -g, 65  
kadi-apy-groups-edit command line option  
    -G, 66  
    -I, 66  
    -V, 65  
    --description, 66  
    --group-id, 66  
    --group-identifier, 66  
    --instance, 66  
    --title, 66  
    --verbose, 65  
    --version, 65  
    --visibility, 66  
    --xmlhelp, 65

```

-d, 66
-g, 66
-t, 66
-v, 66
kadi-apy-groups-get-groups command line
  option
-D, 67
-I, 66
-U, 67
-V, 66
--identity-type, 67
--instance, 66
--my_user_id, 67
--page, 67
--per-page, 66
--user, 67
--username, 67
--verbose, 66
--version, 66
--visibility, 67
--xmlhelp, 66
-i, 67
-n, 66
-p, 67
-u, 67
-v, 67
kadi-apy-groups-remove-user command line
  option
-D, 68
-G, 68
-I, 68
-U, 68
-V, 67
--group-id, 68
--group-identifier, 68
--identity-type, 68
--instance, 68
--user, 68
--username, 68
--verbose, 67
--version, 67
--xmlhelp, 67
-g, 68
-u, 68
kadi-apy-groups-show-info command line
  option
-G, 68
-I, 68
-V, 68
--description, 68
--group-id, 68
--group-identifier, 68
--instance, 68
--verbose, 68
--version, 68
--visibility, 69
--xmlhelp, 68
-d, 68
-g, 68
-v, 69
kadi-apy-misc command line option
--commands, 69
--version, 69
kadi-apy-misc-get-deleted-resources command
  line option
-I, 69
-V, 69
--filter, 70
--instance, 69
--page, 70
--per-page, 69
--verbose, 69
--version, 69
--xmlhelp, 69
-f, 70
-n, 69
-p, 70
kadi-apy-misc-get-licenses command line
  option
-I, 70
-V, 70
--filter, 70
--instance, 70
--page, 70
--per-page, 70
--verbose, 70
--version, 70
--xmlhelp, 70
-f, 70
-n, 70
-p, 70
kadi-apy-misc-get-roles command line option
-I, 71
-V, 71
--instance, 71
--item-type, 71
--verbose, 71
--version, 71
--xmlhelp, 71
-t, 71
kadi-apy-misc-get-tags command line option
-I, 72
-V, 71
--filter, 72
--instance, 72
--page, 72
--per-page, 72
--type, 72

```

- verbose, 71
- version, 71
- xmlhelp, 71
- f, 72
- n, 72
- p, 72
- t, 72

kadi-apy-misc-import-eln command line option

- I, 72
- V, 72
- instance, 72
- path, 73
- verbose, 72
- version, 72
- xmlhelp, 72
- p, 73

kadi-apy-misc-import-json-schema command line option

- I, 73
- V, 73
- instance, 73
- path, 73
- type, 73
- verbose, 73
- version, 73
- xmlhelp, 73
- p, 73
- y, 73

kadi-apy-misc-purge-resource command line option

- I, 74
- V, 74
- instance, 74
- item-id, 74
- item-type, 74
- verbose, 74
- version, 74
- xmlhelp, 74
- i, 74
- t, 74

kadi-apy-misc-restore-resource command line option

- I, 74
- V, 74
- instance, 74
- item-id, 75
- item-type, 74
- verbose, 74
- version, 74
- xmlhelp, 74
- i, 75
- t, 74

kadi-apy-records command line option

- commands, 75
- version, 75

kadi-apy-records-add-collection-link command line option

- C, 76
- I, 75
- R, 75
- V, 75
- collection-id, 76
- collection-identifier, 76
- instance, 75
- record-id, 75
- record-identifier, 75
- verbose, 75
- version, 75
- xmlhelp, 75
- c, 76
- r, 75

kadi-apy-records-add-files command line option

- I, 76
- R, 76
- V, 76
- exclude\_pattern, 76
- file-description, 76
- file-name, 76
- force, 76
- instance, 76
- pattern, 76
- record-id, 76
- record-identifier, 76
- verbose, 76
- version, 76
- xmlhelp, 76
- d, 76
- e, 76
- f, 76
- n, 76
- p, 76
- r, 76

kadi-apy-records-add-group-role command line option

- G, 77
- I, 77
- R, 77
- V, 77
- group-id, 77
- group-identifier, 77
- instance, 77
- permission-new, 77
- record-id, 77
- record-identifier, 77
- verbose, 77
- version, 77



```

--xmlhelp, 77
-g, 77
-p, 77
-r, 77
kadi-apy-records-add-metadata command line
  option
  -I, 78
  -R, 78
  -V, 78
  --file, 78
  --force, 78
  --instance, 78
  --metadata, 78
  --record-id, 78
  --record-identifier, 78
  --verbose, 78
  --version, 78
  --xmlhelp, 78
  -f, 78
  -m, 78
  -p, 78
  -r, 78
kadi-apy-records-add-metadatum command line
  option
  -I, 79
  -R, 79
  -V, 79
  --force, 79
  --instance, 79
  --metadatum, 79
  --record-id, 79
  --record-identifier, 79
  --type, 79
  --unit, 79
  --value, 79
  --verbose, 79
  --version, 79
  --xmlhelp, 79
  -f, 79
  -m, 79
  -r, 79
  -t, 79
  -u, 79
  -v, 79
kadi-apy-records-add-record-link command
  line option
  -I, 80
  -L, 80
  -R, 80
  -T, 80
  -V, 80
  --instance, 80
  --name, 80
  --record-id, 80
  --record-id-link, 80
  --record-identifier, 80
  --record-identifier-link, 80
  --record-ids, 80
  --term, 80
  --verbose, 80
  --version, 80
  --xmlhelp, 80
  -l, 80
  -n, 80
  -r, 80
  -t, 80
kadi-apy-records-add-string-as-file command
  line option
  -I, 81
  -R, 81
  -V, 81
  --file-name, 81
  --force, 81
  --instance, 81
  --record-id, 81
  --record-identifier, 81
  --string, 81
  --verbose, 81
  --version, 81
  --xmlhelp, 81
  -f, 81
  -n, 81
  -r, 81
  -s, 81
kadi-apy-records-add-tag command line
  option
  -I, 82
  -R, 82
  -V, 82
  --instance, 82
  --record-id, 82
  --record-identifier, 82
  --tag, 82
  --verbose, 82
  --version, 82
  --xmlhelp, 82
  -r, 82
  -t, 82
kadi-apy-records-add-user command line
  option
  -D, 83
  -I, 82
  -R, 82
  -U, 83
  -V, 82
  --identity-type, 83
  --instance, 82
  --permission-new, 83

```

```
--record-id, 83
--record-identifier, 82
--user, 83
--username, 83
--verbose, 82
--version, 82
--xmlhelp, 82
-p, 83
-r, 83
-u, 83
kadi-apy-records-create command line option
-I, 83
-V, 83
--exit-not-created, 84
--identifier, 83
--instance, 83
--pipe, 84
--title, 83
--verbose, 83
--version, 83
--visibility, 84
--xmlhelp, 83
-e, 84
-i, 83
-p, 84
-t, 83
-v, 84
kadi-apy-records-delete command line option
-I, 84
-R, 84
-V, 84
--i-am-sure, 84
--instance, 84
--record-id, 84
--record-identifier, 84
--verbose, 84
--version, 84
--xmlhelp, 84
-r, 84
kadi-apy-records-delete-all-metadata
  command line option
-I, 85
-R, 85
-V, 85
--i-am-sure, 85
--instance, 85
--record-id, 85
--record-identifier, 85
--verbose, 85
--version, 85
--xmlhelp, 85
-r, 85
kadi-apy-records-delete-file command line
  option
-I, 86
-R, 86
-V, 86
--file-id, 86
--file-name, 86
--instance, 86
--record-id, 86
--record-identifier, 86
--verbose, 86
--version, 86
--xmlhelp, 86
-i, 86
-n, 86
-r, 86
kadi-apy-records-delete-files command line
  option
-I, 86
-R, 87
-V, 86
--i-am-sure, 87
--instance, 86
--record-id, 87
--record-identifier, 87
--verbose, 86
--version, 86
--xmlhelp, 86
-r, 87
kadi-apy-records-delete-metadatum command
  line option
-I, 87
-R, 87
-V, 87
--instance, 87
--metadatum, 87
--record-id, 87
--record-identifier, 87
--verbose, 87
--version, 87
--xmlhelp, 87
-m, 87
-r, 87
kadi-apy-records-delete-record-link command
  line option
-I, 88
-R, 88
-V, 88
--instance, 88
--record-id, 88
--record-identifier, 88
--record-link-id, 88
--verbose, 88
--version, 88
--xmlhelp, 88
-l, 88
```

```

-r, 88
kadi-apy-records-edit command line option
-I, 89
-R, 89
-V, 88
--description, 89
--instance, 89
--license, 89
--record-id, 89
--record-identifier, 89
--title, 89
--type, 89
--verbose, 88
--version, 88
--visibility, 89
--xmlhelp, 88
-d, 89
-l, 89
-r, 89
-t, 89
-v, 89
-y, 89
kadi-apy-records-edit-file command line
  option
-I, 89
-R, 89
-V, 89
--file-id, 90
--file-name, 90
--instance, 89
--mimetype, 90
--name, 90
--record-id, 90
--record-identifier, 89
--verbose, 89
--version, 89
--xmlhelp, 89
-a, 90
-i, 90
-m, 90
-n, 90
-r, 90
kadi-apy-records-export command line option
-I, 90
-P, 91
-R, 90
-T, 90
-V, 90
--export-type, 90
--force, 91
--instance, 90
--name, 91
--path, 91
--pipe, 91
--record-id, 90
--record-identifier, 90
--record-ids, 90
--use-folder, 91
--verbose, 90
--version, 90
--xmlhelp, 90
-e, 90
-f, 91
-n, 91
-p, 91
-r, 90
-u, 91
kadi-apy-records-get-file command line
  option
-E, 92
-I, 92
-P, 92
-R, 92
-T, 92
-V, 91
--exclude_pattern, 92
--file-id, 92
--file-name, 92
--filepath, 92
--force, 92
--instance, 92
--pattern, 92
--pipe, 92
--record-id, 92
--record-identifier, 92
--record-ids, 92
--use-folder, 92
--verbose, 91
--version, 91
--xmlhelp, 91
-e, 92
-f, 92
-i, 92
-n, 92
-p, 92
-r, 92
-u, 92
kadi-apy-records-get-metadatum command line
  option
-I, 93
-R, 93
-V, 93
--information, 93
--instance, 93
--name, 93
--pipe, 93
--record-id, 93
--record-identifier, 93

```

- verbose, 93
- version, 93
- xmlhelp, 93
- i, 93
- n, 93
- p, 93
- r, 93

kadi-apy-records-get-record-ids command

- line option
- C, 94
- I, 94
- T, 94
- V, 94
- child\_collections, 94
- collection, 94
- i-am-sure, 95
- instance, 94
- mimetype, 94
- pipe, 94
- tag, 94
- tag-operator, 94
- verbose, 94
- version, 94
- visibility, 94
- xmlhelp, 94
- c, 94
- m, 94
- p, 94
- t, 94
- v, 94

kadi-apy-records-get-records command line option

- C, 95
- D, 96
- I, 95
- T, 95
- U, 96
- V, 95
- child\_collections, 95
- collection, 95
- identity-type, 96
- instance, 95
- mimetype, 95
- page, 96
- per-page, 96
- query, 96
- tag, 95
- tag-operator, 95
- use-my-user-id, 96
- user, 96
- username, 96
- verbose, 95
- version, 95
- visibility, 96

- xmlhelp, 95
- c, 95
- i, 96
- m, 95
- n, 96
- p, 96
- q, 96
- t, 95
- u, 96
- v, 96

kadi-apy-records-remove-collection-link command line option

- C, 97
- I, 97
- R, 97
- V, 97
- collection-id, 97
- collection-identifier, 97
- instance, 97
- record-id, 97
- record-identifier, 97
- verbose, 97
- version, 97
- xmlhelp, 97
- c, 97
- r, 97

kadi-apy-records-remove-group-role command line option

- G, 98
- I, 97
- R, 98
- V, 97
- group-id, 98
- group-identifier, 98
- instance, 97
- record-id, 98
- record-identifier, 98
- verbose, 97
- version, 97
- xmlhelp, 97
- g, 98
- r, 98

kadi-apy-records-remove-tag command line option

- I, 98
- R, 98
- V, 98
- instance, 98
- record-id, 98
- record-identifier, 98
- tag, 98
- verbose, 98
- version, 98
- xmlhelp, 98

```

-r, 98
-t, 98
kadi-apy-records-remove-user command line
  option
-D, 99
-I, 99
-R, 99
-U, 99
-V, 99
--identity-type, 99
--instance, 99
--record-id, 99
--record-identifier, 99
--user, 99
--username, 99
--verbose, 99
--version, 99
--xmlhelp, 99
-r, 99
-u, 99
kadi-apy-records-show-info command line
  option
-I, 100
-R, 100
-V, 100
--description, 100
--filelist, 100
--instance, 100
--metadata, 100
--page, 100
--per-page, 100
--pipe, 100
--record-id, 100
--record-identifier, 100
--verbose, 100
--version, 100
--visibility, 100
--xmlhelp, 100
-d, 100
-i, 100
-l, 100
-m, 100
-n, 100
-p, 100
-r, 100
-v, 100
kadi-apy-records-show-record-links-to
  command line option
-I, 101
-R, 101
-V, 101
--direction, 101
--instance, 101
--page, 101
--per-page, 101
--record-id, 101
--record-identifier, 101
--verbose, 101
--version, 101
--xmlhelp, 101
-d, 101
-n, 101
-p, 101
-r, 101
kadi-apy-records-update-record-link command
  line option
-I, 102
-R, 102
-V, 102
--instance, 102
--name, 102
--record-id, 102
--record-identifier, 102
--record-link-id, 102
--verbose, 102
--version, 102
--xmlhelp, 102
-l, 102
-n, 102
-r, 102
kadi-apy-templates command line option
--commands, 102
--version, 102
kadi-apy-templates-add-group-role command
  line option
-G, 103
-I, 103
-T, 103
-V, 103
--group-id, 103
--group-identifier, 103
--instance, 103
--permission-new, 103
--template-id, 103
--template-identifier, 103
--verbose, 103
--version, 103
--xmlhelp, 103
-g, 103
-p, 103
-t, 103
kadi-apy-templates-add-user command line
  option
-D, 104
-I, 104
-T, 104
-U, 104
-V, 104

```

```

--identity-type, 104
--instance, 104
--permission-new, 104
--template-id, 104
--template-identifier, 104
--user, 104
--username, 104
--verbose, 104
--version, 104
--xmlhelp, 104
-p, 104
-t, 104
-u, 104
kadi-apy-templates-create command line
    option
    -I, 105
    -V, 105
    --data, 105
    --exit-not-created, 105
    --identifier, 105
    --instance, 105
    --pipe, 105
    --title, 105
    --type, 105
    --verbose, 105
    --version, 105
    --xmlhelp, 105
    -d, 105
    -e, 105
    -i, 105
    -p, 105
    -t, 105
    -y, 105
kadi-apy-templates-delete command line
    option
    -I, 106
    -T, 106
    -V, 106
    --i-am-sure, 106
    --instance, 106
    --template-id, 106
    --template-identifier, 106
    --verbose, 106
    --version, 106
    --xmlhelp, 106
    -t, 106
kadi-apy-templates-edit command line option
    -I, 107
    -T, 107
    -V, 106
    --description, 107
    --instance, 107
    --template-id, 107
    --template-identifier, 107
    --title, 107
    --verbose, 106
    --version, 106
    --xmlhelp, 106
    -d, 107
    -i, 107
    -t, 107
    -v, 107
kadi-apy-templates-export command line
    option
    -I, 107
    -P, 108
    -T, 107
    -V, 107
    --export_type, 108
    --force, 108
    --instance, 107
    --name, 108
    --path, 108
    --pipe, 108
    --template-id, 108
    --template-identifier, 107
    --use-folder, 108
    --verbose, 107
    --version, 107
    --xmlhelp, 107
    -e, 108
    -f, 108
    -n, 108
    -p, 108
    -t, 108
    -u, 108
kadi-apy-templates-get-templates command
    line option
    -I, 109
    -V, 109
    --instance, 109
    --page, 109
    --per-page, 109
    --verbose, 109
    --version, 109
    --xmlhelp, 109
    -n, 109
    -p, 109
kadi-apy-templates-remove-group-role
    command line option
    -G, 110
    -I, 109
    -T, 110
    -V, 109
    --group-id, 110
    --group-identifier, 110
    --instance, 109

```

- template-id, 110
  - template-identifier, 110
  - verbose, 109
  - version, 109
  - xmlhelp, 109
  - g, 110
  - t, 110
- kadi-apy-templates-remove-user command line option
- D, 110
  - I, 110
  - T, 110
  - U, 110
  - V, 110
  - identity-type, 110
  - instance, 110
  - template-id, 110
  - template-identifier, 110
  - user, 110
  - username, 110
  - verbose, 110
  - version, 110
  - xmlhelp, 110
  - t, 110
  - u, 110
- kadi-apy-users command line option
- commands, 111
  - version, 111
- kadi-apy-users-get-users command line option
- I, 111
  - V, 111
  - filter, 111
  - instance, 111
  - page, 111
  - per-page, 111
  - verbose, 111
  - version, 111
  - xmlhelp, 111
  - f, 111
  - n, 111
  - p, 111
- kadi-apy-users-show-info command line option
- D, 112
  - I, 112
  - U, 112
  - V, 112
  - identity-type, 112
  - instance, 112
  - user, 112
  - username, 112
  - verbose, 112
  - version, 112
  - xmlhelp, 112
  - u, 112
- KadiAPYConfigurationError, 42
  - KadiAPYException, 42
  - KadiAPYInputError, 42
  - KadiAPYRequestError, 42
  - KadiManager (class in *kadi\_apy.lib.core*), 12
- ## L
- link\_record() (*kadi\_apy.cli.lib.records.CLIRcord* method), 119
  - link\_record() (*kadi\_apy.lib.resources.records.Record* method), 19
- ## M
- make\_request() (*kadi\_apy.cli.core.CLIKadiManager* method), 116
  - make\_request() (*kadi\_apy.lib.core.KadiManager* method), 12
  - meta (*kadi\_apy.cli.lib.collections.CLICollection* property), 132
  - meta (*kadi\_apy.cli.lib.groups.CLIGroup* property), 140
  - meta (*kadi\_apy.cli.lib.records.CLIRcord* property), 126
  - meta (*kadi\_apy.cli.lib.templates.CLITemplate* property), 136
  - meta (*kadi\_apy.cli.lib.users.CLIClient* property), 142
  - meta (*kadi\_apy.lib.resources.collections.Collection* property), 29
  - meta (*kadi\_apy.lib.resources.groups.Group* property), 36
  - meta (*kadi\_apy.lib.resources.records.Record* property), 23
  - meta (*kadi\_apy.lib.resources.templates.Template* property), 33
  - meta (*kadi\_apy.lib.resources.users.User* property), 38
  - misc (*kadi\_apy.cli.core.CLIKadiManager* property), 113
  - misc (*kadi\_apy.lib.core.KadiManager* property), 12
  - Miscellaneous (class in *kadi\_apy.lib.misc*), 38
  - module
    - kadi\_apy.cli.decorators, 147
    - kadi\_apy.lib.conversion, 42
    - kadi\_apy.lib.exceptions, 42
- ## P
- pat\_user (*kadi\_apy.cli.core.CLIClient* property), 116
  - pat\_user (*kadi\_apy.lib.core.KadiManager* property), 12
  - print\_info() (*kadi\_apy.cli.lib.collections.CLICollection* method), 129
  - print\_info() (*kadi\_apy.cli.lib.groups.CLIGroup* method), 140
  - print\_info() (*kadi\_apy.cli.lib.records.CLIRcord* method), 121
  - print\_info() (*kadi\_apy.cli.lib.templates.CLITemplate* method), 137

print\_info() (*kadi\_apy.cli.lib.users.CLIUser method*), 141  
 purge() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 143  
 purge() (*kadi\_apy.lib.misc.Miscellaneous method*), 38

## R

raise\_request\_error() (*kadi\_apy.cli.core.CLIKadiManager method*), 116  
 raise\_request\_error() (*kadi\_apy.cli.lib.collections.CLICollection method*), 132  
 raise\_request\_error() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 140  
 raise\_request\_error() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 145  
 raise\_request\_error() (*kadi\_apy.cli.lib.records.CLIRecord method*), 126  
 raise\_request\_error() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 137  
 raise\_request\_error() (*kadi\_apy.cli.lib.users.CLIUser method*), 142  
 raise\_request\_error() (*kadi\_apy.cli.search.CLISearch method*), 146  
 Record (*class in kadi\_apy.lib.resources.records*), 15  
 record() (*kadi\_apy.cli.core.CLIKadiManager method*), 113  
 record() (*kadi\_apy.lib.core.KadiManager method*), 13  
 remove\_all\_metadata() (*kadi\_apy.cli.lib.records.CLIRecord method*), 120  
 remove\_all\_metadata() (*kadi\_apy.lib.resources.records.Record method*), 17  
 remove\_collection\_link() (*kadi\_apy.cli.lib.collections.CLICollection method*), 128  
 remove\_collection\_link() (*kadi\_apy.cli.lib.records.CLIRecord method*), 120  
 remove\_collection\_link() (*kadi\_apy.lib.resources.collections.Collection method*), 26  
 remove\_collection\_link() (*kadi\_apy.lib.resources.records.Record method*), 16  
 remove\_group\_role() (*kadi\_apy.cli.lib.collections.CLICollection method*), 132  
 remove\_group\_role() (*kadi\_apy.cli.lib.records.CLIRecord method*), 127  
 remove\_group\_role() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 137  
 remove\_group\_role() (*kadi\_apy.lib.resources.collections.Collection method*), 29  
 remove\_group\_role() (*kadi\_apy.lib.resources.records.Record method*), 24  
 remove\_group\_role() (*kadi\_apy.lib.resources.templates.Template method*), 33  
 remove\_metadatum() (*kadi\_apy.cli.lib.records.CLIRecord method*), 120  
 remove\_metadatum() (*kadi\_apy.lib.resources.records.Record method*), 17  
 remove\_record\_link() (*kadi\_apy.cli.lib.collections.CLICollection method*), 128  
 remove\_record\_link() (*kadi\_apy.lib.resources.collections.Collection method*), 25  
 remove\_tag() (*kadi\_apy.cli.lib.collections.CLICollection method*), 133  
 remove\_tag() (*kadi\_apy.cli.lib.records.CLIRecord method*), 127  
 remove\_tag() (*kadi\_apy.lib.resources.collections.Collection method*), 29  
 remove\_tag() (*kadi\_apy.lib.resources.records.Record method*), 24  
 remove\_user() (*kadi\_apy.cli.lib.collections.CLICollection method*), 133  
 remove\_user() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 141  
 remove\_user() (*kadi\_apy.cli.lib.records.CLIRecord method*), 127  
 remove\_user() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 137  
 remove\_user() (*kadi\_apy.lib.resources.collections.Collection method*), 29  
 remove\_user() (*kadi\_apy.lib.resources.groups.Group method*), 35  
 remove\_user() (*kadi\_apy.lib.resources.records.Record method*), 24  
 remove\_user() (*kadi\_apy.lib.resources.templates.Template method*), 33  
 restore() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 143  
 restore() (*kadi\_apy.lib.misc.Miscellaneous method*),



38

**S**

Search (*class in kadi\_apy.lib.search*), 40  
 search (*kadi\_apy.cli.core.CLIKadiManager property*), 113  
 search (*kadi\_apy.lib.core.KadiManager property*), 12  
 search\_pagination\_options() (*in module kadi\_apy.cli.decorators*), 148  
 search\_resource\_ids() (*kadi\_apy.cli.search.CLISearch method*), 145  
 search\_resources() (*kadi\_apy.cli.search.CLISearch method*), 145  
 search\_resources() (*kadi\_apy.lib.search.Search method*), 40  
 search\_user\_resources() (*kadi\_apy.cli.search.CLISearch method*), 147  
 search\_user\_resources() (*kadi\_apy.lib.search.Search method*), 41  
 search\_users() (*kadi\_apy.cli.search.CLISearch method*), 146  
 search\_users() (*kadi\_apy.lib.search.Search method*), 41  
 set\_attribute() (*kadi\_apy.cli.lib.collections.CLICollection method*), 133  
 set\_attribute() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 141  
 set\_attribute() (*kadi\_apy.cli.lib.records.CLIREcord method*), 127  
 set\_attribute() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 137  
 set\_attribute() (*kadi\_apy.lib.resources.collections.Collection method*), 29  
 set\_attribute() (*kadi\_apy.lib.resources.groups.Group method*), 36  
 set\_attribute() (*kadi\_apy.lib.resources.records.Record method*), 24  
 set\_attribute() (*kadi\_apy.lib.resources.templates.Template method*), 33

**T**

Template (*class in kadi\_apy.lib.resources.templates*), 30  
 template() (*kadi\_apy.cli.core.CLIKadiManager method*), 114  
 template() (*kadi\_apy.lib.core.KadiManager method*), 13

**U**

update\_record\_link() (*kadi\_apy.cli.lib.records.CLIREcord method*), 120

update\_record\_link() (*kadi\_apy.lib.resources.records.Record method*), 20  
 upload\_file() (*kadi\_apy.cli.lib.records.CLIREcord method*), 117  
 upload\_file() (*kadi\_apy.lib.resources.records.Record method*), 17  
 upload\_string\_to\_file() (*kadi\_apy.cli.lib.records.CLIREcord method*), 117  
 upload\_string\_to\_file() (*kadi\_apy.lib.resources.records.Record method*), 17  
 User (*class in kadi\_apy.lib.resources.users*), 37  
 user() (*kadi\_apy.cli.core.CLIKadiManager method*), 114  
 user() (*kadi\_apy.lib.core.KadiManager method*), 14  
 user\_id\_options() (*in module kadi\_apy.cli.decorators*), 148

**W**

warning() (*kadi\_apy.cli.core.CLIKadiManager method*), 116  
 warning() (*kadi\_apy.cli.lib.collections.CLICollection method*), 133  
 warning() (*kadi\_apy.cli.lib.groups.CLIGroup method*), 141  
 warning() (*kadi\_apy.cli.lib.misc.CLIMiscellaneous method*), 145  
 warning() (*kadi\_apy.cli.lib.records.CLIREcord method*), 127  
 warning() (*kadi\_apy.cli.lib.templates.CLITemplate method*), 137  
 warning() (*kadi\_apy.cli.lib.users.CLIClient method*), 142  
 warning() (*kadi\_apy.cli.search.CLISearch method*), 147  
 warning() (*kadi\_apy.lib.core.KadiManager method*), 14  
 warning() (*kadi\_apy.lib.misc.Miscellaneous method*), 40  
 warning() (*kadi\_apy.lib.resources.collections.Collection method*), 29  
 warning() (*kadi\_apy.lib.resources.groups.Group method*), 36  
 warning() (*kadi\_apy.lib.resources.records.Record method*), 24  
 warning() (*kadi\_apy.lib.resources.templates.Template method*), 33  
 warning() (*kadi\_apy.lib.resources.users.User method*), 38  
 warning() (*kadi\_apy.lib.search.Search method*), 42